

pipetman®

DIAMOND TIPS

HIGHEST QUALITY TIPS FOR SUPERIOR RESULTS

Not all pipette tips are created equal. Trust Gilson's PIPETMAN® DIAMOND Tips to deliver the accuracy and precision your experiments demand. All tips are manufactured using the highest quality materials and state-of-the-art manufacturing techniques so you can be assured of consistent lot-to-lot performance.

GUARANTEE YOUR PIPETMAN® RESULTS

PIPETMAN DIAMOND Tips are designed to fit your PIPETMAN perfectly. Using PIPETMAN DIAMOND Tips in conjunction with your Gilson pipette can guarantee maximum accuracy and precision.

AFFORDABLE AND VERSATILE FOR EVERY APPLICATION

Your needs, budget, and tip consumption vary according to your specific research activity. With our extensive range of packaging, PIPETMAN DIAMOND Tips are an affordable option for every lab and every application.

CONTAMINATION-FREE

Our tips are made of the highest-grade material within a fully traceable clean-room environment, ensuring they offer low retention and are free of contaminants that can alter your experiments. From mold to bench, they are guaranteed, certified, and traceable to meet the most stringent demands in many applications.

Also available are PIPETMAN DIAMOND Filter Tips, offering total protection against aerosol contamination and PIPETMAN DIAMOND Sterilized Tips, which are gamma irradiated (SAL of 10⁻⁶) and certified free of DNA, RNA, RNases, DNases, ATP proteases, and trace metals.



WIDE RANGE OF TIP PACKAGING

BLISTER REFILL

Individually wrapped racks of tips that are convenient, clean, and eco-friendly

Ready to use, just peel the lid and insert into the empty box

Uses 45% less plastic than regular rack box

Fully autoclavable

Available as sterilized and filter tips



TOWERPACK

A quick, easy, and affordable rack refill system

Uses 60% less space on your bench and 70% less plastic than regular rack boxes

The whole range of TOWERPACK fits the amazingly easy-to-use universal reload box

One-hand system operation

Fully autoclavable

Available as sterilized tips



TIPACK

The design is more compact, convenient, ergonomic and eco-friendly

Patented ROCKY RACK system and hinged 180° angled lid makes it extremely easy to fit tips on multichannel pipettes

Fully autoclavable

Available as sterilized and filter tips



RELOAD PACK

Quickest way to reload empty box

Uses 70% less plastic, recyclable packaging is eco-friendly

Easy to store, takes up less bench space

Affordable and convenient

Fully autoclavable



EASYPACK AND ECOPACK

Purchase in bulk and save money by simply reloading these tips into empty racks

Bags are sealed with rapid-sealing strip for easy access and to prevent contamination

Minimal waste

Fully autoclavable

EASYPACK: 5 bags x 200 tips

ECOPACK: 10 bags x 1000 tips



STERILPACK

Individually wrapped sterilized tips

Complete protection from contaminants up to the moment of use

Wrapped in medical-grade quality plastic

Sterilization guaranteed for 5 years

400 individually wrapped sterilized tips



pipetman®

DIAMOND TIPS

STANDARD PIPETMAN® DIAMOND TIPS						
	Description	Volume Range	Tip Length	Qty/Pack	Autoclavable Tips	Sterilized Tips
					Part Number	Part Number
RELOAD PACK	DL10 RELOAD PACK	0.1-20 µL	45 mm	960	F167012	-
	D200 RELOAD PACK	2-200 µL	51 mm	960	F167013	-
	D1000 RELOAD PACK	100-1000 µL	66 mm	576	F167014	-
BLISTER REFILL	DL10 BLISTER REFILL	0.1-20 µL	45 mm	960	F172200	F172201
	D200 BLISTER REFILL	2-200 µL	51 mm	960	F172300	F172301
	D300 BLISTER REFILL	10-300 µL	51 mm	960	F172400	F172401
	D1000 BLISTER REFILL	100-1000 µL	66mm	960	F172500	F172501
	D1200 BLISTER REFILL	100-1200 µL	84 mm	960	F172800	F172801
TIPACK	D10 TIPACK	0.1-10 µL	30 mm	960	F171100	F171101
	DL10 TIPACK	0.1-20 µL	45 mm	960	F171200	F171201
	D200 TIPACK	2-200 µL	51 mm	960	F171300	F171301
	D300 TIPACK	10-300 µL	51 mm	960	F171400	F171401
	D1000 TIPACK	100-1000 µL	66 mm	960	F171500	F171501
	D1200 TIPACK	100-1200 µL	84 mm	960	F171600	F171601
	D5000 TIPACK	0.5-5 mL	10.4 cm	600	F161370	-
	D10mL TIPACK	1-10 mL	16 cm	240	F161230	-
TOWERPACK	D10 TOWERPACK	0.1-10 µL	30 mm	960	F167101	F167201
	DL10 TOWERPACK	0.1-20 µL	45 mm	960	F167102	F167202
	D200 TOWERPACK	2-200 µL	51 mm	960	F167103	F167203
	D300 TOWERPACK	10-300 µL	51 mm	960	F167105	F167205
	D1000 TOWERPACK	100-1000 µL	66 mm	672	F167104	F167204
ECOPACK	D10 ECOPACK	0.1-10 µL	30 mm	10,000	F161630	-
	DL10 ECOPACK	0.1-20 µL	45 mm	10,000	F161450	-
	D200 ECOPACK	2-200 µL	51 mm	10,000	F161930	-
	D300 ECOPACK	10-300 µL	51 mm	10,000	F161730	-
	D1000 ECOPACK	100-1000 µL	66 mm	10,000	F161670	-
	D1200 ECOPACK	100-1200 µL	84 mm	10,000	F161110	-
EASYPACK	D10 EASYPACK (5 bags of 200)	0.1-10 µL	30 mm	1,000	F161631	-
	DL10 EASYPACK (5 bags of 200)	0.1-20 µL	45 mm	1,000	F161451	-
	D200 EASYPACK (5 bags of 200)	2-200 µL	51 mm	1,000	F161931	-
	D300 EASYPACK (5 bags of 200)	10-300 µL	51 mm	1,000	F161731	-
	D1000 EASYPACK (5 bags of 200)	100-1000 µL	66 mm	1,000	F161671	-
	D1200 EASYPACK (5 bags of 200)	100-1200 µL	84 mm	1,000	F161111	-
	D5000 EASYPACK (3 bags of 334)	0.5-5 mL	10.4 cm	1,002	F161571	-
	D10mL EASYPACK (1 box of 200)	1-10 mL	16 cm	200	F161210	-
STERILPACK	D200ST STERILPACK	2-200 µL	51 mm	400	-	F161330
	D1000ST STERILPACK	100-1000 µL	66 mm	400	-	F161340

PIPETMAN® DIAMOND FILTER TIPS						
	Description	Volume Range	Tip Length	Qty/Pack	Sterilized Tips	
					Part Number	Part Number
BLISTER REFILL	DFL10ST BLISTER REFILL	0.1 - 10 µL	45 mm	960		F172203
	DF30ST BLISTER REFILL	2 - 30 µL	51 mm	960		F172303
	DF100ST BLISTER REFILL	10 - 100 µL	51 mm	960		F172403
	DF200ST BLISTER REFILL	20- 200 µL	51 mm	960		F172503
	DF300ST BLISTER REFILL	10 - 300 µL	51 mm	960		F172703
	DF1000ST BLISTER REFILL	100 - 1000 µL	66 mm	960		F172603
	DF1200ST BLISTER REFILL	100 - 1200 µL	84 mm	960		F172803
TIPACK	DF10ST Filter TIPACK	0.1 - 10 µL	30 mm	960		F171103
	DFL10ST Filter TIPACK	0.1 - 10 µL	45 mm	960		F171203
	DF30ST Filter TIPACK	2 - 30 µL	51 mm	960		F171303
	DF100ST Filter TIPACK	10 - 100 µL	51 mm	960		F171403
	DF200ST Filter TIPACK	20 - 200 µL	51 mm	960		F171503
	DF300ST Filter TIPACK	10 - 300 µL	51 mm	960		F171603
	DF1000ST Filter TIPACK	100 - 1000 µL	66 mm	960		F171703
	DF1200ST Filter TIPACK	100 - 1200 µL	84 mm	960		F171803



D10 are short collar tips. DL10 are long collar tips.

EMPTY RELOAD RACKS/BOXES		
Description	Qty/Pack	Part Number
Universal Reload Box (1 rack) for TOWERPACK	1	F167100
DL10/D200 Empty Box for BLISTER REFILL and RELOAD Pack	2	F171204
D1000 Empty Box	2	F171504

Description	Qty/Pack	Part Number
D10 Empty Racks	2	F171102
DL10 Empty Racks	2	F171202
D200 Empty Racks	2	F171302
D300 Empty Racks	2	F171402
D1000/D1200 Empty Racks	2	F171502
D5000 Empty Rack	1	F161360
D10mL Empty Rack	1	F161220



Universal Reload box for use with TOWERPACKS.

Empty Box for use with RELOAD Pack and BLISTER REFILL.

Empty Rack for use with ECOPACK and EASYPACK loose tips.

BLISTER REFILL FOR PIPETMAX®-CERTIFIED 384-WELL							
	Description	Volume Range	Tip Length	Qty/ Pack	Autoclavable Tips	Sterilized Tips	
					Part Number	Part Number	
BLISTER REFILL	DSL10 BLISTER REFILL 384-Certified	0.1-20 µL	45 mm	960	F172210	F172211	
	DS200 BLISTER REFILL 384-Certified	2-200 µL	51 mm	960	F172310	F172311	
	DS1000 BLISTER REFILL 384-Certified	100-1000 µL	66 mm	960	F172510	F172511	
FILTER BLISTER REFILL	DSFL10ST BLISTER REFILL 384-Certified	0.1-10 µL	45 mm	960	-	F172213	
	DSF30ST BLISTER REFILL 384-Certified	2-30 µL	51 mm	960	-	F172313	
	DSF200ST BLISTER REFILL 384-Certified	20-200 µL	51 mm	960	-	F172513	
	DSF1000ST BLISTER REFILL 384-Certified	100-1000 µL	66 mm	960	-	F172613	

pipetman®

EXPERT TIPS

PIPETMAN® EXPERT TIPS							
	Description	Volume Range	Tip Length	Pack		Case	
				Qty	Part Number	Qty	Part Number
FILTER TIPS	EF10ST Sterilized Filter Tips	0.1 - 10 µL	28.83 mm	960	F1731031	4,800	F1731032
	EFL10ST Sterilized Filter Tips	0.1 - 10 µL	45.34 mm	768	F1732031	3,072	F1732032
	EF20ST Sterilized Filter Tips	1 - 20 µL	51.44 mm	768	F1733031	3,072	F1733032
	EF100ST Sterilized Filter Tips	1 - 100 µL	51.44 mm	768	F1734031	3,072	F1734032
	EF200ST Sterilized Filter Tips	1 - 200 µL	58.57 mm	768	F1735031	3,072	F1735032
	EF300ST XL Sterilized Filter Tips	1 - 300 µL	77.50 mm	384	F1736031	3,072	F1736032
	EF1000ST XL Sterilized Filter Tips	50 - 1250 µL	102.2 mm	384	F1737031	3,072	F1737032
TIPACK	E10 TIPACK	0.1 - 10 µL	28.83 mm	960	F1731001	4,800	F1731002
	EL10 TIPACK	0.1 - 20 µL	45.34 mm	768	F1732001	3,072	F1732002
	E200 TIPACK	1 - 200 µL	51.44 mm	768	F1733001	3,072	F1733002
	E300 TIPACK	1 - 300 µL	58.57 mm	768	F1736001	3,072	F1736002
	E1000 XL TIPACK	50 - 1250 µL	102.2 mm	384	F1735001	3,072	F1735002
STERILIZED TIPACK	E10ST Sterilized TIPACK	0.1 - 10 µL	28.83 mm	960	F1731011	4,800	F1731012
	EL10ST Sterilized TIPACK	0.1 - 20 µL	45.34 mm	768	F1732011	3,072	F1732012
	E200ST Sterilized TIPACK	1 - 200 µL	51.44 mm	768	F1733011	3,072	F1733012
	E300ST Sterilized TIPACK	1 - 300 µL	58.57 mm	768	F1736011	3,072	F1736012
	E1000ST XL Sterilized TIPACK	50 - 1250 µL	102.2 mm	384	F1735011	3,072	F1735012
TOWERPACK	EL10 TOWERPACK Reload System	0.1 - 20 µL	45.34 mm	960	F1732051	3,840	F1732052
	E200 TOWERPACK Reload System	1 - 200 µL	51.44 mm	960	F1733051	3,840	F1733052
	E300 TOWERPACK Reload System	1 - 300 µL	58.57 mm	960	F1736051	3,840	F1736052
	E1000 XL TOWERPACK Reload System	50 - 1250 µL	102.2 mm	768	F1735051	3,072	F1735052
	EL10 TOWERPACK Reload Kits	0.1 - 20 µL	45.34 mm	960	F1732061	-	-
	E200 TOWERPACK Reload Kits	1 - 200 µL	51.44 mm	960	F1733061	-	-
	E300 TOWERPACK Reload Kits	1 - 300 µL	58.57 mm	960	F1736061	-	-
	E1000 TOWERPACK Reload Kits	50 - 1250 µL	102.2 mm	768	F1735061	-	-
MEGAPACK / EASYPACK	EL10ST Sterilized MEGAPACK	0.1 - 20 µL	45.34 mm	960	F1732071	4,800	F1732072
	EL200ST Sterilized MEGAPACK	1 - 200 µL	51.44 mm	960	F1733071	4,800	F1733072
	EL10 EASYPACK	0.1 - 20 µL	45.34 mm	1,000	F1734511	10,000	F1734512
	E200 EASYPACK	1 - 200 µL	51.44 mm	1,000	F1739311	10,000	F1739312
	10 µL Empty Racks	-	-	1	F1732021	24	F1732022
	200 µL Empty Racks	-	-	1	F1733021	24	F1733022
	300 µL Empty Racks	-	-	1	F1734021	24	F1734022
	1000 µL Empty Racks	-	-	1	F1735021	16	F1735022
GEL LOADING TIPS	E10 Gel Loading Flat Tips	0.1 - 10 µL	45.72 mm	200	F1731181	800	F1731182
	E10 Gel Loading Round Tips	0.1 - 10 µL	45.72 mm	200	F1731281	800	F1731282
	E200 Gel Loading Flat Tips	1 - 200 µL	82.55 mm	200	F1733181	800	F1733182
	E200ST Sterilized Gel Loading Flat Tips	1 - 200 µL	82.55 mm	200	F1733381	800	F1733382
	E200 Gel Loading Round Tips	1 - 200 µL	82.55 mm	200	F1733281	800	F1733282
	E200ST Sterilized Gel Loading Round Tips	1 - 200 µL	82.55 mm	200	F1733481	800	F1733482

Certified Free - RNase/DNase, Human DNA, Pyrogens, PCR Inhibitors

PIPETMAN EXPERT Tips are not available in all countries.

Find it at fishersci.com

WIDE RANGE OF TIP PACKAGING

TIPACK
Filter tips, autoclavable, sterilized
Uniquely designed TIPACK features a dual-purpose lid
Hinged to easily open and close while using tips
Pull it out of the hinges to set on top or discard for high-throughput tip usage



MEGAPACK
Autoclavable, sterilized
Uses 70% less plastic
Sterilized MEGAPACKS give you the choice to expose 96 or 192 tips at a time
Ideal for high-throughput pipetting



EASYPACK
Autoclavable
Purchase in bulk and save money by simply reloading these tips into empty racks
Resealable bags for easy access
EASYPACK: 5 bags x 200 tips



TOWERPACK
A quick, easy, and affordable rack refill system
Uses 60% less space on your bench and 70% less plastic than regular rack box
One-hand system operation



CERTIFIED CONTAMINANT FREE

These tips are certified free of human DNA, RNases, DNases, PCR inhibitors, and pyrogens.



GILSON UNIVERSAL FIT TIPS

Designed to fit perfectly and provide the best results with Gilson pipettes, the universal design of PIPETMAN EXPERT Tips allows them to be used with most leading pipette brands. Additionally, because of the universal fit, PIPETMAN EXPERT Tips allow you to stock up on one brand of tips with practical packaging options, saving you time, money, and bench space.

SPACE SAVING, ENVIRONMENTALLY FRIENDLY PACKAGING

The TOWERPACK and MEGAPACK configurations allow labs to store more tips using less space on the bench. Less packaging material is used and the plastic is recyclable.

GEL LOADING TIP SOLUTIONS

Receive maximum accuracy and the best possible results when using PIPETMAN EXPERT long, round tips and the specially patented flat gel loading tips.

Contact us today:

In the United States

Order online: fishersci.com

Fax an order: 1-800-926-1166

Call customer service: 1-800-766-7000