

LIFE SCIENCES


INDUSTRY-SPECIFIC PROTECTION SOLUTIONS

QUICK REFERENCE GUIDE





GLOBAL SALES AND SUPPLY CHAIN INFRASTRUCTURE



ANSELL LIFE SCIENCES

Ansell has been providing protection solutions for over 100 years and offers a comprehensive range of personal and product protection solutions to meet the needs of the life sciences industry. There are four main categories of companies we service, each with their own unique needs and challenges, which Ansell addresses with a full range of portfolio solutions:



1. Pharmaceutical industry



3. Medical device industry



2. Biotechnology industry



4. Research laboratories

FEATURED PRODUCTS

BioClean N-Plus BNPS

Elbow length nitrile gloves for extra protection

Benefits:

- 16"/400mm length to reduce risk of cross contamination
- · Hand specific to reduce hand fatigue
- Recommended for use in Class 10 (ISO 4) environments
- · Suitable for use in electrically sensitive applications

Sizes: 6.0-10.0

Performance Ratings

EN 374 EN 374



BioClean-D Drop-down Garment S-BDSH

True aseptic donning design

Benefits:

- · Innovative up and over design reduces crosscontamination when donning
- Quick and easy donning procedure to decrease operator donning errors
- · Antistatic properties making it ideal for use in electrically sensitive environments
- Low-linting CleanTough Class 10 (ISO 4) cleanroom compatible material
- Elasticated back, hood, cuffs & ankles to reduce the bellows effect

Sizes: S-XXXXL



BioClean Clearview Autoclavable Panoramic Goggles BCAP

Anti-fog lens for clear vision

Benefits:

- Anti-fog lens
- · Super-soft frame
- Indirect ventilation system • Toughened polycarbonate, anti-scratch lens
- Non-linting latex-free head band
- Tested to withstand 25 autoclave cycles of 30 minutes duration at 121°C/250°F'
- · Can be worn over eye-glasses

Sizes: Universal



^Anti-fog lens shows no degradation after 25 cycles, and lens continues to be clear up to 40 cycles under laboratory conditions.



Key Features







Antistatic low-linting material

Sterility Assurance Level 10⁻⁶



Key Features





ANSELL LIFE SCIENCES INDUSTRY PROCESSES



Applications:

- Loading and unloading of trucks and vehicles
- Unpacking of bulk goods
- Inventory recording

User needs:

- Dexterity and grip
- Abrasion protection
- Chemical protection

Applications:

- · Sample collection
- Transporting raw materials
- Weighing and dispensing of solids and liquids
- · Charging and discharging of solids and liquids

Benefits & Features:

愛

VIRUS

Benefits & Features:

愛

Benefits & Features:

microporous laminate

KPT

• Clean, soft, comfortable nitrile for longer wear

• Low AQL (0.65) for maximum barrier integrity

ERGOFORM

• Enhanced chemical splash protection

• Robust glove protects against ripping

Ø

Ansell ERGOFORM[™] technology

• Thin, strong and durable nitrile

User needs:

TouchNTuff®

93-300 (clean) /

93-700 (sterile)

Microflex®

XCEED® XC-310

- Dexterity and grip
- Chemical protection
- Exceptional barrier integrity

Microflex Supreno® SE SU-690 (9.5") / Supreno* EC SEC-375

Benefits & Features:

- Durable nitrile for longer wear times
- Non-stick surface resists tapes
- Extended cuff version approved for use with chemotherapy drugs*





Benefits & Features:

- Highly durable and breathable nitrile palm coating for longevity of use
- Soft and comfortable liner
- Silicone Free









Benefits & Features:





ABRASION CUT

- ANSELL GRIP™ technology for enhanced
- Ansell ERGOFORM™ technology to improve comfort and productivity
- Nitrile chemical resistant performance









3 ABRASION

MicroChem® by

AlphaTec* 68-2000 Ts









• Lightweight, breathable anti-static

• Proven barrier to low concentration

• Low linting reduces the risk of

contamination in critical areas



chemicals, liquid and particulate biologicals





AATCC 76

Applications:

Loading and unloading of process equipment

MANUFACTURING

• Transferring liquids and solids

PHARMACEUTICAL

- Loading wetcakes and unloading dry products
- Packaging and labeling

User needs:

- Chemical protection
- Dexterity and grip
- Abrasion and puncture resistance
- Sterile and/or clean



N-Plus

BNPS

Benefits & Features:

- 400mm/16" length for extra protection
- Hand specific sterile nitrile
- Approved for use with chemotherapy drugs (ASTM D 6978)*













Benefits & Features: • Hand specific sterile thin polychloroprene • Ultra Clean - Class 10 (ISO 4) compatible

BIOTECHNOLOGY

· Sterilizing vials and ampules

Aseptic filling and labeling

Applications:

User needs:

Dexterity

Double donning

Wet grip

• Transferring liquids

Sterile and/or clean

• Beaded cuff for stability on the arm

• Loading centrifuges and chromatography columns

- 300m/12" length







Benefits & Features:

- Proven to filter 99.9% of particles > 3 microns
- Air and water vapor permeable "breathable"
- Lightweight, breathable anti-static SMS material

Microchem® by 68-1500 Plus











BioClean-D



Drop-down S-BDSH

• Innovative quick & easy donning design Lightweight for increased user comfort/ wearability

Benefits & Features:

- Sterile & Class 10 (ISO 4) compatible
- Low-linting antistatic CleanTough material EN 1149-5





Benefits & Features:

- · Indirect ventilation system to reduce risk of contamination into the controlled environment
- Toughened, anti-scratch, anti-fog lens for clear vision
- Tested to withstand 25 autoclave cycles[^]





BioClean DB

Benefits & Features: High particle, viral & bacterial filtration

- efficiency Ultrasonically sealed edges and low-linting
- to reduce risk of cross contamination Large breathing chamber for increased
- user comfort • Sterile & Class 10 (ISO 4) compatible







• Cleanroom cleaning and preparation

Non-contaminating materials

Applications:

- Analytical testing
- Blending, compounding solids and/or liquids

Benefits & Features:

Enhanced durability

绿

• Ultimate barrier (0.40 AQL)

LABORATORY

R&D AND QUALITY CONTROL LABS

- Sample taking and processing
- Quality sampling

User needs:

- · Wet and dry grip
- Dexterity
- Chemical protection
- Thermal

Microflex⁶

Benefits & Features:

- Ultra Clean LPC <400 counts/cm²
- Chemical splash protection
- Robust nitrile protects against punctures



Applications:

User needs:

Dexterity

Assembly of parts

• Sterilization of parts

Packaging & labeling

· Reduced hand fatigue

Confident protection





Benefits & Features:

• Thin polychloroprene for increased dexterity

• Class 10 (ISO 4) compatible low-linting

antistatic CleanTough material

• PPE Cat 3 Type 5 & 6 Protection

• Lightweight for increased comfort

- Double-donnable
- Low LPC <850 counts/cm²
- Class 10 (ISO 4) compatible

BioClean BFAP (non-sterile) /

BioClean-D

Coverall with Hood BDCHT



3





Benefits & Features:

TYPE 5-B TYPE 6-B





Benefits & Features:

• Classic neoprene for wet & dry grip

• 2X more chemical splash protection**

- Excellent splash resistance to acids, bases & alcohols
- Approved for use with chemotherapy drugs (ASTM D 6978)*

₹> TNT"

Chemical Splash





VIRUS NOTE: EN symbols apply to NEC-288 ONLY

Benefits & Features:

- Thermal insulation for cold protection
- · Contact heat rated
- Ambidextrous



78-150 (White)

₩









MAINTENANCE AND CLEANUP Applications: · Washing glassware

- Removing of broken glass
- Chemical spill or leakage cleanup
- Maintenance of lab equipment

User needs:

- Wet and dry grip
- Chemical protection
- Cut protection
- Heat protection



AlphaTec® 58-735

HyFlex® 11-318

93-260

Benefits & Features:

- Nitrile barrier shell provides advanced chemical protection
- · Cut liner and Nitrile shell provides dexterity, tactility and protection







Benefits & Features:

· Touch Screen capable



• Uncoated cut resistant glove

• Can be worn as a glove liner for cut

protection & perspiration absorption













Applications:

User needs:

Biohazard response

Chemical protection

Liquid resistance

Flame and fire resistance

• Protection from airborne contamination

Benefits & Features:

Unexpected chemical leaks & spills

· Accidental release of toxic gases

EMERGENCY RESPONSE

- Multi-layer highly chemical resistant LCP-PE film
- Nonwoven inner liner for perspiration absorption
- Hand specific for enhanced comfort, can be used as a glove liner















Benefits & Features:

- Ergonomic design and excellent dexterity
- · Viton/ Butyl chemical resistant performance












ABRASION

Benefits & Features:



- · Protection against chemicals and biological agents
- Highly visible orange color





38-612





- 3 layer design for protection against harsh acids, bases and solvents
- Nitrile & Neoprene for broad resistance
- 12" extended cuff





















TECHNICAL SERVICES

VALIDATION PACKS

Ansell understands that there is more intense focus today on quality control and regulatory oversight than ever before.

This is why Ansell has created validation packs, to make compliance and qualification processes easier and faster. Validation packs consist of a multitude of technical, regulatory and scientific documents.

TECHNICAL AND PRODUCT DATA SHEETS

AND PRODUCT CERTIFICATIONS TEST REPORTS







Ansell GUARDIAN®

Global Safety Services

ANSELL GUARDIAN®

Ansell Guardian® simplifies the selection process. Our unique suite of proprietary tools helps companies maximise safety, while improving productivity and performance across 7 key functional areas of your business.

CHEMICAL GUARDIAN

Ansell Chemical Guardian evaluates the resistance and permeation times of different materials or polymers to provide hand, body and foot protection recommendations that protect workers from specific chemicals, while meeting their needs for benefits such as tactility, grip or low allergy risk protection.



SCIENTIFIC SUPPORT

Our global network of research labs can help answer your technical questions, troubleshoot and provide other types of support or specialised testing.

In addition, Ansell regularly publishes technical releases and white papers on important industry topics. WORKING WITH CHEMOTHERAPY DRUGS



ALLERGY PREVENTION



ANSELL HEALTHCARE LLC

111 Wood Avenue South Suite 210 Iselin, NJ 08830, USA

Tel. 1-800-800-0444

ANSELL CANADA INC

105 Lauder Cowansville, QC, J2K 2K8 Canada

Tel. 1-800-363-8340



Ansell, * and ™ are trademarks owned by Ansell Limited or one of its affiliates, except as noted. Dyneema* is a registered trademark owned by Royal DSM N.V. © 2019 Ansell Limited. All Right Reserved.

* See product packaging or contact Ansell Customer Service for specific chemotherapy drug permeation times and recommendations. Recommendations made in this note are based on extrapolations from laboratory test results and information regarding the composition of chemicals and may not adequately represent specific conditions of end use. Synergistic effects of mixing chemicals have not been accounted for. For these reasons, and because Ansell has no detailed knowledge of or control over the conditions of end use, any recommendation must be advisory only and Ansell fully disclaims any liability including warranties related to any statement contained herein.

** Based on EN 374 and ASTM F739 chemical permeation test data, when compared to performance of disposable nitrile gloves of a similar weight WARNING: No glove provides complete protection against cuts, abrasions or chemicals. Users should test the suitability of Ansell products for a particular purpose, for use within a particular environment or against particular chemicals.

WARNING: Natural Rubber Latex may cause allergic reactions in sensitive individuals.

LIFE SCIENCES QUICK REFERENCE GUIDE

STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
Warehousing			
		19048723AA	Durable, Heavy-Duty CoverageNitrile Exam Gloves XS
SU-690		19048723A	Durable, Heavy-Duty CoverageNitrile Exam Gloves S
		19048723B	Durable, Heavy-Duty CoverageNitrile Exam Gloves M
		19048723C	Durable, Heavy-Duty CoverageNitrile Exam Gloves L
		19048723D	Durable, Heavy-Duty CoverageNitrile Exam Gloves XL
	3	19051314A	Nitrile, Extended Cuff Exam Gloves, Blue, Size S
		19051314B	Nitrile, Extended Cuff Exam Gloves, Blue, Size M
56.275		19051314C	Nitrile, Extended Cuff Exam Gloves, Blue, Size L
EC-375		19051314D	Nitrile, Extended Cuff Exam Gloves, Blue, Size XL
		19051314E	Nitrile, Extended Cuff Exam Gloves, Blue, Size 2X
		XXXXXXXX	Nitrile, Extended Cuff Exam Gloves, Blue, Size 3X
	F.Flex	19010338	Extreme durability for extended wear in abrasive applications 6
		19010339	Extreme durability for extended wear in abrasive applications 7
1-840		19010340	Extreme durability for extended wear in abrasive applications 8
		19010341	Extreme durability for extended wear in abrasive applications 9
		19010342	Extreme durability for extended wear in abrasive applications 10
		19010343	Extreme durability for extended wear in abrasive applications 11
		17999831	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 7
0.120		17999832	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 8
8-128		17999833	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 9
		17999834	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 10
		17999835	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 11
Raw Material Prepara	ation		
	_ \	19823522	Nitrile, Latex-Free, Robust, Non Sterile S
2 200	3	19823523	Nitrile, Latex-Free, Robust, Non Sterile M
3-300		19823524	Nitrile, Latex-Free, Robust, Non Sterile L
	Say.	19823525	Nitrile, Latex-Free, Robust, Non Sterile XL
	2	19823518	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use S
2 700		19823519	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use M
93-700		19823520	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use L
		19823521	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use XL
	***************************************	19177520	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size XS
		19177521	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size S
(C-310		19177522	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size M
		19177523	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size L
		19177524	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size XL

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
		xxxxxxx	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size S
		XXXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size M
		XXXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size L
68-2000TS		XXXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size XL
		XXXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 2X
		XXXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 3X
		XXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 4X
		XXXXXXXX	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 5X
anufacturing (Pharn	naceutical)		
		19668013	Elbow length nitrile gloves for extra protection 6.0
	M	19668014	Elbow length nitrile gloves for extra protection 6.5
		19668059	Elbow length nitrile gloves for extra protection 7.0
PS		19668060	Elbow length nitrile gloves for extra protection 7.5
		19668061	Elbow length nitrile gloves for extra protection 8.0
		19668062	Elbow length nitrile gloves for extra protection 8.5
		19668063	Elbow length nitrile gloves for extra protection 9.0
		19668064	Elbow length nitrile gloves for extra protection 10.0
		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size S
		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size M
		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size L
-1500 Plus		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size XL
-1300 Ftus	ar San A	XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 2XL
		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 3XL
		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 4XL
		XXXXXXXX	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 5XL
DBS		19668005	Sterile & Class 10 (ISO 4) compatible
anufacturing (Biote	chnology)		
		19668033	Ultra Clean - Class 10 (ISO 4) compatible 6
		19668034	Ultra Clean - Class 10 (ISO 4) compatible 6.5
	A L	19668035	Ultra Clean - Class 10 (ISO 4) compatible 7.0
PS .		19668036	Ultra Clean - Class 10 (ISO 4) compatible 7.5
		19668037	Ultra Clean - Class 10 (ISO 4) compatible 8.0
		19668038	Ultra Clean - Class 10 (ISO 4) compatible 8.5
		19668039	Ultra Clean - Class 10 (ISO 4) compatible 9.0
		xxxxxxxx	Ultra Clean - Class 10 (ISO 4) compatible 10.0
		XXXXXXXX	Sterile & Class 10 (ISO 4) compatible XS
		19668310	Sterile & Class 10 (ISO 4) compatible S
BDSH		19668311	Sterile & Class 10 (ISO 4) compatible M
		19668312	Sterile & Class 10 (ISO 4) compatible L
		19668313	Sterile & Class 10 (ISO 4) compatible XL
		19668314	Sterile & Class 10 (ISO 4) compatible XXL
	9 5	19668315	Sterile & Class 10 (ISO 4) compatible 3XL

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
		19668316	Sterile & Class 10 (ISO 4) compatible 4XL
		XXXXXXXX	Sterile & Class 10 (ISO 4) compatible 6XL
BCAP		19668345	Indirect ventilation system to reduce risk of cont-amination into the controlled environment
Manufacturing (Me	edical Device)		
		19014689A	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length S
93-401		19014689B	Ambidextrous, nitrile cleanroom gloves with textured fingers 12 $\!\!\!^{\prime\prime}$ / 305mm length M
73-401		19014689C	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length L
		19014689D	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length XL
		19668100	Class 10 (ISO 4) compatible XS
	///	19668101	Class 10 (ISO 4) compatible S
BFAP		19668102	Class 10 (ISO 4) compatible M
DIAI		19668103	Class 10 (ISO 4) compatible L
		19668104	Class 10 (ISO 4) compatible XL
		19668105	Class 10 (ISO 4) compatible 2XL
		19668161	Class 10 (ISO 4) compatible 5 - 5.5
		19668162	Class 10 (ISO 4) compatible 6 - 6.5
S-BFAP		19668163	Class 10 (ISO 4) compatible 7 - 7.5
3-DFAF		19668164	Class 10 (ISO 4) compatible 8 - 8.5
		19668165	Class 10 (ISO 4) compatible 9
		19668166	Class 10 (ISO 4) compatible 10
		19668359	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XS
	Q	19668360	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material S
		19668361	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material M
BDCHT		19668362	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material L
BBCITI		19668363	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XL
		19668364	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 2XL
		19668365	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 3XL
		19668366	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 4XL
		19668351	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XS
	Q	19668352	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material S
		19668353	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material M
C PDCUT		19668354	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material L
S-BDCHT		19668355	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XL
		19668356	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 2XL
		19668357	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 3XL
		19668358	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 4XL
Laboratory (R&D &	Quality Control)		
		19010170	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology XS
		19010171	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology S
		19010172	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology M
93-850		19010173	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology L
		19010174	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology XL
		19010175	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology 2XL

NPG-888 191203010B Powder-Free Examination Gloves XS 191203010C Powder-Free Examination Gloves M 191203010D Powder-Free Examination Gloves L 191203010E Powder-Free Examination Gloves XL 19050340A Powder-Free Examination Gloves S 19050340C Powder-Free Examination Gloves M 19050340D Powder-Free Examination Gloves L 19050340F Powder-Free Examination Gloves XL 19050340G Powder-Free Examination Gloves XL Powder-Free Examination Gloves XL Powder-Free Examination Gloves XL	
NPG-888 191203010C Powder-Free Examination Gloves M 191203010D Powder-Free Examination Gloves L 191203010E Powder-Free Examination Gloves XL 19050340A Powder-Free Examination Gloves S 19050340C Powder-Free Examination Gloves M 19050340D Powder-Free Examination Gloves L 19050340F Powder-Free Examination Gloves XL	
191203010D Powder-Free Examination Gloves L 191203010E Powder-Free Examination Gloves XL 19050340A Powder-Free Examination Gloves S 19050340C Powder-Free Examination Gloves M NEC-288 19050340D Powder-Free Examination Gloves L 19050340F Powder-Free Examination Gloves XL	
191203010E Powder-Free Examination Gloves XL 19050340A Powder-Free Examination Gloves S 19050340C Powder-Free Examination Gloves M 19050340D Powder-Free Examination Gloves L 19050340F Powder-Free Examination Gloves XL	
NEC-288 19050340A Powder-Free Examination Gloves S Powder-Free Examination Gloves M Powder-Free Examination Gloves L Powder-Free Examination Gloves L	
NEC-288 19050340C Powder-Free Examination Gloves M Powder-Free Examination Gloves L Powder-Free Examination Gloves XL	
NEC-288 19050340D Powder-Free Examination Gloves L 19050340F Powder-Free Examination Gloves XL	
19050340F Powder-Free Examination Gloves XL	
19050340G Powder-Free Examination Gloves 2XL	
78-101 19806113 Lightweight, 13 Gauge, Elasticized Knitwrist	
78-150 19069586 Lightweight, 13 Gauge, Elasticized Knitwrist	
Laboratory (Maintenance & Cleanup)	
19168562 Advanced chemical protection plus excellent cut resistance 6	
19168563 Advanced chemical protection plus excellent cut resistance 7	
19168564 Advanced chemical protection plus excellent cut resistance 8	
58-735 19168565 Advanced chemical protection plus excellent cut resistance 9	
19168566 Advanced chemical protection plus excellent cut resistance 10	
19168567 Advanced chemical protection plus excellent cut resistance 11	
19152304 INTERCEPT™ Cut Resistant Liner, Gray, Size 6	
19152305 INTERCEPT™ Cut Resistant Liner, Gray, Size 7	
19152306 INTERCEPT™ Cut Resistant Liner, Gray, Size 8	
19152307 INTERCEPT™ Cut Resistant Liner, Gray, Size 9	
19152308 INTERCEPT™ Cut Resistant Liner, Gray, Size 10	
19152309 INTERCEPT™ Cut Resistant Liner, Gray, Size 11	
19010151 Thinnest Chemical Resistant Synthetic Composite Single Use Glove	XS
19010152 Thinnest Chemical Resistant Synthetic Composite Single Use Glove	e S
19010153 Thinnest Chemical Resistant Synthetic Composite Single Use Glove	M
93-260 19010154 Thinnest Chemical Resistant Synthetic Composite Single Use Glove	e L
19010155 Thinnest Chemical Resistant Synthetic Composite Single Use Glove	XL
19010156 Thinnest Chemical Resistant Synthetic Composite Single Use Glove	

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
Emergency Response			
02-100		19010058	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 6
		19148520	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 7
		19034564C	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 8
		19034564D	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 9
		19034564E	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 10
		19034564F	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 11
38-612		19162032	Viton/Butyl, Chemical Resistant Glove, Black, 4/8 mil, Size 8
		19161442	Viton/Butyl, Chemical Resistant Glove, Black, 4/8 mil, Size 9
		19162033	Viton/Butyl, Chemical Resistant Glove, Black, 4/8 mil, Size 10
MicroChem By AlphaTec 6000		18000026	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size S
		18000027	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size M
		18000028	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size L
		18000029	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size XL
		18000030	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size 2XL
		18000031	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size 3XL



© 2019 Thermo Fisher Scientific Inc. All Rrights Reserved. Trademarks used are owned as indicated at fishersci.com/trademarks.

In the United States

For customer service, call 1-800-766-7000 To fax an order, use 1-800-926-1166 To order online: www.fishersci.com

In Canada:

For customer service, call 1-800-234-7437 To fax an order, use 1-800-463-2996 To order online: www.fishersci.ca

