

# **SAFETY DATA SHEET**

Revision Date 25-Mar-2024 Revision Number 3

# 1. Identification

Product Name 4-Methylbenzylamine

Cat No. : A13768

CAS No 104-84-7 Synonyms p-Xylylamine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4
Skin Corrosion/Irritation Category 1 B
Serious Eye Damage/Eye Irritation Category 1

### Label Elements

# **Signal Word**

Danger

### **Hazard Statements**

Combustible liquid

Causes severe skin burns and eye damage

Revision Date 25-Mar-2024 4-Methylbenzylamine



### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eve protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep cool

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

| Component                     | CAS No   | Weight % |  |
|-------------------------------|----------|----------|--|
| Benzenemethanamine, 4-methyl- | 104-84-7 | >95      |  |

### 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Immediate medical attention is required. Rinse immediately with plenty of water, also under **Eye Contact** 

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash **Skin Contact** 

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation Remove from exposure, lie down. If breathing is difficult, give oxygen. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Revision Date 25-Mar-2024

#### 4-Methylbenzylamine

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician immediately. Clean mouth with water.

Most important symptoms and

effects

Difficulty in breathing. Causes burns by all exposure routes. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

**Notes to Physician** Treat symptomatically

# 5. Fire-fighting measures

**Suitable Extinguishing Media** CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool

closed containers.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

75 °C / 167 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3      | 2            | 1           | N/A              |

### Accidental release measures

**Personal Precautions** Use personal protective equipment as required. Evacuate personnel to safe areas. Keep

people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Up

## 7. Handling and storage

Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

4-Methylbenzylamine Revision Date 25-Mar-2024

**Storage.** Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep away from heat, sparks and flame. Do not allow contact with air. Store under an inert atmosphere. Incompatible Materials. Acids. Strong oxidizing agents. Acid anhydrides. Acid

chlorides. Carbon dioxide (CO2).

# 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter.

Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid Appearance Clear

Odor Amine compounds
Odor Threshold No information available

pH No information available Melting Point/Range 13 °C / 55.4 °F

Boiling Point/Range 195 °C / 383 °F @ 760 mmHg

Flash Point 75 °C / 167 °F

Evaporation Rate No information available Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density 4.19 Specific Gravity 0.950

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Slightly soluble in water
No data available
No information available

Decomposition Temperature

Viscosity

No information available
No information available

Molecular FormulaC8 H11 NMolecular Weight121.18

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

Revision Date 25-Mar-2024 4-Methylbenzylamine

Stability Air sensitive.

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and **Conditions to Avoid** 

sources of ignition. Exposure to air.

Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2) **Incompatible Materials** 

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Thermal

decomposition can lead to release of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# Toxicological information

**Acute Toxicity** 

**Product Information** 

No acute toxicity information is available for this product

**Component Information** 

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component          | CAS No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------------|----------|------------|------------|------------|------------|------------|
| Benzenemethanamine | 104-84-7 | Not listed |
| , 4-methyl-        |          |            |            |            |            |            |

**Mutagenic Effects** No information available

No information available. Reproductive Effects

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability May persist based on information available.

4-Methylbenzylamine Revision Date 25-Mar-2024

**Bioaccumulation/ Accumulation** No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

| Component                     | log Pow |  |  |
|-------------------------------|---------|--|--|
| Benzenemethanamine, 4-methyl- | 1.46    |  |  |

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN2735

**Proper Shipping Name Technical Name**AMINES, LIQUID, CORROSIVE, N.O.S.
Benzenemethanamine, 4-methyl-

Hazard Class 8
Packing Group

TDG

UN-No UN2735

**Proper Shipping Name** AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group III

**IATA** 

UN-No UN2735

**Proper Shipping Name** AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group |||

IMDG/IMO

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group

# 15. Regulatory information

#### **United States of America Inventory**

| Component                     | CAS No   | TSCA | TSCA Inventory notification -<br>Active-Inactive | TSCA - EPA Regulatory<br>Flags |
|-------------------------------|----------|------|--|--------------------------------|
| Benzenemethanamine, 4-methyl- | 104-84-7 | X    | INACTIVE   | -                              |

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical

Not applicable

Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component CAS No | DSL | NDSL EINECS | PICCS ENC | SISHL | AICS | IECSC | KECL |
|------------------|-----|-------------|-----------|-------|------|-------|------|
|------------------|-----|-------------|-----------|-------|------|-------|------|

4-Methylbenzylamine Revision Date 25-Mar-2024

| Benzenemethanamine, 4-methyl- | 104-84-7 | - | X | 203-243-2 | Χ | - | Χ | - | - | KE-23460 |
|-------------------------------|----------|---|---|-----------|---|---|---|---|---|----------|

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

# Authorisation/Restrictions according to EU REACH Not applicable

| Component                     | CAS No   | REACH (1907/2006) -<br>Annex XIV - Substances | REACH (1907/2006) -<br>Annex XVII - Restrictions | REACH Regulation (EC 1907/2006) article 59 - |
|-------------------------------|----------|---|--|--|
|                               |          | Subject to Authorization                      |  | Candidate List of<br>Substances of Very High |
|                               |          |   | Cubotanooo                                       | Concern (SVHC)                               |
| Benzenemethanamine, 4-methyl- | 104-84-7 | -   | -  | -  |

## Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic | Ozone Depletion | Restriction of |
|-----------|--------|----------|--------------------|-----------------|----------------|
|           |        |          |                    |                 |                |
|           |        |          |                    |                 |                |

Revision Date 25-Mar-2024

## 4-Methylbenzylamine

|                                  |          |                | Pollutant      | Potential      | Hazardous<br>Substances (RoHS) |
|----------------------------------|----------|----------------|----------------|----------------|--------------------------------|
| Benzenemethanamine,<br>4-methyl- | 104-84-7 | Not applicable | Not applicable | Not applicable | Not applicable                 |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### **Other International Regulations**

|     | Component                      | CAS No   | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report<br>Requirements | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste) |
|-----|--------------------------------|----------|---|--|-------------------------------|---------------------------------------|
| Ber | nzenemethanamine,<br>4-methyl- | 104-84-7 | Not applicable  | Not applicable   | Not applicable                | Not applicable                        |

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Revision Date 25-Mar-2024 Print Date 25-Mar-2024

**Revision Summary** New emergency telephone response service provider.

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**