

SAFETY DATA SHEET

Revision Date 01-Apr-2024

Revision Number 4

1. Identification

Product Name

sec-Butylzinc bromide, 0.5M in THF

Cat No. :	H58714
Synonyms	No information available
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Γ

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

	Flammable liquids	Category 2
ŀ	Substances/mixtures which, in contact with water, emit	Category 1
ł	flammable gases	
	Acute oral toxicity	Category 4
ŀ	Skin Corrosion/Irritation	Category 1 B
ŀ	Serious Eye Damage/Eye Irritation	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity (single exposure)	Category 3
ŀ	Target Organs - Respiratory system, Central nervous system	(CNS).

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor In contact with water releases flammable gases which may ignite spontaneously Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing cancer



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Keep cool

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in a dry place. Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

May form explosive peroxides

WARNING. Cancer - https://www.p65warnings.ca.gov/.

109-99-9 171860-66-5 4. First-aid measures now this safety data sheet to the doctor in attendary quired. nse immediately with plenty of water, also under immediate medical attention is required. ash off immediately with plenty of water for at lease intaminated clothing and gloves, including the insertional interval	the eyelids, for at least 15 minutes. ast 15 minutes. Remove and wash	
4. First-aid measures now this safety data sheet to the doctor in attenda quired. nse immediately with plenty of water, also under imediate medical attention is required. ash off immediately with plenty of water for at lea intaminated clothing and gloves, including the ins imediately.	ance. Immediate medical attention is the eyelids, for at least 15 minutes. ast 15 minutes. Remove and wash	
now this safety data sheet to the doctor in attenda quired. nse immediately with plenty of water, also under mediate medical attention is required. ash off immediately with plenty of water for at lea intaminated clothing and gloves, including the ins mediately.	the eyelids, for at least 15 minutes. ast 15 minutes. Remove and wash	
quired. nse immediately with plenty of water, also under mediate medical attention is required. ash off immediately with plenty of water for at lea ontaminated clothing and gloves, including the ins mediately.	the eyelids, for at least 15 minutes. ast 15 minutes. Remove and wash	
amediate medical attention is required. ash off immediately with plenty of water for at lea intaminated clothing and gloves, including the ins imediately.	ast 15 minutes. Remove and wash	
ntaminated clothing and gloves, including the inside th		
f not breathing, give artificial respiration. Remove from exposure, lie down. Do not use nouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration vith the aid of a pocket mask equipped with a one-way valve or other proper respiratory nedical device. Call a physician immediately.		
NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an onscious person. Call a physician immediately.		
s burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor ntrations may cause symptoms like headache, dizziness, tiredness, nausea and ng: Product is a corrosive material. Use of gastric lavage or emesis is indicated. Possible perforation of stomach or esophagus should be investigated: ion causes severe swelling, severe damage to the delicate tissue and danger of ation		
Treat symptomatically		
	th the aid of a pocket mask equipped with a one edical device. Call a physician immediately. NOT induce vomiting. Clean mouth with water. conscious person. Call a physician immediately auses burns by all exposure routes. Difficulty in to ncentrations may cause symptoms like headach miting: Product is a corrosive material. Use of g ntraindicated. Possible perforation of stomach of gestion causes severe swelling, severe damage information	

3. Composition/Information on Ingredients

Suitable Extinguishing Media	Dry sand. Carbon dioxide (CO $_2$). Powder. Do not use water or foam. CO $_2$, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	-17 °C / 1.4 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Methylpropane. Hydrogen bromide. Zinc. Zinc oxide. Carbon dioxide (CO₂). Carbon monoxide (CO). **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 3	Flammability 3	Instability 2	Physical hazards W			
	6. Accidental release measures					
Personal Precautions Ensure adequate ventilation. Use personal protective equipment as require personnel to safe areas. Keep people away from and upwind of spill/leak. sources of ignition. Take precautionary measures against static discharges Environmental Precautions Should not be released into the environment. See Section 12 for additional						
	Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.					
Methods for Containmen Up	Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.					
	7. Handling and storage					
HandlingWear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do ingest. If swallowed then seek immediate medical assistance. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.						
Storage.	well-ventilated place. Conta the presence of peroxides. have occurred and the proc the container should only be	Keep refrigerated. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep away from heat, sparks and flame. Incompatible Materials. Acids. Acid chlorides. Oxidizing agent.				

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Tetrahydrofuran	TWA: 50 ppm	(Vacated) TWA: 200 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 100 ppm	(Vacated) TWA: 590 mg/m ³	TWA: 200 ppm	TWA: 590 mg/m ³
	Skin	(Vacated) STEL: 250 ppm	TWA: 590 mg/m ³	STEL: 250 ppm
		(Vacated) STEL: 735 mg/m ³	STEL: 250 ppm	STEL: 735 mg/m ³
		TWA: 200 ppm	STEL: 735 mg/m ³	_
		TWA: 590 mg/m ³	-	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	low boiling organic solvent. Type AX. Brown. conforming to EN371. or. Organic gases and vapours filter. Type A. Brown. conforming to EN14387.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties			
Physical State	Liquid		
Appearance	Yellow - Brown - Black		
Odor	No information available		
Odor Threshold	No information available		
рН	No information available		
Melting Point/Range	No data available		
Boiling Point/Range	No information available		
Flash Point	-17 °C / 1.4 °F		
Evaporation Rate	No information available		
Flammability (solid,gas)	Not applicable		
Flammability or explosive limits			
Upper	No data available		
Lower	No data available		
Vapor Pressure	23 hPa @ 20 °C		
Vapor Density	No information available		
Specific Gravity	0.968 g/cm3		
Solubility	No information available		
Partition coefficient; n-octanol/water	No data available		
Autoignition Temperature	No information available		
Decomposition Temperature	No information available		
Viscosity	No information available		
Molecular Formula	C4 H9 BrZn		
Molecular Weight	202.40		

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Air sensitive. May form precipitate.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Acids, Acid chlorides, Oxidizing agent
Hazardous Decomposition Product	s Methylpropane, Hydrogen bromide, Zinc, Zinc oxide, Carbon dioxide (CO ₂), Carbon monoxide (CO)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

Acute Toxicity

Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Information	Category 4. ATE = 300 - 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Tetrahydrofuran	1650 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	180 mg/L (Rat)1 h 53.9 mg/L (Rat)4 h	
Toxicologically Synergistic No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure				
Irritation	No information available			
Sensitization	No information available	No information available		
Carcinogenicity	Limited evidence of a carcinogenic effect. The table below indicates whether each agency has listed any ingredient as a carcinogen.			

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Tetrahydrofuran	109-99-9	Group 2B	Not listed	A3	Х	A3
sec-Butylzinc bromide	171860-66-5	Not listed	Not listed	Not listed	Not listed	Not listed
IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans ACGIH: (American Conference of Governmental Industrial Hygienists) ACGIH: (American Conference of Governmental Industrial Hygienists)						
Mutagenic Effects No information available			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Reproductive Effect	Effects No information available.					
Developmental Effects No information available.						
Teratogenicity		No information available.				
STOT - single expos STOT - repeated exp	- single exposureRespiratory system Central nervous system (CNS)- repeated exposureNone known					
Aspiration hazard		No information available				
Symptoms / effects delayed	both acute and,	cute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation				

Endocrine Disruptor Information

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor	
	Candidate List	Evaluated Substances	Information	
Tetrahydrofuran	Group III Chemical	Not applicable	Not applicable	
Other Adverse Effects The toxicological properties have not been fully investigated.				

12. Ecological information

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Tetrahydrofuran	Not listed	2160 mg/l LC50 = 96 h Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h	Not listed	EC50 48 h 3485 mg/l EC50: >10000 mg/L/24h
Persistence and Degrada	ability May persist b	based on information availa	ble.	

Bioaccumulation/ Accumulation

Waste Disposal Methods

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Tetrahydrofuran	0.45

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Tetrahydrofuran - 109-99-9	U213	-

	14. Transport information
DOT	
UN-No	UN3399
Proper Shipping Name	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
Technical Name	(sec-Butylzinc bromide, TETRAHYDROFURAN)
Hazard Class	4.3
Subsidiary Hazard Class	3
Packing Group	Ш
<u>_TDG</u>	
UN-No	UN3399
Proper Shipping Name	Organometallic substance, liquid, water-reactive, flammable
Hazard Class	4.3
Subsidiary Hazard Class	3
Packing Group	ll
UN-No	UN3399
Proper Shipping Name	Organometallic substance, liquid, water-reactive, flammable
Hazard Class	4.3
Subsidiary Hazard Class	3
Packing Group	ll
IMDG/IMO	
UN-No	UN3399
Proper Shipping Name	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
Hazard Class	4.3
Subsidiary Hazard Class	3
Packing Group	
	15 Degulatory information

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Tetrahydrofuran	109-99-9	Х	ACTIVE	-
sec-Butylzinc bromide	171860-66-5	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Tetrahydrofuran	109-99-9	Section 4, 1 % de minimus concentration

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Tetrahydrofuran	109-99-9	Х	-	203-726-8	Х	Х	Х	Х	Х	KE-33454
sec-Butylzinc bromide	171860-66-5	-	-	-	-	-		-	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Tetrahydrofuran	1000 lb	-	1000 lb 454 kg

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Tetrahydrofuran	109-99-9	Carcinogen	-	Carcinogen

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tetrahydrofuran	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	, <u> </u>	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Tetrahydrofuran	109-99-9	-	Use restricted. See item 75. (see link for restriction details)	-
sec-Butylzinc bromide	171860-66-5	-	-	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Tetrahydrofuran	109-99-9	Listed	Not applicable	Not applicable	Not applicable
sec-Butylzinc bromide	171860-66-5	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Tetrahydrofuran	109-99-9	Not applicable	Not applicable	Not applicable	Not applicable
sec-Butylzinc bromide	171860-66-5	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information	
Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com	
Revision Date	01-Apr-2024	

Print Date Revision Summary 01-Apr-2024 New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS