

# SAFETY DATA SHEET

Creation Date 05-Apr-2006 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name 4-Vinyl-1-cyclohexene, stabilized

Cat No.: AC140880000; AC140880050; AC140885000

CAS No 100-40-3

Synonyms Butadine dimer; Cyclohexene, 4-ethenyl-; Cyclohexenylethylene

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 2

Carcinogenicity

Category 2

Reproductive Toxicity

Aspiration Toxicity

Category 1

#### Label Elements

### Signal Word

Danger

# **Hazard Statements**

Highly flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes skin irritation
Causes serious eye irritation
Suspected of causing cancer
Suspected of damaging fertility or the unborn child



#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

## Response

IF exposed or concerned: Get medical attention/advice

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Storage**

Store locked up

Store in a well-ventilated place. Keep cool

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
4-Vinylcyclohexene	100-40-3	99

# 4. First-aid measures

## General Advice

If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention. Risk of

serious damage to the lungs (by aspiration).

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician or poison control center immediately. If vomiting occurs naturally, have victim

lean forward.

Most important symptoms and

effects

Notes to Physician

 $\hbox{ Difficulty in breathing.} \ . \ \hbox{ Inhalation of high vapor concentrations may cause symptoms like}$ 

headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 16 °C / 60.8 °F

Method - No information available

Autoignition Temperature 280 °C / 536 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards330N/A

#### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Remove all

sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment. See Section 12 for additional Ecological

Information. Avoid release to the environment. Collect spillage.

**Methods for Containment and Clean** Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# 7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Take precautionary measures against static discharges.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Refrigerator/flammables. Keep under nitrogen. Incompatible

Materials. Strong oxidizing agents. Alcohols. Amines.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
4-Vinylcyclohexene	TWA: 0.1 ppm			TWA: 0.1 ppm

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

Personal Protective Equipment

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateLiquidAppearanceClearOdorOdorless

Odor Threshold No information available No information available

 Melting Point/Range
 -101 °C / -149.8 °F

 Boiling Point/Range
 126 - 127 °C / 258.8 - 260.6 °F @ 760 mmHg

Flash Point

16 °C / 60.8 °F

Evaporation Rate

No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure15 mbar @ 20 °C

Vapor Density 3.76 Specific Gravity 0.832

Solubility slightly soluble Partition coefficient; n-octanol/water No data available

Autoignition Temperature
Decomposition Temperature
Viscosity

Molecular Formula Molecular Weight 280 °C / 536 °F No information available 0.7 mPa s at 20 °C

C8 H12 108.18

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Excess heat. Incompatible products. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Alcohols, Amines

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component LD50 Oral		LD50 Dermal	LC50 Inhalation		
	4-Vinylcyclohexene	LD50 = 2600 mg/kg (Rat)	LD50 = 17000 mg/kg ( Rabbit )	LC50 < 8000 ppm (Rat) 4 h	

**Toxicologically Synergistic** 

No information available

**Products** 

delayed

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
4-Vinylcyclohexene	100-40-3	Group 2B	Not listed	A3	Χ	Not listed

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

#### Other Adverse Effects

The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
4-Vinylcyclohexene	Not listed	Oncorhynchus mykiss:	Not listed	>100 mg/L 48h
		LC50=17 mg/L 48h		

Persistence and Degradability

No information available

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

No information available.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

**UN-No** UN1993

Proper Shipping Name Flammable liquid, n.o.s.
Technical Name 4-Vinylcyclohexene

Hazard Class 3
Packing Group ||

TDG

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3
Packing Group ||

<u>IATA</u>

**UN-No** UN1993

Proper Shipping Name Flammable liquid, n.o.s.

Hazard Class 3
Packing Group ||

IMDG/IMO

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3
Packing Group ||

# 15. Regulatory information

# United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
4-Vinylcyclohexene	100-40-3	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
ſ	4-Vinylcyclohexene	100-40-3	Х	-	202-848-9	Χ	Χ	Х	Х	Х	KE-35356

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product contains the following Proposition 65 chemicals.

Component	Component CAS No		Prop 65 NSRL	Category	
4-Vinylcyclohexene	100-40-3	Carcinogen	-	Carcinogen	
' '		Female Reproductive		_	

# U.S. State Right-to-Know

# Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
4-Vinylcyclohexene	X	Х	Х	X	=

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

# Other International Regulations

Mexico - Grade No information available

# Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
4-Vinylcyclohexene	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
4-Vinylcyclohexene	100-40-3	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
4-Vinylcyclohexene	100-40-3	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

**Prepared By** Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

05-Apr-2006 **Creation Date Revision Date** 24-Dec-2021 **Print Date** 24-Dec-2021

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**