

SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

Chromium trioxide

Cat No. :	A100-100; A100-212; A100-500
CAS No Synonyms	1333-82-0 Chromium trioxide; Chromic acid; Chromic anhydride
Recommended Use Uses advised against	Laboratory chemicals.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

L

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids	Category 1
Acute oral toxicity	Category 3
Acute dermal toxicity	Category 2
Acute Inhalation Toxicity - Dusts and Mists	Category 2
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Liver, Kidney, Blood.	

Label Elements

Signal Word Danger

Hazard Statements

May cause fire or explosion; strong oxidizer Toxic if swallowed Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause genetic defects May cause cancer Suspected of damaging fertility Causes damage to organs through prolonged or repeated exposure Fatal in contact with skin or if inhaled



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Wear fire/flame resistant/retardant clothing

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Gently wash with plenty of soap and water

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component		CAS No	Weight %	
Chromium trioxide (CrO3)		1333-82-0	>95	
	Λ			
	4.	First-aid measures		
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Eye Contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.			
Skin Contact		Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.			
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.			
Most important symptoms and effects	Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated			
Notes to Physician	Treat symptomatically			
	5 Ei	re-fighting measures		
	0.11			
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. C 2, dry chemical, dry sand, alcohol-resistant foam.		opriate to extinguish surrounding fire. CO	
Unsuitable Extinguishing Media	No information available			
Flash Point Method -	No information available No information available			

Autoignition Temperature No information available Explosion Limits

Upper	No data available
Lower	No data available
Oxidizing Properties	Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Toxic fumes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 4	Flammability 0	Instability 1	Physical hazards OX	
		6. Accidental re	lease measures		
Personal	Precautions			e personnel to safe areas. Ensure I of spill/leak. Avoid dust formation.	
Environr	nental Precautions	contaminate ground water	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.		
Methods Up	Methods for Containment and CleanSweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.				
		7. Handling	and storage		
Handling	I	clothing. Use only under a immediate medical assista	equipment/face protection. Do r chemical fume hood. Do not in ince. Do not breathe (dust, vap n clothing and other combustibl	gest. If swallowed then seek or, mist, gas). Avoid dust	
Storage.		near combustible material moisture. Incompatible M	s. Corrosives area. Store under aterials. Bases. Alcohols. Amir hydrides. Metals. Reducing Ag		

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Chromium trioxide (CrO3)	TWA: 0.0002 mg/m ³ STEL: 0.0005 mg/m ³ Skin	(Vacated) Ceiling: 0.1 mg/m ³ Ceiling: 0.1 mg/m ³	IDLH: 15 mg/m ³ TWA: 0.0002 mg/m ³	TWA: 0.05 mg/m³

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health Г

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9. Physical and chemical properties			
Physical State	Solid		
Appearance	Reddish violet		
Odor	Odorless		
Odor Threshold	No information available		
рН	1 50g/l aq.sol		
Melting Point/Range	196 °C / 384.8 °F		
Boiling Point/Range	No information available		
Flash Point	No information available		
Evaporation Rate	Not applicable		
Flammability (solid,gas)	No information available		
Flammability or explosive limits			
Upper	No data available		
Lower	No data available		
Vapor Pressure	No information available		
Vapor Density	Not applicable		
Specific Gravity	No information available		
Solubility	Soluble in water		
Partition coefficient; n-octanol/water	No data available		
Autoignition Temperature	No information available		
Decomposition Temperature	198 °C		
Viscosity	Not applicable		
Molecular Formula	Cr O3		
Molecular Weight	99.99		

10. Stability and reactivity

Reactive Hazard	Yes	
Stability	Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.	
Conditions to Avoid	Excess heat. Incompatible products. Exposure to moist air or water. Combustible material.	
Incompatible Materials	Bases, Alcohols, Amines, Ammonia, Hydrocarbons, Ketones, Acetone, Acid anhydrides, Metals, Reducing Agent, Finely powdered metals, Strong reducing agents, Combustible material	
Hazardous Decomposition Products Toxic fumes		
Hazardous Polymerization	Hazardous polymerization does not occur.	

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

Component Informa Componen		LD50 Oral LD50 Dermal LC50 I			Inhalation	
Chromium trioxide	(CrO3)	LD50 = 80 mg/kg (Rat	:) LD50 =	= 57 mg/kg (Rabbit)	LC50 = 217	mg/m ³ (Rat)4
oxicologically Syn roducts elaved and immed		No information avai		nd long-term exposu	re	
ritation			vell as chronic effects from short and long-term exposure Causes severe burns by all exposure routes			
ensitization		May cause sensitiza	ation by skin con	tact		
arcinogenicity		The table below ind	icates whether e	ach agency has listed	any ingredient	as a carcinoge
Component	CAS N	o IARC	NTP	ACGIH	OSHA	Mexico
Chromium trioxide (CrO3)	1333-82	-0 Group 1	Known	A1	Х	A1
Hygienists)		e of Governmental Industria Ire Limits - Carcinogens	Reasonabl Carcinoger Al A1 - Known A2 - Suspe A3 - Anima ACGIH: (A Mexico - O A1 - Confin A2 - Suspe A3 - Confin A4 - Not Cl	n Human Carcinogen octed Human Carcinogen I Carcinogen Imerican Conference of occupational Exposure Li med Human Carcinogen octed Human Carcinogen med Animal Carcinogen assifiable as a Human C	Governmental Ind mits - Carcinogen Darcinogen	ustrial Hygienists
Iutagenic Effects		Mutagenic Ames te	A5 - Not Suspected as a Human Carcinogen Mutagenic Ames test: positive.			
Reproductive Effect	S	Possible risk of imp	Possible risk of impaired fertility.			
Developmental Effe	cts	No information avai	lable.			
eratogenicity		Teratogenic effects	Teratogenic effects have occurred in experimental animals.			
		Boopirotory ovotom				

STOT - single exposureRespiratory systemSTOT - repeated exposureLiver Kidney BloodAspiration hazardNo information available

Symptoms / effects,both acute and
delayedIngestion causes severe swelling, severe damage to the delicate tissue and danger of
perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble
breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle
pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is
contraindicated. Possible perforation of stomach or esophagus should be investigatedEndocrine Disruptor InformationNo information availableOther Adverse EffectsThe toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chromium trioxide (CrO3)	Not listed	LC50: = 40 mg/L, 96h static	Not listed	Not listed
		(Colisa fasciatus)		
Persistence and Degrada	l ability Soluble in wa	I ater Persistence is unlikely	based on information avail	lable.
Bioaccumulation/ Accun	nulation No information	on available.		
Mobility Will likely be r		mobile in the environment	due to its water solubility.	
	13. Di	sposal considera	ations	
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is hazardous waste. Chemical waste generators must also consult local, region national hazardous waste regulations to ensure complete and accurate classic		ocal, regional, and		
	14. T	ransport informa	ation	
DOT UN-No	UN1463			

UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	UN1463 CHROMIUM TRIOXIDE, ANHYDROUS 5.1 8; 6.1 II
_ <u>TDG</u> UN-No	UN1463
Proper Shipping Name Hazard Class	CHROMIUM TRIOXIDE, ANHYDROUS 5.1
Subsidiary Hazard Class	8; 6.1
Packing Group	II
IATA	
UN-No	UN1463
Proper Shipping Name	CHROMIUM TRIOXIDE, ANHYDROUS
Hazard Class	5.1
Subsidiary Hazard Class	6.1, 8
Packing Group	II
IMDG/IMO	11014.400
UN-No Deserver Objective Name	
Proper Shipping Name	CHROMIUM TRIOXIDE, ANHYDROUS
Hazard Class	
Subsidiary Hazard Class	6.1, 8
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Chromium trioxide (CrO3)	1333-82-0	Х	ACTIVE	R

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Chromium trioxide (CrO3)	1333-82-0	Section 6

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Chromium trioxide (CrO3)	1333-82-0	Х	-	215-607-8	Х	Х	Х	Х	Х	KE-06020

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Chromium trioxide (CrO3)	1333-82-0	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Chromium trioxide (CrO3)	-	-	Х	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Chromium trioxide (CrO3)	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Chromium trioxide (CrO3)	5 μg/m³ TWA	-
	2.5 µg/m ³ Action Level	

CERCLA

Not applicable

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Chromium trioxide	1333-82-0	Carcinogen	0.001 µg/day	Developmental
(CrO3)		Developmental		Carcinogen
(0.00)		Female Reproductive		_
		Male Reproductive		

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chromium trioxide (CrO3)	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Chromium trioxide (CrO3)	Carcinogenic Category 1B, Mutagenic Category 1B Article 57 Application date: March 21, 2016 Sunset date: September 21, 2017 Exemption - None	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) Use restricted. See item 47. (see link for restriction details)	SVHC Candidate list - 215-607-8 - Carcinogenic, Article 57a;Mutagenic, Article 57b

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

	Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chromium trioxide (CrO3) 1333-82-0 Listed Not applicable Not applicable Not applicable	Chromium trioxide (CrO3)	1333-82-0	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Convention (PIC)	Basel Convention (Hazardous Waste)
Chromium trioxide (CrO3)	1333-82-0	Not applicable	Not applicable	Not applicable	Annex I - Y21

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date Print Date Revision Summary	24-Nov-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

End of SDS