

SAFETY DATA SHEET

Creation Date 24-Nov-2010

Revision Date 24-Dec-2021

Revision Number 6

1. Identification

Product Name DL-Lactic acid

Cat No. :	A159500; A1621; A162500		
Synonyms	DL-2-Hydroxypropanoic acid		
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.		

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

s	Skin Corrosion/Irritation
S	Serious Eye Damage/Eye Irritation

Category 2 Category 1

Label Elements

Signal Word Danger

Hazard Statements Causes skin irritation Causes serious eye damage



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Spills

Absorb spillage to prevent material damage

Storage

Store in corrosive resistant polypropylene container with a resistant inliner

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Lactic acid	50-21-5	90
Water	7732-18-5	10

	4. First-aid measures
General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects	Causes severe eye damage.
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available

Flash Point	110 °C / 230 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

```
Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).
```

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 1	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions		on. Use personal protective equ o the environment. See Sectior	

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Up

7. Handling and storage					
Handling	Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.				
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Bases. Strong oxidizing agents. Reducing Agent.				
8. E	xposure controls / personal protection				
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.				
Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.				
Personal Protective Equipment					
Eye/face Protection	Tight sealing safety goggles. Face protection shield.				
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.				
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.				

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State
Appearance
Odor
Odor Threshold
рН
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Weight

Very viscous Liquid No information available pungent No information available 2,8 18 °C / 64.4 °F 122 °C / 251.6 °F @ 15 mmHg 110 °C / 230 °F No information available Not applicable

No data available No data available No information available No information available 1.200 Soluble No data available No information available No information available 90.08

10. Stability and reactivity

Reactive Hazard None known, based on information available			
Stability	Stable under normal conditions.		
Conditions to Avoid	Excess heat. Incompatible products.		
Incompatible Materials	Acids, Bases, Strong oxidizing agents, Reducing Agent		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		
	11. Toxicological information		

Acute Toxicity

Product Information Oral LD50 Dermal LD50	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.				
Vapor LC50	Based on ATE data, the cla	ssification criteria are not met	. ATE > 20 mg/l.		
Component Information					
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Lactic acid	LD50 = 3543 mg/kg(Rat)	>2 g/kg (Rabbit)	LC50 > 7.94 mg/L (Rat)4 h		
Water	-	-	-		
Toxicologically Synergistic	No information available				
Products Delayed and immediate effects as well as chronic effects from short and long-term exposure					

Irritation

Irritating to skin; Risk of serious damage to eyes

Sensitization		No information available				
Carcinogenicity		The table below ind	licates whether ea	ach agency has list	ted any ingredient a	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Lactic acid	50-21-5	Not listed	Not listed	Not listed	Not listed	Not listed
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects	-	No information avai	lable			
Reproductive Effect	ts	No information avai	lable.			
Developmental Effects No information available.						
Teratogenicity		No information avai	lable.			
STOT - single expo STOT - repeated ex	sure posure	None known None known				
Aspiration hazard		No information available				
Symptoms / effects delayed	s,both acute and	d No information available				
Endocrine Disrupto	or Information	nation No information available				
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.				
		12. Ecolo	gical infor	mation		
Ecotoxicity Do not empty into dr	ains.					
Persistence and De	egradability	Soluble in water Pe	rsistence is unlike	ely based on inform	nation available.	
Bioaccumulation/ A	Accumulation	No information available.				
Mobility		Will likely be mobile in the environment due to its water solubility.				
	Component				log Pow]
	Lactic acid	-0.54				
			•			
		13 Dispos	sal conside	rations		

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information			
DOT	Not regulated		
DOT TDG	Not regulated		
IATA	Not regulated		
IMDG/IMO	Not regulated		
	15. Regulatory information		

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Lactic acid	50-21-5	Х	ACTIVE	-

Water 7732-18-5 X ACTIVE -	
Water 1752-10-5 A ACTIVE -	

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Lactic acid	50-21-5	Х	-	200-018-0	Х	Х	Х	Х	Х	KE-21802
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
U.S. Department of Trai					
Reportable Quantity (RQ): N				
DOT Marine Pollutant	N				
DOT Severe Marine Poll	utant N				
U.S. Department of Hor Security	neland This pro	oduct does not conta	in any DHS chemicals.		
Other International Reg	ulations				
Mexico - Grade	Slight ri	sk, Grade 1			
Authorisation/Restriction	ons according to EU	REACH N	ot applicable		

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	· · · · J · · · J	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Lactic acid	50-21-5	-	-	-
Water	7732-18-5	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Lactic acid	50-21-5	Listed	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Lactic acid	50-21-5	Not applicable	Not applicable	Not applicable	Annex I - Y34
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date	24-Nov-2010 24-Dec-2021
Print Date Revision Summary	24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS