

SAFETY DATA SHEET

Creation Date 27-Apr-2009

Revision Date 13-Oct-2023

Revision Number 10

1. Identification				
Product Name	Methanol			
Cat No. :	A412-1; A412-4; A412-4LC; A412-20; A412-200; A412200-001; A412-200LC; A412-500; A412CU-1300; A412P-4; A412SK-4; A412FB-19; A412FB-50; A412FB-115; A412FB-200; A412POP-19; A412POPB-200; A412RB50; A412RB-115; A412RB-200; A412RS-19; A412RS-28; A412RS-50; A412RS-115; A412RS-200; A412SS-115; A412SS-19; XXA412ETU200LI; NC1282211; XXA412ETWD200LI; NC1380933; A412RS-1350ASME; NC1561769; A412RS200ASME; NC1568698; NC1822351; XXA412ETU20LI; A412ETRS1350ASM; NC1871449; A412RS1350; NC1882599; XXA412ET200LI; NC1911795; A412RS1250; NC2012101; NC2047038; NC2165479; NC2312993			
CAS No Synonyms	67-56-1 Methyl alcohol			
Recommended Use Uses advised against	Laboratory chemicals.			

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2 Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Specific target organ toxicity (single exposure) Target Organs - Optic nerve, Central nervous system (CNS).

Category 3 Category 3 Category 3 Category 1

Specific target organ toxicity - (repeated exposure) Target Organs - Kidney, Liver, spleen, Blood. Category 1

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Causes damage to organs Causes damage to organs through prolonged or repeated exposure Toxic if swallowed, in contact with skin or if inhaled



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

IF exposed: Call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS. WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

3. C	ompositio	on/Information on Ingr	edients	
Component		CAS No	Weight %	
Methyl alcohol		67-56-1	>95	
	4.	First-aid measures		
General Advice Immediate medical attention is required. Show this safety data sheet to the doctor i attendance.			is safety data sheet to the doctor in	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.			
Skin Contact	ntact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.			
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.			
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.			
Most important symptoms and effects Notes to Physician				

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	9.7 °C / 49.5 °F
Method -	CC (closed cup) Abel-Pensky (DIN 51755) Directive 84/449/EEC, A.9
Autoignition Temperature	455 °C / 851 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	31.00 vol % 6.0 vol % St No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO). Formaldehyde.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	personal protective equipm	e areas. Keep people away fror ient as required. Ensure adequ recautionary measures against	

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods for Containment and CleanSoak up with inert absorbent material. Keep in suitable, closed containers for disposal.UpRemove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
Storage.	Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides. Strong bases. Metals. Peroxides.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Methyl alcohol	TWA: 200 ppm	(Vacated) TWA: 200 ppm	IDLH: 6000 ppm	TWA: 200 ppm
-	STEL: 250 ppm	(Vacated) TWA: 260 mg/m ³	TWA: 200 ppm	STEL: 250 ppm
	Skin	(Vacated) STEL: 250 ppm	TWA: 260 mg/m ³	
		(Vacated) STEL: 325 mg/m ³	STEL: 250 ppm	
		Skin	STEL: 325 mg/m ³	
		TWA: 200 ppm	-	
		TWA: 260 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	low boiling organic solvent. Type AX. Brown. conforming to EN371.
Hygiene Measures	When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties

······································	
Physical State	Liquid
Appearance	Colorless
Odor	Alcohol-like
Odor Threshold	No information available
рН	Not applicable
Melting Point/Range	-98 °C / -144.4 °F
Boiling Point/Range	64.7 °C / 148.5 °F @ 760 mmHg
Flash Point	9.7 °C / 49.5 °F
Method -	CC (closed cup) Abel-Pensky (DIN 51755) Directive 84/449/EEC,
	A.9
Evaporation Rate	5.2 (ether = 1)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	31.00 vol %
Lower	6.0 vol %
Vapor Pressure	128 hPa @ 20 °C
Vapor Density	1.11
Specific Gravity	0.791
Solubility	Miscible with water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	455 °C / 851 °F
Decomposition Temperature	No information available
Viscosity	0.55 cP at 20 °C
Molecular Formula	C H4 O
Molecular Weight	32.04
VOC Content(%)	100
Surface tension	0.02255 N/m @ 20°C

10. Stability and reactivity

Reactive Hazard	None known, based on information available				
Stability	Stable under normal conditions.				
Conditions to Avoid	Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.				
Incompatible Materials	Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides, Strong bases, Metals, Peroxides				
Hazardous Decomposition Product	ts Carbon monoxide (CO), Formaldehyde				
Hazardous Polymerization	Hazardous polymerization does not occur.				
Hazardous Reactions	None under normal processing.				
	11. Toxicological information				

Acute Toxicity

Componer	nt	LD50 Oral		LD50 Dermal		LC50 Inhalation	
Methyl alcohol LD5		LD50 = 1187 – 2769 mg/kg (R	at) LD50 = 1	LD50 = 17100 mg/kg (Rabbit)		LC50 = 128.2 mg/L (Rat) 4 h	
Toxicologically Syr Products Delayed and immed	-	Carbon tetrachloride as well as chronic effects	from short an	d long-term exposu	re_		
rritation		May cause skin and e	May cause skin and eye irritation				
Sensitization		No information availab	le				
Carcinogenicity		The table below indica	ites whether ea	ach agency has listed	any ingredient a	as a carcinoge	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Methyl alcohol	67-56-1	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information availab	le				
Reproductive Effects		No information availab	No information available.				
Developmental Effects							
Developmental Effe	ects	Component substance	e is listed on Ca	alifornia Proposition 6	5 as a developn	nental hazard.	
Developmental Effe Teratogenicity	ects	Component substance No information availab		alifornia Proposition 6	5 as a developn	nental hazard.	
•	sure		ervous system		5 as a developn	nental hazard.	
Teratogenicity STOT - single expo STOT - repeated ex	sure	No information availab	ole. ervous system lood		5 as a developn	nental hazard.	
Teratogenicity STOT - single expo STOT - repeated ex Aspiration hazard	sure posure	No information availab Optic nerve Central ne Kidney Liver spleen Bl	ole. ervous system lood ole Inhalation of h	(CNS) igh vapor concentratio			
Teratogenicity STOT - single expo STOT - repeated ex Aspiration hazard Symptoms / effects	sure posure s,both acute	No information availab Optic nerve Central ne Kidney Liver spleen Bl No information availab and May cause blindness: headache, dizziness, t	ole. ervous system lood le Inhalation of h iredness, naus	(CNS) igh vapor concentratio			

12. Ecological information

Ecotoxicity

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min	EC50 > 10000 mg/L 24h
			EC50 = 43000 mg/L 5 min	
Persistence and Degrada	ability Persistence i	s unlikely based on informa	ation available.	

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Methyl alcohol	-0.74

13. Disposal considerations

Waste Disposal Methods

Should not be released into the environment.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

	14. Transport information					
DOT						
UN-No	UN1230					
Proper Shipping Name	METHANOL					
Hazard Class	3					
Packing Group						
TDG						
UN-No	UN1230					
Proper Shipping Name	METHANOL					
Hazard Class	3					
Subsidiary Hazard Class	6.1					
Packing Group	ll					
<u>IATA</u>						
UN-No	UN1230					
Proper Shipping Name	METHANOL					
Hazard Class	3					
Subsidiary Hazard Class	6.1					
Packing Group	ll					
IMDG/IMO						
UN-No	UN1230					
Proper Shipping Name	METHANOL					
Hazard Class	3					
Subsidiary Hazard Class	6.1					
Packing Group						
	15. Regulatory information					

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Methyl alcohol	67-56-1	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Methyl alcohol	67-56-1	Х	-	200-659-6	Х	Х	Х	Х	Х	KE-23193

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Methyl alcohol	67-56-1	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Methyl alcohol	5000 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Methyl alcohol	67-56-1	Developmental	-	Developmental
U.S. State Right-to-Know	1			

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methyl alcohol	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	Y N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methyl alcohol	67-56-1	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Methyl alcohol	67-56-1	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Methyl alcohol	67-56-1	500 tonne	5000 tonne	Not applicable	Not applicable

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date Print Date Revision Summary	27-Apr-2009 13-Oct-2023 13-Oct-2023 This document has been updated to comply with the US OSHA HazCom 2012 Standard			
Revision Summary	replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS