

SAFETY DATA SHEET

Creation Date 03-Jun-2010

Revision Date 13-Oct-2023

Revision Number 5

Product Name	1. Identification 1-Propanol	
Cat No. :	A414-1; A414-4; A414-20; A414-500; A414RB-50; A414S-4; BP1130-500; XXNPROALCRS200; NC1348124; NC1396483	
CAS No	71-23-8	
Synonyms	n-Propanol; n-Propyl alcohol (Certified/Peroxide-Free/Sequencing)	
Recommended Use	Laboratory chemicals.	
Uses advised against	Food, drug, pesticide or biocidal product use.	

Details of the supplier of the safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Category 2 Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements Highly flammable liquid and vapor Causes serious eye damage May cause drowsiness or dizziness



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
n-Propyl alcohol	71-23-8	> 99

4. First-aid measures			
General Advice If symptoms persist, call a physician.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if		

symptoms occur.
Clean mouth with water and drink afterwards plenty of water.
Difficulty in breathing. Causes eye burns. Causes severe eye damage. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective

Chistitable Extinguishing media	Water may be meneetive
Flash Point	15 °C / 59 °F
Method -	No information available
Autoignition Temperature	405 °C / 761 °F
Explosion Limits Upper Lower	13.7 vol % 2.2 vol %

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 3	Instability 0	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions		uipment as required. Ensure a ecautionary measures agains	adequate ventilation. Remove all
Environmental Precautions Should not be released into the environment. So Information.		, ,	0
Methods for Containment and C Up	· · · · · · · · · · · · · · · · · · ·	nt material. Keep in suitable, c ion. Use spark-proof tools and	I
	7. Handling a	and storage	
Handling		quipment/face protection. Do	not get in eyes, on skin, or on e ventilation. Keen away from open

vear personal protective equipment/face protection. Do not get in eyes, on skin, or on
clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open
flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition
of vapors by static electricity discharge, all metal parts of the equipment must be grounded.
Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
n-Propyl alcohol	TWA: 100 ppm	(Vacated) TWA: 200 ppm	IDLH: 800 ppm	TWA: 100 ppm
		(Vacated) TWA: 500 mg/m ³	TWA: 200 ppm	
		(Vacated) STEL: 250 ppm	TWA: 500 mg/m ³	
		(Vacated) STEL: 625 mg/m ³	STEL: 250 ppm	
		TWA: 200 ppm	STEL: 625 mg/m ³	
		TWA: 500 mg/m ³	Ŭ	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety shower are close to the workstation location.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Recommended Filter type:	Organic gases and vapours filter. Type A. Brown. conforming to EN14387.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9	Physical	and	chemica	properties
- Z •	1 Hysicul	and	Chenneu	

·····	
Physical State	Liquid
Appearance	Colorless
Odor	Alcohol-like
Odor Threshold	No information available
рН	20% aq. solution
Melting Point/Range	-127 °C / -196.6 °F
Boiling Point/Range	97 °C / 206.6 °F @ 760 mmHg
Flash Point	15 °C / 59 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	13.7 vol %
Lower	2.2 vol %
Vapor Pressure	25 mbar @ 20 °C
Vapor Density	2.07
Specific Gravity	0.800

Solubility Partition coefficient; n-octanol/wate Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight	r No data available 405 °C / 761 °F No information available 2.2 mPa.s at 20 °C C3 H8 O 60.1
	10. Stability and reactivity
Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.

Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
	·

Incompatible Materials Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Compone	nt Info	rmation
---------	---------	---------

Componer	Component			LD50 Dermal	LC50 I	nhalation		
n-Propyl alco	n-Propyl alcohol Ll		Rat) LD50 =	LD50 = 4049 mg/kg (Rabbit)		mg/L (Rat)4 h		
Toxicologically Synergistic		No information ava	ilable					
Products								
Delayed and immed	iate effects a	s well as chronic effe	cts from short ar	d long-term exposi	ure			
rritation		Severe eye irritant						
Sensitization		No information ava	ilable					
Carcinogenicity		The table below in	dicates whether ea	ach agency has liste	d any ingredient a	is a carcinogen.		
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
n-Propyl alcohol	71-23-8	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information ava	ilable					
Reproductive Effect	s	No information ava	ilable.					
Developmental Effe	cts	No information ava	No information available.					
Teratogenicity		No information ava	No information available.					
STOT - single expos STOT - repeated ex		Central nervous sy None known	Central nervous system (CNS) None known					
Aspiration hazard		No information ava	No information available					
Symptoms / effects delayed	,both acute a	•	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting					

Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. .

Component	Freebu		Freehwater Fich	Microtox	Watar Elec
n-Propyl alcohol		rater Algae t listed	Freshwater Fish Pimephales promelas: LC50=4480 mg/L 96h	Microtox EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	Water Flea EC50: 3339 - 3977 mg/L, 48h Static (Daphnia magna) EC50: = 3642 mg/L, 48h (Daphnia magna)
Persistence and Degrada	ability	Persistence is	s unlikely		
Bioaccumulation/ Accum	ulation	No informatic	on available.		
Mobility		. Will likely be	e mobile in the environmer	nt due to its water solubility	

Component	log Pow
n-Propyl alcohol	0.2

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN1274
Proper Shipping Name	N-PROPANOL
Hazard Class	3
Packing Group	II
TDG	
UN-No	UN1274
Proper Shipping Name	n-Propanol
Hazard Class	3
Packing Group	II
IATA	
UN-No	UN1274
Proper Shipping Name	n-PROPANOL
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1274
Proper Shipping Name	N-PROPANOL
Hazard Class	3
Packing Group	<u> </u>
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
n-Propyl alcohol	71-23-8	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)	Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
n-Propyl alcohol	71-23-8	Х	-	200-746-9	Х	Х	Х	Х	Х	KE-29362

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

Not applicable
See section 2 for more information
Not applicable
Not applicable
Not applicable
Not applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
n-Propyl alcohol	Х	Х	Х	-	Х	
U.S. Department of Trans Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollut	N N					
U.S. Department of Home Security	eland This pro	duct does not contai	n any DHS chemicals.			
Other International Regu	lations					
Mexico - Grade	Serious	risk, Grade 3				

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High

				Concern (SVHC)
n-Propyl alcohol	71-23-8	-	Use restricted. See item	-
			(see link for restriction	
			details)	

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Comp	onent	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
n-Propy	l alcohol	71-23-8	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
n-Propyl alcohol	71-23-8	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	03-Jun-2010 13-Oct-2023 13-Oct-2023 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS