

SAFETY DATA SHEET

Creation Date 06-Nov-2010

Revision Date 28-Mar-2024

Revision Number 3

1. Identification

Product Name

Lithium granules

7439-93-2

Cat No.: 00733

CAS No Synonyms

Recommended Use

Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Lithium metal; Lithium element

Details of the supplier of the safety data sheet

<u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Г

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Substances/mixtures which, in contact with water, emit flammable gases	Category 1
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1

Label Elements

Signal Word Danger

Hazard Statements

In contact with water releases flammable gases which may ignite spontaneously Causes severe skin burns and eye damage



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a dry place. Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Lithium	7439-93-2	>95

4. First-aid measures				
Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.			
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.			
Ingestion	Do NOT induce vomiting. Call a physician immediately.			

Most important symptoms and effects Notes to Physician	Causes burns by all exposure routes Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically
	5. Fire-fighting measures

Suitable Extinguishing Media dry ground dolomite.

Unsuitable Extinguishing Media No information available

Flash Point	No information available
Method -	No information available

Autoignition Temperature 180 °C / 356 °F

Explosion Limits Upper No data available Lower No data available

Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Water reactive. Produce flammable gases on contact with water.

Hazardous Combustion Products

Hydrogen.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>

Health 3	Flammability 3	Instability 2	Physical hazards W
	6. Accidental rel	ease measures	
Personal Precautions	protective equipment as re-	l eyes. Evacuate personnel to s quired. Ensure adequate ventila s, sparks or flames in immediate	ation. ELIMINATE all ignition
Environmental Precautions	See Section 12 for addition	al Ecological Information.	-

Methods for Containment and Clean Pick up and transfer to properly labelled containers. Prevent product from entering drains. Up

	7. Handling and storage
Handling	Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store contents under argon. Keep from any possible contact with water. Incompatible Materials. Organic materials. Acids. Halogens. oxygen. nitriles. Metals. Carbon dioxide (CO2).
	8. Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations
	and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

	ingeneration properties
Physical State	Solid
Appearance	Silver
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	180 °C / 356 °F
Boiling Point/Range	1340 °C / 2444 °F
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/wate	r No data available
Autoignition Temperature	180 °C / 356 °F
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Li
Molecular Weight	6.94
-	

10. Stability and reactivity

Reactive Hazard	Yes	
Stability	Air sensitive. Moisture sensitive.	
Conditions to Avoid	Exposure to air. Incompatible products. Exposure to moist air or water.	
Incompatible Materials	Organic materials, Acids, Halogens, oxygen, nitriles, Metals, Carbon dioxide (CO2)	
Hazardous Decomposition Products Hydrogen		

Hazardous Polymor	ization	Hazardous polymo	arization doos not	occur		
Hazardous Polymerization Hazardous polymerization does not occur.						
Hazardous Reactions Reacts violently with water, liberating extremely flammable gases.						
		11. Toxico	ological inf	ormation		
Acute Toxicity						
Product Informatior Component Information		No acute toxicity in	nformation is avail	able for this produc	t	
Toxicologically Syn		No information ava	ailable			
Products Delayed and immed	liate effects as w	ell as chronic effe	ects from short ar	nd long-term expo	sure_	
Irritation		Causes burns by a	all exposure routes	6		
Sensitization		No information ava	ailable			
Carcinogenicity		The table below in	idicates whether e	ach agency has lis	ted any ingredient	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Lithium	7439-93-2	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects						
Reproductive Effect	ts	No information ava	ailable.			
Developmental Effe	cts	No information ava	ailable.			
Teratogenicity		No information ava	ailable.			
STOT - single expos STOT - repeated exp		None known None known				
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	s,both acute and	Possible perforation	on of stomach or e	of gastric lavage of sophagus should b he delicate tissue a	e investigated: Ing	estion causes
Endocrine Disrupto	r Information	No information ava	ailable			
Other Adverse Effe	cts	See actual entry in	n RTECS for comp	lete information.		
		12. Ecol	ogical infor	mation		
Ecotoxicity Reacts with water so	no ecotoxicity dat	ta for the substance	e is available.			
Persistence and De	gradability	Persistence is unli	ikely based on info	ormation available.		
Bioaccumulation/ A	ccumulation	No information ava	ailable.			
Mobility		Is not likely mobile	e in the environme	nt.		
		13. Dispo	sal conside	erations		
Waste Disposal Met				gional, and		

	14. Transport information
DOT	
UN-No	UN1415
Proper Shipping Name	LITHIUM
Hazard Class	4.3
Packing Group	
TDG	
UN-No	UN1415
Proper Shipping Name	LITHIUM
Hazard Class	4.3
Packing Group	
UN-No	UN1415
Proper Shipping Name	LITHIUM
Hazard Class	4.3
Packing Group	
IMDG/IMO	
UN-No	UN1415
Proper Shipping Name	LITHIUM
Hazard Class	4.3
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Lithium	7439-93-2	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Lithium	7439-93-2	Х	-	231-102-5	Х	Х		Х	Х	KE-22543

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Lithium	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Lithium	7439-93-2	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Lithium	7439-93-2	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component		Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	for Safety Report Requirements		Basel Convention (Hazardous Waste)
Lithium	7439-93-2	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com
Creation Date Revision Date Print Date Revision Summary	06-Nov-2010 28-Mar-2024 28-Mar-2024 New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS