

## SAFETY DATA SHEET

Revision Date 02-Apr-2024

**Revision Number** 4

#### 1. Identification

#### **Product Name**

### Cadmium rod, 12.7mm (0.5in) dia

#### Cat No. : 10119

CAS No Synonyms

Recommended Use Uses advised against 7440-43-9 No information available Laboratory chemicals.

Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### <u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

#### Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

#### 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Inhalation Toxicity - Dusts and Mists	Category 2
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 2
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Kidney, Blood.	
Combustible dust	Yes

#### Label Elements

Signal Word Danger

#### **Hazard Statements**

May form combustible dust concentrations in air Fatal if inhaled Suspected of causing genetic defects May cause cancer Suspected of damaging fertility. Suspected of damaging the unborn child Causes damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

#### Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

#### Storage

#### Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

#### 3. Composition/Information on Ingredients

Component		CAS No	Weight %
Cadmium		7440-43-9	100
	4.	First-aid measures	
General Advice Show this safety data sheet to the doctor in attendance. Immediate medical required.			ance. Immediate medical attention is
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.		
		ff immediately with plenty of water for at least 15 minutes. Immediate medical n is required.	
Inhalation	Remove to f	resh air. If not breathing, give artificial	respiration. Do not use mouth-to-mouth

	method if victim ingested or inhaled the substance; give artificial respiration with the aid of pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.	
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.	
Most important symptoms and effects Notes to Physician	None reasonably foreseeable. Kidney disorders: May cause harm to the unborn child: Blood disorders Treat symptomatically	

5. Fire-fighting measures

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Fine dust dispersed in air may ignite. Dust can form an explosive mixture with air. Pyrophoric properties of solids and liquids. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

#### Toxic fumes.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### <u>NFPA</u>

Health 4	Flammability 1	Instability 0	Physical hazards N/A	
	6. Accidental re	lease measures		
Personal Precautions	rsonal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid formation. Keep people away from and upwind of spill/leak. Evacuate personnel to areas.			
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.			

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage		
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.	
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Incompatible Materials. Strong oxidizing agents. Strong acids. Sulfur oxides.	

### 8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Cadmium	TWA: 0.01 mg/m³ TWA: 0.002 mg/m³	Ceiling: 0.3 mg/m³ Ceiling: 0.6 mg/m³ (Vacated) STEL: 0.3 ppm TWA: 5 µg/m³	IDLH: 9 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.002 mg/m <sup>3</sup>

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.		
Personal Protective Equipment			
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.		
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.		
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.		
Recommended Filter type:	Particulates filter conforming to EN 143.		
Hygiene Measures	When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.		

9. Physical and chemical properties		
Physical State	Solid	
Appearance	Silver	
Odor	Odorless	
Odor Threshold	No information available	
рН	No information available	
Melting Point/Range	321 °C / 609.8 °F	
Boiling Point/Range	765 °C / 1409 °F @ 760 mmHg	
Flash Point	No information available	
Evaporation Rate	Not applicable	
Flammability (solid,gas)	No information available	
Flammability or explosive limits		
Upper	No data available	
Lower	No data available	
Vapor Pressure	No information available	
Vapor Density	Not applicable	
Specific Gravity	8.64 @ 25°C	
Solubility	Insoluble in water	
Partition coefficient; n-octanol/water	No data available	
Autoignition Temperature	No information available	

<b>Decomposition Temperature</b>
Viscosity
Molecular Formula
Molecular Weight

No information available Not applicable Cd 112.40

10. Stability and reactivity		
Reactive Hazard Yes		
Stability	Stable under recommended storage conditions. Moisture sensitive. Air sensitive.	
Conditions to Avoid	Incompatible products. Excess heat. Avoid dust formation. Exposure to air or moisture over prolonged periods.	
Incompatible Materials Strong oxidizing agents, Strong acids, Sulfur oxides		
Hazardous Decomposition Products Toxic fumes		
Hazardous Polymerization Hazardous polymerization does not occur.		
Hazardous Reactions None under normal processing.		
11. Toxicological information		

Acute Toxicity

#### Product Information

Component Information					
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Cadmium	LD50 = 2330 mg/kg ( Rat )	Not listed	LC50 = 25 mg/m <sup>3</sup> (Rat) 30 min		
Toxicologically Synergistic         No information available           Products         Delayed and immediate effects as well as chronic effects from short and long-term exposure					
Irritation	No information available				
Sensitization	nsitization No information available				
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a car			ted any ingredient as a carcinogen.		

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Cadmium	7440-43-9	Group 1	Known	A2	Х	A2		
IARC (Internationa	IARC (International Agency for Research on Cancer)			national Agency for F	Research on Cancer	)		
			,	Carcinogenic to Huma				
				Probably Carcinoger				
				Possibly Carcinogen				
NTP: (National To.	xicity Program)			onal Toxicity Program	ı)			
				nown Carcinogen				
				Anticipated - Reaso	nably Anticipated to	be a Human		
ACCIU: (Amorica	n Conforance of Co	vornmontal Inductr	Carcinoger					
Hygienists)	n Conference of Go			A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen				
nygienisis)			,	l Carcinogen	yen			
				merican Conference	of Governmental Inc	dustrial Hvaienists)		
Mexico - Occupati	onal Exposure Limi	its - Carcinogens	· · · ·	ccupational Exposure		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
monico cocupan	onar Exposuro Enn	to ouronrogono		med Human Carcino	0			
				cted Human Carcino				
			A3 - Confin	med Animal Carcinog	ijen			
			A4 - Not Cl	assifiable as a Huma	n Carcinogen			
			A5 - Not Si	ispected as a Human	n Carcinogen			
Mutagenic Effects		Possible risk of irre	eversible effects					
-								

Reproductive Effects	Possible risk of impaired fertility. May cause harm to the unborn child.			
Developmental Effects	No information available.			
Teratogenicity	No information available.			
STOT - single exposure STOT - repeated exposure	None known Kidney Blood			
Aspiration hazard	No information available			
Symptoms / effects,both acute and delayed	Kidney disorders: May cause harm to the unborn child: Blood disorders			
Endocrine Disruptor Information	No information available			
Other Adverse Effects	The toxicological properties have not been fully investigated.			
	12. Ecological information			



**Ecotoxicity** The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cadmium	Not listed	LC50: 0.0004 - 0.003 mg/L,	Not listed	EC50: = 0.0244 mg/L, 48h
		96h (Pimephales promelas)		Static (Daphnia magna)
		LC50: = 0.016 mg/L, 96h		
		(Oryzias latipes)		
		LC50: = 21.1 mg/L, 96h		
		flow-through (Lepomis		
		macrochirus)		
		LC50: = 0.24 mg/L, 96h		
		static (Cyprinus carpio)		
		LC50: = 4.26 mg/L, 96h		
		semi-static (Cyprinus carpio)		
		LC50: = 0.002 mg/L, 96h		
		(Cyprinus carpio)		
		LC50: = 0.006 mg/L, 96h		
		static (Oncorhynchus		
		mykiss)		
		LC50: = 0.003 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		

Persistence and Degradability

Insoluble in water

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

	13. Disposal considerations		
Waste Disposal Methods         Chemical waste generators must determine whether a discarded chemical is classified hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification			
	14. Transport information		
DOT	Not regulated		
DOT	Not regulated		
IATA Not regulated			
IMDG/IMO	Not regulated		
	15. Regulatory information		

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cadmium	7440-43-9	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

## TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

#### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cadmium	7440-43-9	Х	-	231-152-8	Х	Х		Х	Х	KE-04397

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Cadmium	7440-43-9	100	0.1 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Cadmium	-	-	Х	Х

Clean Air Act

**OSHA** - Occupational Safety and Not applicable Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Cadmium	5 µg/m³ TWA	-
	2.5 µg/m <sup>3</sup> Action Level	

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Cadmium	10 lb	-	10 lb 4.54 kg

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Cadmium	7440-43-9	Carcinogen Developmental Male Reproductive	0.05 µg/day	Developmental Carcinogen

#### U.S. State Right-to-Know

Regul	ations
-------	--------

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Cadmium	Х	Х	Х	Х	Х

#### U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

## U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade

No information available

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cadmium	7440-43-9	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 23. (see link for restriction details) Use restricted. See item 28. (see link for restriction details)	SVHC Candidate list - 231-152-8 - Carcinogenic, Article 57a;Specific target organ toxicity after repeated exposure, Article 57(f) - human health

	Use restricted. See item	
	75.	
	(see link for restriction	
	details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

#### **REACH links**

https://echa.europa.eu/authorisation-list https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cadmium	7440-43-9	Listed	Not applicable	Not applicable	0.01% (Max. Conc.)

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cadmium	7440-43-9	Not applicable	Not applicable	Not applicable	Annex I - Y26

# 16. Other information Prepared By Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com Revision Date 02-Apr-2024 Print Date 02-Apr-2024 Revision Summary New emergency telephone response service provider. Disclaimer Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**