

SAFETY DATA SHEET

Creation Date 29-Oct-2010

Revision Date 29-Mar-2024

Revision Number 3

1. Identification

Product Name Palladium(II) acetate, trimer
Cat No. : 10516
CAS No 3375-31-3
Synonyms Palladium diacetate
Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation
Skin Sensitization

Category 1
Category 1

Label Elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction
Causes serious eye damage

**Precautionary Statements****Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|---------------------------------|-----------|----------|
| Acetic acid, palladium(2+) salt | 3375-31-3 | >95 |

4. First-aid measures

| | |
|--|--|
| General Advice | If symptoms persist, call a physician. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. |
| Most important symptoms and effects | None reasonably foreseeable. Causes severe eye damage. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|-------------------------------------|---|
| Suitable Extinguishing Media | Water spray, carbon dioxide (CO ₂), dry chemical, alcohol-resistant foam. |
|-------------------------------------|---|

| | |
|---|--------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Explosive properties. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
3

Flammability
1

Instability
1

Physical hazards
N/A

6. Accidental release measures

| | |
|---|---|
| Personal Precautions | Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. |
| Environmental Precautions | Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. |
| Methods for Containment and Clean Up | Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. |

7. Handling and storage

| | |
|-----------------|--|
| Handling | Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Avoid ingestion and inhalation. |
| Storage. | Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Do not store in aluminum containers. Do not store in steel container. Incompatible Materials. Strong oxidizing agents. Metals. Reducing Agent. |

8. Exposure controls / personal protection

| | |
|--------------------------------------|---|
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. |
| Engineering Measures | Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Personal Protective Equipment | |
| Eye/face Protection | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |

| | |
|---------------------------------|---|
| Skin and body protection | Wear appropriate protective gloves and clothing to prevent skin exposure. |
| Respiratory Protection | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. |
| Recommended Filter type: | Particulates filter conforming to EN 143. |
| Hygiene Measures | Handle in accordance with good industrial hygiene and safety practice. |

9. Physical and chemical properties

| | |
|---|---|
| Physical State | Powder Solid |
| Appearance | Brown |
| Odor | Slight |
| Odor Threshold | No information available |
| pH | Not applicable |
| Melting Point/Range | 205 °C / 401 °F |
| Boiling Point/Range | No information available |
| Flash Point | No information available |
| Evaporation Rate | Not applicable |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | Not applicable |
| Specific Gravity | No information available |
| Solubility | Insoluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | > 200°C |
| Viscosity | Not applicable |
| Molecular Formula | C ₄ H ₆ O ₄ Pd |
| Molecular Weight | 224.51 |

10. Stability and reactivity

| | |
|---|---|
| Reactive Hazard | None known, based on information available |
| Stability | heat sensitive. |
| Conditions to Avoid | Excess heat. Incompatible products. |
| Incompatible Materials | Strong oxidizing agents, Metals, Reducing Agent |
| Hazardous Decomposition Products | Thermal decomposition can lead to release of irritating gases and vapors, Carbon monoxide (CO), Carbon dioxide (CO ₂) |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information No acute toxicity information is available for this product

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------------------------|---------------------------|-------------|-----------------|
| Acetic acid, palladium(2+) salt | LD50 > 2000 mg/kg (Rat) | Not listed | Not listed |

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Risk of serious damage to eyes

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---------------------------------|-----------|------------|------------|------------|------------|------------|
| Acetic acid, palladium(2+) salt | 3375-31-3 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

| | |
|-----------------------------|--|
| UN-No | UN3077 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Technical Name | Acetic acid, palladium(2+) salt |
| Hazard Class | 9 |
| Packing Group | III |

TDG

| | |
|--------------|--------|
| UN-No | UN3077 |
|--------------|--------|

| | |
|-----------------------------|--|
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Hazard Class | 9 |
| Packing Group | III |
| IATA | |
| UN-No | UN3077 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Hazard Class | 9 |
| Packing Group | III |
| IMDG/IMO | |
| UN-No | UN3077 |
| Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Hazard Class | 9 |
| Packing Group | III |

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---------------------------------|-----------|------|--|--------------------------------|
| Acetic acid, palladium(2+) salt | 3375-31-3 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|---------------------------------|-----------|-----|------|-----------|-------|------|------|------|-------|------|
| Acetic acid, palladium(2+) salt | 3375-31-3 | - | X | 222-164-4 | X | X | X | X | X | - |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---------------------------------|-----------|---|---|---|
| Acetic acid, palladium(2+) salt | 3375-31-3 | - | - | - |

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---------------------------------|-----------|----------------|------------------------------|---------------------------|--|
| Acetic acid, palladium(2+) salt | 3375-31-3 | Not applicable | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---------------------------------|-----------|---|--|----------------------------|------------------------------------|
| Acetic acid, palladium(2+) salt | 3375-31-3 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Health, Safety and Environmental Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

| | |
|-------------------------|--|
| Creation Date | 29-Oct-2010 |
| Revision Date | 29-Mar-2024 |
| Print Date | 29-Mar-2024 |
| Revision Summary | New emergency telephone response service provider. |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS