

SAFETY DATA SHEET

Revision Date 30-Mar-2024

Revision Number 3

1. Identification

Product Name	Thallium granules			
Cat No. :	12131			
CAS No	7440-28-0			
Synonyms	No information available			
Recommended Use	Laboratory chemicals.			
Uses advised against	Food, drug, pesticide or biocidal product use.			

Details of the supplier of the safety data sheet

<u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Acute Inhalation Toxicity - Vapors Acute Inhalation Toxicity - Dusts and Mists Specific target organ toxicity - (repeated exposure) Target Organs - Central nervous system (CNS), Liver, Lungs.

Category 2 Category 2 Category 2 Category 2

Label Elements

Signal Word Danger

Hazard Statements

May cause damage to organs through prolonged or repeated exposure

Fatal if swallowed or if inhaled



Precautionary Statements

Prevention Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear respiratory protection Response Get medical attention/advice if you feel unwell Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) May cause long lasting harmful effects to aquatic life

3. Composition/Information on Ingredients

Component		CAS No	Weight %		
Thallium		7440-28-0	<=100		
4. First-aid measures					
Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minute					
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.				
Inhalation	Remove to fresh air.				
Ingestion	Do NOT induce vomiting.				
Most important symptoms and	No information available.				
effects Notes to Physician	Treat symptomatically				

5. Fire-fighting measures

Unsuitable Extinguishing Media

No information available

Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Thallium oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 4	Flammability 0	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	See Section 12 for addition Collect spillage. Should no	n. Use personal protective equi nal Ecological Information. Avoid t be released into the environme system. Do not flush into surfac	d release to the environment. ent. Do not allow material to

Methods for Containment and Clean No information available. Up

	7. Handling and storage
Handling	Ensure adequate ventilation.

Ensure adequate ventilation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Thallium	TWA: 0.02 mg/m ³	(Vacated) TWA: 0.1 mg/m ³		
	Skin	Skin		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143. or. Inorganic gases and vapours filter. Type B. Grey. conforming to EN14387.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

	I
Physical State	Granules
Appearance	No information available
Odor	No information available
Odor Threshold	No information available
рН	Not applicable
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Weight	204.38

10. Stability and reactivity

Reactive Hazard None known, based on information available		
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products Thallium oxide		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	
11. Toxicological information		

Acute Toxicity

 Product Information

 Component Information

 Toxicologically Synergistic
 No information available

 Products

 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Thallium granules	S				Revision [Date 30-Mar-2024
Irritation		No information avai	lable			
Sensitization		No information avai	lable			
Carcinogenicity		The table below ind	licates whether e	ach agency has lis	ted any ingredient a	as a carcinogen.
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Thallium	7440-28-0	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information avai	lable			
Reproductive Effec	ts	No information avai	lable.			
Developmental Effe	ects	No information avai	lable.			
Teratogenicity		No information avai	lable.			
STOT - single expo STOT - repeated ex		None known Central nervous sys	stem (CNS) Liver	Lungs		
Aspiration hazard		No information avai	lable			
Symptoms / effects delayed	s,both acute and	d No information avai	lable			
Endocrine Disrupto	or Information	No information avai	lable			
Other Adverse Effe	cts	The toxicological pr	operties have no	been fully investig	gated.	
		12. Ecolo	gical infor	mation		
<u>Ecotoxicity</u> May cause long-term	n adverse effects	in the environment. D	o not allow mate	rial to contaminate	ground water syste	em.
Persistence and De	gradability	May persist				
Bioaccumulation/ A	Accumulation	No information avai	lable.			
Mobility		No information avai	lable.			
			sal conside			
Waste Disposal Me	thods	Chemical waste ge hazardous waste. national hazardous	Chemical waste g	enerators must als	so consult local, reg	gional, and
		14. Trans	sport infor	mation		

DOT	
UN-No	UN1707
Proper Shipping Name	THALLIUM COMPOUNDS, N.O.S.
Technical Name	Thallium
Hazard Class	6.1
Packing Group	II
TDG	
UN-No	UN1707
Proper Shipping Name	THALLIUM COMPOUND, N.O.S.
Hazard Class	6.1
Packing Group	II
IATA	
UN-No	UN1707
Proper Shipping Name	THALLIUM COMPOUND, N.O.S.
Hazard Class	6.1

L

Packing Group	II
IMDG/IMO	
UN-No	UN1707
Proper Shipping Name	THALLIUM COMPOUND, N.O.S.
Hazard Class	6.1
Packing Group	II
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Thallium	7440-28-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Thallium	7440-28-0	Х	-	231-138-1	Х	Х		Х	Х	KE-33716

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Thallium	7440-28-0	<=100	1.0 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Thallium	-	-	Х	Х

Clean Air Act	Not applicable
---------------	----------------

OSHA - Occupational Safety and	Not applicable
Health Administration	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Thallium	1000 lb	-	1000 lb 454 kg

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Thallium	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	Y
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Thallium	7440-28-0	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Thallium	7440-28-0	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
	(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)

		Qualifying Quantities	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Thallium	7440-28-0	Not applicable	Not applicable	Not applicable	Annex I - Y30

	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com
Print Date	30-Mar-2024 30-Mar-2024 New emergency telephone response service provider.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS