

SAFETY DATA SHEET

Creation Date 04-Oct-2010 Revision Date 27-Mar-2024 Revision Number 3

1. Identification

Product Name Copper foil

Cat No.: 13380

CAS No 7440-50-8

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Hazard Statements

Precautionary Statements Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % | |
|-----------|-----------|----------|--|
| Copper | 7440-50-8 | <=100 | |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Copper oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards111N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Should not be released into the

environment. Do not allow material to contaminate ground water system.

Revision Date 27-Mar-2024 Copper foil

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

7. Handling and storage

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid Handling

contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert

atmosphere. Incompatible Materials. Strong oxidizing agents. Acids.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-----------|----------------------------|--------------------------------------|-----------------------------|----------------------------|
| Copper | TWA: 0.2 mg/m ³ | (Vacated) TWA: 0.1 mg/m ³ | IDLH: 100 mg/m ³ | TWA: 0.2 mg/m ³ |
| | | TWA: 0.1 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |
| | | TWA: 1 mg/m ³ | TWA: 0.1 mg/m ³ | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

None under normal use conditions. **Engineering Measures**

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Recommended Filter type: Particle filter.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Physical State Solid **Appearance** Brown Odor Odorless

No information available **Odor Threshold**

Ha Not applicable

1083 °C / 1981.4 °F Melting Point/Range

Boiling Point/Range 2595 °C / 4703 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** No information available **Vapor Density** Not applicable

No information available **Specific Gravity**

Solubility insoluble

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

Molecular Formula Cu Molecular Weight 63.54

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Air sensitive.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Exposure to air.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Copper oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information No acute toxicity information is available for this product

Component Information

| | Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
|---|-------------------|-----------|-------------|----------------------------|--|--|
| Г | Copper Not listed | | Not listed | LC50 > 5.11 mg/L (Rat) 4 h | | |
| 1 | | | | | | |

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------|-----------|------------|------------|------------|------------|------------|
| Copper | 7440-50-8 | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-----------|---------------------------|--|----------|--|
| Copper | EC50: 0.031 - 0.054 mg/L, | LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.052 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas) | | EC50: = 0.03 mg/L, 48h Static (Daphnia magna) |

Persistence and Degradability Insoluble in water May persist

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| 14. Transport information | | | | |
|----------------------------|---------------|--|--|--|
| DOT | Not regulated | | | |
| <u>DOT</u> _ <u>TDG</u> | Not regulated | | | |
| <u>IATA</u> | Not regulated | | | |
| IMDG/IMO | Not regulated | | | |
| 15. Regulatory information | | | | |

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-----------|-----------|------|--|-----------------------------|
| Copper | 7440-50-8 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-----------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Copper | 7440-50-8 | Х | - | 231-159-6 | Χ | Χ | | Χ | Χ | KE-08896 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting threasholds |
|-----------|-----------|----------|----------------------------------|----------------------------------|
| Copper | 7440-50-8 | <=100 | 1.0 % | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | Component CWA - Hazardous Substances | | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-----------|--------------------------------------|---|------------------------|---------------------------|
| Copper | - | - | X | X |

Clean Air Act Not applicable

OSHA - Occupational Safety and

Not applicable

Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-----------|-----------------------------|---|-------------------------------|
| Copper | 5000 lb | - | 5000 lb 2270 kg |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| | Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---|-----------|---------------|------------|--------------|----------|--------------|
| Ī | Copper | X | X | Χ | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ):

DOT Marine Pollutant N DOT Severe Marine Pollutant Y

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|-----------|---|--|---|
| Copper | 7440-50-8 | - | Use restricted. See item 75. (see link for restriction details) | - |

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------|-----------|----------|---------------------------------|------------------------------|--|
| Copper | 7440-50-8 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

| | Component | CAS No | Seveso III Directive (2012/18/EC) - (2012/18/EC) - Qualifying Quantities for Major Accident Notification Requirements | | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---|-----------|-----------|---|----------------|-------------------------------|---------------------------------------|
| t | Copper | 7440-50-8 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 04-Oct-2010

 Revision Date
 27-Mar-2024

 Print Date
 27-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

End of SDS