

# SAFETY DATA SHEET

Creation Date 27-Jan-2010

Revision Date 28-Mar-2024

**Revision Number** 7

1. Identification			
Product Name	Dichloromethane		
Cat No. :	32440		
CAS No Synonyms	75-09-2 Dichloromethane; DCM		
Recommended Use Uses advised against	Laboratory chemicals. . This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.		

#### Details of the supplier of the safety data sheet

<u>Company</u> Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Carcinogenicity Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Target Organs - Liver, Kidney, Blood. Category 2 Category 2 Category 1B Category 3

Category 2

Label Elements

Signal Word Danger

#### Hazard Statements

Causes skin irritation Causes serious eye irritation May cause drowsiness or dizziness May cause cancer May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant **Hazards not otherwise classified (HNOC)** 

#### Other hazards

Contains a known or suspected endocrine disruptor. WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Methylene chloride	75-09-2	>99.5

### 4. First-aid measures

**General Advice** 

If symptoms persist, call a physician.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system Treat symptomatically
	5 Eiro fighting moasuros

#### 5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature	556 °C / 1032.8 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac	23 vol % 13 vol % t No information available
Sensitivity to Static Discharge	No information available

**Specific Hazards Arising from the Chemical** Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 2	Flammability 1	<b>Instability</b> 0	Physical hazards N/A	
	6. Accidental release measures				
Personal	Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid breathing vapors or mists. Wear respiratory protection.				
Environm	Environmental Precautions Should not be released into the environment.				

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Vapors are heavier than air and may spread along floors. Handle product only in closed system or provide appropriate exhaust ventilation. Reacts with aluminum and its alloys.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in aluminum containers. Incompatible Materials. Strong oxidizing agents. Strong acids. Amines.

### 8. Exposure controls / personal protection

#### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Methylene chloride	TWA: 50 ppm	(Vacated) TWA: 500 ppm	IDLH: 2300 ppm	TWA: 50 ppm
		(Vacated) STEL: 2000 ppm		
		(Vacated) Ceiling: 1000 ppm		
		TWA: 25 ppm		
		STEL: 125 ppm		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	low boiling organic solvent. Type AX. Brown. conforming to EN371.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-97 °C / -142.6 °F
Boiling Point/Range	39 °C / 102.2 °F
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	23 vol %

#### Dichloromethane

Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight 13 vol % 350 mbar @ 20°C 2.93 1.33 No information available No data available 556 °C / 1032.8 °F No information available 0.42 mPas @ 25°C C H2 Cl2 84.93

### 10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions. Decomposes on exposure to light.		
Conditions to Avoid	Excess heat. Protect from direct sunlight.		
Incompatible Materials	Strong oxidizing agents, Strong acids, Amines		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	Forms a detonable mixture with nitric acid.		

11. Toxicological information

#### Acute Toxicity

# Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L (Rat) 6 h
Toxicologically Synergistic	No information available		76000 mg/m <sup>3</sup> ( Rat ) 4 h
Products Delayed and immediate effects	as well as chronic effects from	short and long-term exposu	re
rritation	Irritating to eyes and skin		
Sensitization	No information available		
Carcinogenicity	The table below indicates w	hether each agency has listed	any ingredient as a carcinog

Component CAS No IARC NTP ACGIH OSHA Mexico Reasonably Methylene chloride 75-09-2 Group 2A A3 Х A3 Anticipated IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen ACGIH: (American Conference of Governmental Industrial A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen Hygienists) A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen **Mutagenic Effects** No information available No information available. **Reproductive Effects** No information available. **Developmental Effects** Teratogenicity No information available. STOT - single exposure Central nervous system (CNS) Liver Kidnev Blood STOT - repeated exposure Aspiration hazard No information available Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, delayed tiredness, nausea and vomiting: Causes central nervous system depression: Continued or high exposures by inhalation will cause anaesthetic effects. This may result in a loss of consciousness and could prove fatal: Causes formation of carbon monoxide in the blood. Carbon monoxide may cause adverse effects on the cardiovascular system and the central nervous system **Endocrine Disruptor Information** No information available **Other Adverse Effects** Tumorigenic effects have been reported in experimental animals.

12. Ecological information

Ecotoxicity

Mobility

Component	Freshw	ater Algae	Freshwater Fish	Microtox	Water Flea
Methylene chloride	EC50:>660 mg/L/96h		Pimephales promelas:	EC50: 1 mg/L/24 h	EC50: 140 mg/L/48h
-		-	LC50:193 mg/L/96h	EC50: 2.88 mg/L/15 min	_
Persistence and Degradability Persistence i		s unlikely based on inform	ation available.		
Bioaccumulation/ Accum	nulation	No informatio	on available.		

**Bioaccumulation/Accumulation** 

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Methylene chloride	1.25

	13. Disposal considerations
aste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methylene chloride - 75-09-2	U080	-

mation

	14. Transport infor
DOT	
UN-No	UN1593
Proper Shipping Name	DICHLOROMETHANE
Hazard Class	6.1
Packing Group	III

<u>TDG</u> UN-No Proper Shipping Name Hazard Class Packing Group IATA	UN1593 DICHLOROMETHANE 6.1 III
UN-No	UN1593
••	
Proper Shipping Name	Dichloromethane
Hazard Class	6.1
Packing Group	111
IMDG/IMO	
UN-No	UN1593
Proper Shipping Name	Dichloromethane
Hazard Class	6.1
Packing Group	III
	15. Regulatory

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Methylene chloride	75-09-2	Х	ACTIVE	R

information

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

- X Listed
- '-' Not Listed

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

#### Section 6(a) of the Toxic Substances Control Act (TSCA)

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

# TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

ComponentCAS NoTSCA 12(b) - Notices of ExportMethylene chloride75-09-2Section 6

Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Methylene chloride	75-09-2	Х	-	200-838-9	Х	Х	Х	Х	Х	KE-23893

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Methylene chloride	75-09-2	>99.5	0.1 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Methylene chloride	-	-	Х	X

#### **Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methylene chloride	Х		-

#### **OSHA** - Occupational Safety and

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Methylene chloride	125 ppm STEL	-
	12.5 ppm Action Level 25 ppm TWA	

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Methylene chloride	1000 lb	-	1000 lb 454 kg

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Methylene chloride	75-09-2	Carcinogen	200 µg/day	Carcinogen
		_	50 µg/day	_

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Methylene chloride	Х	Х	Х	Х	Х

#### **U.S. Department of Transportation**

U.S. Department of Homeland	This product does not contair
DOT Severe Marine Pollutant	Ν
DOT Marine Pollutant	Ν
Reportable Quantity (RQ):	Y

Security

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade

No information available

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) - Annex XVII - Restrictions	REACH Regulation (EC 1907/2006) article 59 -
		Subject to Authorization		Candidate List of
			Substances	Substances of Very High Concern (SVHC)

Methylene chloride	75-09-2	_	Use restricted. See item	_
	75-05-2	_		_
			59.	
			(see link for restriction	
			details)	
			Use restricted. See item	
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Componen	t	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Methylene chlo	ride	75-09-2	Listed	Not applicable	Not applicable	Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### **Other International Regulations**

Compone	nt	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Methylene chl	oride	75-09-2	Not applicable	Not applicable	Not applicable	Annex I - Y45

	16. Other information				
Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com				
Creation Date Revision Date Print Date Revision Summary	27-Jan-2010 28-Mar-2024 28-Mar-2024 New emergency telephone response service provider.				

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**