

# SAFETY DATA SHEET

Creation Date 25-Aug-2010

Revision Date 27-Mar-2024

**Revision Number** 4

# 1. Identification

# **Product Name**

## Cyclohexanone

108-94-1

Cat No.: 33309

CAS No Synonyms

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Ketohexamethylene; Pimelic ketone.

### Details of the supplier of the safety data sheet

### <u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### **Classification**

Г

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3	
Acute oral toxicity	Category 4	
Acute dermal toxicity	Category 4	
Acute Inhalation Toxicity - Vapors	Category 4	
Skin Corrosion/Irritation	Category 2	
Serious Eye Damage/Eye Irritation	Category 1	
Specific target organ toxicity (single exposure)	Category 3	
Target Organs - Respiratory system, Central nervous s	ystem (CNS).	

### Label Elements

Signal Word Danger

### Hazard Statements

Flammable liquid and vapor Causes skin irritation Causes serious eye damage May cause respiratory irritation May cause drowsiness or dizziness Harmful if swallowed, in contact with skin or if inhaled



#### Precautionary Statements Prevention

PreventionWash face, hands and any exposed skin thoroughly after handlingDo not eat, drink or smoke when using this productWear protective gloves/protective clothing/eye protection/face protectionUse only outdoors or in a well-ventilated areaDo not breathe dust/fume/gas/mist/vapors/sprayKeep away from heat/sparks/open flames/hot surfaces. - No smokingKeep container tightly closedGround/bond container and receiving equipmentUse explosion-proof electrical/ventilating/lighting equipmentUse only non-sparking toolsTake precautionary measures against static dischargeKeep coolResponseGet medical attention/advice if you feel unwellInhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component		CAS No 108-94-1	Weight %	
Cyclohexanone		106-94-1	>95	
	4.	First-aid measures		
General Advice	If symptoms	persist, call a physician.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.			
Skin Contact	Wash off imn	nediately with plenty of water for at leas	t 15 minutes. Get medical attention.	
Inhalation	Remove to fr	esh air. Get medical attention. If not bre	eathing, give artificial respiration.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Causes eye burns. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Treat symptomatically			
	5. Fi	re-fighting measures		
Suitable Extinguishing Media	Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist ma be used to cool closed containers.			
Unsuitable Extinguishing Media	Water may b	e ineffective		
Flash Point	46 °C / 114	4.8 °F		
Method -	CC (closed c	up)		
Autoignition Temperature	520 °C / 90	68 °F		
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	9.4 vol % 1.10 vol % t No informatic No informatic			
Specific Hazards Arising from the Chemical Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.				

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 2	<b>Instability</b> 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	sources of ignition. Take p Should not be released int	uipment as required. Ensure a recautionary measures against o the environment. Do not flush n 12 for additional Ecological In	n into surface water or sanitary

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

	7. Handling and storage				
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.				
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids.				

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Cyclohexanone	TWA: 20 ppm	(Vacated) TWA: 25 ppm	IDLH: 700 ppm	TWA: 20 ppm
	STEL: 50 ppm	(Vacated) TWA: 100 mg/m <sup>3</sup>	TWA: 25 ppm	STEL: 50 ppm
	Skin	Skin	TWA: 100 mg/m <sup>3</sup>	
		TWA: 50 ppm	-	
		TWA: 200 mg/m <sup>3</sup>		

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof
	electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers
	are close to the workstation location.

### Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Organic gases and vapours filter. Type A. Brown. conforming to EN14387.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	Mint-like
Odor Threshold	0.12 ppm
рН	No information available

**Melting Point/Range** Boiling Point/Range Flash Point Method -**Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density **Specific Gravity** Solubility Partition coefficient; n-octanol/water **Autoignition Temperature Decomposition Temperature** Viscosity **Molecular Formula Molecular Weight** 

-47 °C / -52.6 °F 155 °C / 311 °F @ 760 mmHg 46 °C / 114.8 °F CC (closed cup) No information available Not applicable 9.4 vol % 1.10 vol % 4.5 mbar @ 20 °C 3.4 0.947 Soluble No data available 520 °C / 968 °F No information available 2.2 mPas @ 20°C C6 H10 O 98.14

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents, Strong acids,
Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

# Acute Toxicity

# Product Information

Componen	t	LD50 Oral		LD50 Dermal	LC50 I	nhalation
Cyclohexano	ne l	_D50 = 1544 mg/kg (Rat)	LD50 =	LD50 = 947 mg/kg (Rabbit)		ng/L(Rat)4 h
Toxicologically Syn Products Delayed and immed	•	No information available vell as chronic effects fro	m short an	d long-term exposu		
Irritation		Causes eye burns; Irritating to skin				
Sensitization		No information available				
<b>Carcinogenicity</b> The table below indicates whether each agency has listed any ingredient as a carcinogen.						
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexanone	108-94-1	Not listed N	ot listed	A3	Not listed	A3
ACGIH: (America	n Conference of C	Governmental Industrial	A1 - Known	Human Carcinogen		

ACGIH: (American Conference of Governmental Industri Hygienists)

A2 - Suspected Human Carcinogen A3 - Animal Carcinogen

, io , iiiiniai cai ciirege

Mutagania Effacto	ACGIH: (American Conference of Governmental Industrial Hygienists) No information available
Mutagenic Effects	
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	Respiratory system Central nervous system (CNS) None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

# 12. Ecological information

# Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Cyclohexanone	Not listed	Leusiscus idus: LC50>500mg/L 48h	EC50 = 18.5 mg/L 5 min EC50 = 21.3 mg/L 10 min EC50 = 25 mg/L 5 min	Not listed		
Persistence and Degradal	ability based on information available. May persist					

**Bioaccumulation/Accumulation** 

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Cyclohexanone	0.86

# 13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Cyclohexanone - 108-94-1	U057	-

14. Transport information				
DOT				
UN-No	UN1915			
Proper Shipping Name	CYCLOHEXANONE			
Hazard Class	3			
Packing Group	III			
TDG				
UN-No	UN1915			
Proper Shipping Name	CYCLOHEXANONE			
Hazard Class	3			
Packing Group	III			
5 1				

<u>IATA</u>	
UN-No	UN1915
Proper Shipping Name	CYCLOHEXANONE
Hazard Class	3
Packing Group	III
IMDG/IMO	
UN-No	UN1915
Proper Shipping Name	CYCLOHEXANONE
Hazard Class	3
Packing Group	III
	15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cyclohexanone	108-94-1	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

### TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cyclohexanone	108-94-1	Х	-	203-631-1	Х	Х	Х	Х	Х	KE-09188

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Comp		Hazardous Substances RQs Hazardous Substances RQs		SARA Reportable Quantity (RQ)		
Cyclohe	Cyclohexanone		lb		-	5000 lb 2270 kg
California Proposition 65 U.S. State Right-to-Know Regulations	·	duct does not conta	in any Prop	osition 65 d	chemicals.	
Component	Massachusetts	New Jersey	Penns	ylvania	Illinois	Rhode Island
Cyclohexanone	Х	Х	>	<	Х	Х
U.S. Department of Trans Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollut	Y N					
U.S. Department of Home	eland This pro	duct does not conta	in any DHS	chemicals		

Other International Regulations

Security

Mexico - Grade Moderate risk, Grade 2

### Authorisation/Restrictions according to EU REACH

 
 Component
 CAS No
 REACH (1907/2006) -Annex XIV - Substances Subject to Authorization
 REACH (1907/2006) -Annex XVII - Restrictions on Certain Dangerous Substances
 REACH Regulation (EC 1907/2006) article 59 -Candidate List of Substances of Very High Concern (SVHC)

 Cyclohexanone
 108-94-1

Not applicable

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cyclohexanone	108-94-1	Listed	Not applicable	Not applicable	Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cyclohexanone	108-94-1	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com
Creation Date	25-Aug-2010
Revision Date	27-Mar-2024
Print Date	27-Mar-2024
Revision Summary	New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**