

SAFETY DATA SHEET

Revision Date 01-Apr-2024

Revision Number 3

	1. Identification	
Product Name	Oxalic acid, 5% w/v aqueous solution	
Cat No. :	35619	
Synonyms	No information available	
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.	

Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Serious Eye Damage/Eye Irritation

Category 1 Category 1

Label Elements

Signal Word Danger

Hazard Statements May be corrosive to metals Causes serious eye damage



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Spills

Absorb spillage to prevent material damage

Storage

Store in corrosive resistant polypropylene container with a resistant inliner Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	93.00
Oxalic acid dihydrate	6153-56-6	7.00

4. First-aid measures		
General Advice	If symptoms persist, call a physician.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.	
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms and	Causes eye burns. Causes severe eye damage.	
effects Notes to Physician	Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Not combustible.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available

Autoignition Temperature Explosion Limits	No information available
Upper Lower	No data available No data available
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	-

	6. Accidental release measures
Personal Precautions Ensure adequate ventilation. Use personal protective equipment as require Environmental Precautions Should not be released into the environment. See Section 12 for additional Information.	

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong bases. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Oxalic acid dihydrate	TWA: 1 mg/m ³			
	STEL: 2 mg/m ³			

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type:

Particulates filter conforming to EN 143.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	23 hPa @ 20 °C
Vapor Density	No information available
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	HO2 CCO2H
Molecular Weight	90.04

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products.	
Incompatible Materials	Strong bases, Oxidizing agent	
Hazardous Decomposition Products None under normal use conditions		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Information	Based on ATE data, the	Based on ATE data, the classification criteria are not met. A Based on ATE data, the classification criteria are not met. A Based on ATE data, the classification criteria are not met. A			
Component	LD50 Oral	LD50 Dermal	LC50 Inhala		
Water	-	-	-		
Our l'a stat d'handes te					

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Water	-	-	-
	Oxalic acid dihydrate	LD50 = 375 mg/kg (Rat)	Not listed	Not listed
.		Nie inferne aftere aveilable		

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	No information available
------------	--------------------------

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed		
Oxalic acid dihydrate	6153-56-6	Not listed	Not listed	Not listed	Not listed	Not listed		
Mutagenic Effects		No information ava	ailable					
Reproductive Effect	S	No information ava	ailable.					
Developmental Effe	cts	No information ava	ailable.					
Teratogenicity		No information ava	ailable.					
STOT - single expos STOT - repeated exp		None known None known						
Aspiration hazard		No information available						
Symptoms / effects delayed	both acute and,	No information available						
Endocrine Disruptor	Information	No information available						
Other Adverse Effec	ts	The toxicological properties have not been fully investigated.						

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Oxalic acid dihydrate	Not listed	LC50 = 160 mg/L/48h (Carassius auratus)	Not listed	Not listed	
Persistence and Degradab	ility Miscible with	th water Persistence is unlikely	/ based on information a	available.	
Bioaccumulation/ Accumu	lation No informa	tion available.			
Mobility	Will likely b	e mobile in the environment d	ue to its water solubility.		
	13. C)isposal considera	tions		
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is cl hazardous waste. Chemical waste generators must also consult local, regiona national hazardous waste regulations to ensure complete and accurate classifier				chemical is classified as a	
	national ha		ensure complete and ac		
DOT	national ha	zardous waste regulations to e	ensure complete and ac		
UN-No	national ha 14. UN3265	zardous waste regulations to e	ensure complete and ac		
UN-No Proper Shipping Name	national ha 14. UN3265 Corrosive li	zardous waste regulations to e Transport informa iquid, acidic, organic, n.o.s.	ensure complete and ac		
UN-No Proper Shipping Name Technical Name	national ha 14. UN3265 Corrosive li (Oxalic acio	zardous waste regulations to e	ensure complete and ac		
UN-No Proper Shipping Name	national ha 14. UN3265 Corrosive li (Oxalic acio 8	zardous waste regulations to e Transport informa iquid, acidic, organic, n.o.s.	ensure complete and ac		
UN-No Proper Shipping Name Technical Name	national ha 14. UN3265 Corrosive li (Oxalic acio	zardous waste regulations to e Transport informa iquid, acidic, organic, n.o.s.	ensure complete and ac		
UN-No Proper Shipping Name Technical Name Hazard Class	national ha 14. UN3265 Corrosive li (Oxalic acio 8	zardous waste regulations to e Transport informa iquid, acidic, organic, n.o.s.	ensure complete and ac		

Proper Shipping Name Hazard Class Packing Group IATA	Corrosive liquid, acidic, organic, n.o.s. 8 III
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Х	ACTIVE	-
Oxalic acid dihydrate	6153-56-6	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Oxalic acid dihydrate	6153-56-6	-	-	-	Х	Х	Х	Х	Х	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Oxalic acid dihydrate	-	-	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH Not applicable

REACH Regulation (EC Component CAS No REACH (1907/2006) -REACH (1907/2006) -Annex XIV - Substances Annex XVII - Restrictions 1907/2006) article 59 -Candidate List of Subject to Authorization on Certain Dangerous Substances Substances of Very High Concern (SVHC) Water 7732-18-5 --Oxalic acid dihydrate 6153-56-6 -

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Oxalic acid dihydrate	6153-56-6	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable

Oxalic acid dihydrate	6153-56-6	Not applicable	Not applicable	Not applicable	Not applicable				
16. Other information									
Prepared By Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com									
Revision Date Print Date Revision Summary	01-Apr-2	01-Apr-2024 01-Apr-2024 New emergency telephone response service provider.							

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS