

SAFETY DATA SHEET

Revision Date 26-Mar-2024 Revision Number 4

1. Identification

Product Name Silicon powder, crystalline

Cat No.: 35662

CAS No 7440-21-3

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Category 2

Label Elements

Signal Word

Warning

Hazard Statements

Flammable solid



Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Wear protective gloves/protective clothing/eye protection/face protection

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Silicon	7440-21-3	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. In the case of skin irritation or allergic reactions see a physician.

Inhalation Remove from exposure, lie down. Remove to fresh air. Get medical attention.

Ingestion Clean mouth with water. Get medical attention.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Powder. Dry sand.

Unsuitable Extinguishing Media Water

Flash Point Method -No information available

No information available

Autoignition Temperature 150 °C / 302 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. May be ignited by heat, sparks or flames.

Hazardous Combustion Products

Silicon dioxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Handling

Health	Flammability	Instability	Physical hazards
1	3	0	N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Avoid dust formation. Remove all sources

of ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Remove **Up** all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
g	Avoid contact with skin and eyes. Do not breathe dust. Take precautionary measures
	against static discharges. Handle product only in closed system or provide appropriate

against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take necessary action to avoid static electricity discharge (which might cause

ignition of organic vapors).

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Flammables

area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Incompatible

Materials. Strong oxidizing agents. Acids.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Silicon		(Vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³	
		(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	
		TWA: 15 mg/m ³	_	
		TWA: 5 mg/m ³		

Legend

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StatePowder SolidAppearanceDark greyOdorOdorless

Odor Threshold

PH

No information available

No information available

Melting Point/Range 1410 °C / 2570 °F

Boiling Point/Range 2355 °C / 4271 °F @ 760 mmHg

Flash Point No information available Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor DensityNot applicableSpecific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition Temperature 150 °C / 302 °F

Decomposition Temperature No information available

Viscosity Not applicable

Molecular Formula Si Molecular Weight 28.09

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Excess heat. Incompatible products. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Silicon dioxide

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation		
	Silicon LD50 = 3160 mg/kg (Rat)		Not listed	Not listed	

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silicon	7440-21-3	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known None known STOT - repeated exposure

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

1346 **UN-No**

Proper Shipping Name SILICON POWDER, AMORPHOUS

Hazard Class 4.1 **Packing Group** Ш

TDG

UN-No 1346

Proper Shipping Name SILICON POWDER, AMORPHOUS

Hazard Class 4.1 **Packing Group** Ш

IATA

UN-No UN1346

Proper Shipping Name SILICON POWDER, AMORPHOUS

Hazard Class Packing Group Ш

IMDG/IMO

4.1

Silicon powder, crystalline

UN-No UN1346

Proper Shipping Name SILICON POWDER, AMORPHOUS

Hazard Class 4. Packing Group

15. Regulatory information

United States of America Inventory

	Component	CAS No	CAS No TSCA TSCA Inventory Active-Inc		TSCA - EPA Regulatory Flags
ı	Silicon	7440-21-3	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Silicon	7440-21-3	Х	-	231-130-8	Х	Χ		Х	Х	KE-31029

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silicon	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Not applicable

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	J	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
1	Silicon	7440-21-3	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Silicon	7440-21-3	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

	Component	CAS No	for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
ı			Notification	Requirements		
Ī	Silicon	7440-21-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Email: chem.techinfo@thermofisher.com

Health, Safety and Environmental Department

www.thermofisher.com

Revision Date 26-Mar-2024 **Print Date** 26-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

Prepared By

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS