

SAFETY DATA SHEET

Revision Date 26-Mar-2024

Revision Number 4

1. Identification

Product Name

Silicon powder, crystalline

Cat No. : 36212

CAS No Synonyms

Recommended Use Uses advised against

No information available Laboratory chemicals. Food, drug, pesticide or biocidal product use.

7440-21-3

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids

Category 2

Label Elements

Signal Word Warning

Hazard Statements Flammable solid



Precautionary Statements Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Wear protective gloves/protective clothing/eye protection/face protection **Fire** In case of fire: Use CO2, dry chemical, or foam for extinction **Hazards not otherwise classified (HNOC)** None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %
Silicon		7440-21-3	>95
	4.	First-aid measures	
Eye Contact	Rinse immed medical atte	diately with plenty of water, also under th ntion.	ne eyelids, for at least 15 minutes. Get
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. In the case of skin irritation or allergic reactions see a physician.		
Inhalation	Remove from exposure, lie down. Remove to fresh air. Get medical attention.		
Ingestion	Clean mouth with water. Get medical attention.		
Most important symptoms and effects	No information available.		
Notes to Physician	Treat sympto	omatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. Powder. Dry sand.
Unsuitable Extinguishing Media	Water
Flash Point Method -	No information available No information available
Autoignition Temperature	150 °C / 302 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available

Specific Hazards Arising from the Chemical Flammable. May be ignited by heat, sparks or flames.

Hazardous Combustion Products

Silicon dioxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 1	Flammability 3	Instability 0	Physical hazards N/A			
	6. Accidental re	lease measures				
Personal Precautions	of ignition. Take precautio	quipment as required. Avoid du nary measures against static d to the environment. See Sectio				
	Information.					
Methods for Containment and Up	Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.					
	7. Handling and storage					
Handling	against static discharges. exhaust ventilation. Use o	ry action to avoid static electric				
Storage.		t/sparks/open flames/hot surfa	iner tightly closed. Flammables ces No smoking. Incompatible			

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Silicon		(Vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³	
		(Vacated) TWA: 5 mg/m ³	TWA: 5 mg/m ³	
		TWA: 15 mg/m ³		
		TWA: 5 mg/m ³		

Legend

OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	

Respiratory Protection

No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical	and chemical properties
Physical State	Powder Solid
Appearance	Dark grey
Odor	Odorless
Odor Threshold	No information available
pH	No information available
Melting Point/Range	1410 °C / 2570 °F
Boiling Point/Range	2355 °C / 4271 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	150 °C / 302 °F
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Si
Molecular Weight	28.09

.

	10. Stability and reactivity			
Reactive Hazard	None known, based on information available			
Stability	Stable under normal conditions.			
Conditions to Avoid	Excess heat. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.			
Incompatible Materials	Strong oxidizing agents, Acids			
Hazardous Decomposition Products Silicon dioxide				
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			

11. Toxicological information

Acute Toxicity

Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silicon	LD50 = 3160 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic Products	No information available	k	
Delayed and immediate effects	as well as chronic effects from	i short and long-term exposure	<u> </u>
Irritation	No information available		

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silicon	7440-21-3	Not listed	Not listed	Not listed	Not listed	Not listed
Iutagenic Effects		No information ava	ailable			
eproductive Effects	S	No information available.				
evelopmental Effect	cts	No information ava	ailable.			
Feratogenicity		No information ava	ailable.			
STOT - single expos STOT - repeated exp		None known None known				
Aspiration hazard		No information available				
Symptoms / effects, delayed	both acute and	No information available				
Endocrine Disruptor	Information	No information available				
Other Adverse Effec	Adverse Effects The toxicological properties have not been fully investigated.					
		12. Ecolo	ogical infor	mation		
<u>Ecotoxicity</u> Do not empty into dra	ins.					
Persistence and Deg	gradability	Insoluble in water				
Bioaccumulation/ Ac	ccumulation	No information ava	ailable.			
Mobility		Is not likely mobile	in the environmer	t due its low water	solubility.	

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a Waste Disposal Methods hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information			
DOT			
UN-No	1346		
Proper Shipping Name	SILICON POWDER, AMORPHOUS		
Hazard Class	4.1		
Packing Group	III		
TDG			
UN-No	1346		
Proper Shipping Name	SILICON POWDER, AMORPHOUS		
Hazard Class	4.1		
Packing Group	III		
IATA			
UN-No	UN1346		
Proper Shipping Name	SILICON POWDER, AMORPHOUS		
Hazard Class	4.1		
Packing Group	III		
IMDG/IMO			

UN-No	UN1346	
Proper Shipping Name	SILICON POWDER, AMORPHOUS	
Hazard Class	4.1	
Packing Group	III	
	15. Regulatory information	

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Silicon	7440-21-3	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical	Not applicable
Substances & Mixtures, Under TSCA Section 6(h) (PBT)	

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Silicon	7440-21-3	Х	-	231-130-8	Х	Х		Х	Х	KE-31029

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silicon	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Silicon	7440-21-3	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Silicon	7440-21-3	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Silicon	7440-21-3	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information		
Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com		
Revision Date Print Date Revision Summary	26-Mar-2024 26-Mar-2024 New emergency telephone response service provider.		
Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the			

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS