

# **SAFETY DATA SHEET**

Creation Date 04-Oct-2010 Revision Date 27-Mar-2024 Revision Number 3

1. Identification

Product Name Copper foil, 0.25mm (0.01in) thick, annealed, 99.95% (metals basis),

oxygen free

Cat No.: 36396

**CAS No** 7440-50-8

**Synonyms** No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill. MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Label Elements

#### **Hazard Statements**

# Precautionary Statements Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Copper	7440-50-8	<=100

# 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

No information available

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

## Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

# **Hazardous Combustion Products**

Copper oxides.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards111N/A

# 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Do not flush into surface water or sanitary sewer system. Should not be released into the

environment. Do not allow material to contaminate ground water system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

7. Handling and storage

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Incompatible Materials. Strong oxidizing agents. Acids.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Copper	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
	_	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
		TWA: 1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	_

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** None under normal use conditions.

**Personal Protective Equipment** 

**Eve/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**No protective equipment is needed under normal use conditions.

**Recommended Filter type:** Particle filter.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateSolidAppearanceBrownOdorOdorless

Odor Threshold No information available

**pH** Not applicable

Melting Point/Range 1083 °C / 1981.4 °F

Boiling Point/Range 2595 °C / 4703 °F @ 760 mmHg

Flash Point No information available

Evaporation Rate

Not applicable

No information avail

Flammability (solid,gas)

No information available Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available

Vapor Density Not applicable

Specific Gravity

No information available

**Solubility** insoluble

Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

Molecular FormulaCuMolecular Weight63.54

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Air sensitive.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Exposure to air.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Copper oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information**No acute toxicity information is available for this product

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Copper	Not listed	Not listed	LC50 > 5.11 mg/L (Rat) 4 h

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Copper	7440-50-8	Not listed				

Mutagenic Effects No information available

Reproductive EffectsNo information available.Developmental EffectsNo information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available delayed

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

## **Ecotoxicity**

Contains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Copper	EC50: 0.031 - 0.054 mg/L,	LC50: = 1.25 mg/L, 96h	Not listed	EC50: = 0.03 mg/L, 48h
	96h static	static (Lepomis macrochirus)		Static (Daphnia magna)
	(Pseudokirchneriella	LC50: = 0.3 mg/L, 96h		
	subcapitata)	semi-static (Cyprinus carpio)		
	EC50: 0.0426 - 0.0535	LC50: = 0.8 mg/L, 96h static		
	mg/L, 72h static	(Cyprinus carpio)		
	(Pseudokirchneriella	LC50: = 0.112 mg/L, 96h		
	subcapitata)	flow-through (Poecilia		
		reticulata)		
		LC50: = 0.052 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
		LC50: 0.0068 - 0.0156		
		mg/L, 96h (Pimephales		
		promelas)		
		LC50: < 0.3 mg/L, 96h static		
		(Pimephales promelas)		
1		LC50: = 0.2 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		, ,		

Persistence and Degradability Insoluble

Insoluble in water May persist

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information		
DOT	Not regulated		
DOT TDG	Not regulated		
<u>IATA</u>	Not regulated		
IMDG/IMO	Not regulated		
15 Regulatory information			

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Copper	7440-50-8	X	ACTIVE	-

## Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Copper	7440-50-8	Х	-	231-159-6	Х	Х		Х	Х	KE-08896

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Copper	7440-50-8	<=100	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper	-	-	X	X

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

and Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Copper	5000 lb	-	5000 lb 2270 kg

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

# Copper foil, 0.25mm (0.01in) thick, annealed, 99.95% (metals basis), oxygen free

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper	X	X	X	X	Х

**U.S. Department of Transportation** 

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant Y

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Copper	7440-50-8	-	Use restricted. See item 75. (see link for restriction details)	-

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
					Substances (RoHS)
Copper	7440-50-8	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

# Other International Regulations

**Prepared By** 

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)	
Copper	7440-50-8	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Email: chem.techinfo@thermofisher.com

Health, Safety and Environmental Department

www.thermofisher.com

 Creation Date
 04-Oct-2010

 Revision Date
 27-Mar-2024

 Print Date
 27-Mar-2024

**Revision Summary** New emergency telephone response service provider.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**