

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 27-Mar-2024

Revision Number 4

1. Identification

Product Name

Acetic acid-d4, glacial

Cat No. :

CAS No Synonyms

Recommended Use

Glacial acetic acid; Ethanoic acid; Ethylic acid

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.

1186-52-3

36469

Details of the supplier of the safety data sheet

<u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 3 Category 1 A Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
[2H3]Acetic [2H]acid	1186-52-3	>95

4. First-aid measures

General AdviceShow this safety data sheet to the doctor in attendance. Immediate medical attention is
required.Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Immediate medical attention is required.

Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.	
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.	
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.	
Most important symptoms and effects	Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Notes to Physician	Treat symptomatically	
5. Fire-fighting measures		

Suitable Extinguishing Media	Water spray. Chemical foam. Water mist may be used to cool closed containers. CO $_{\rm 2},$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	40 °C / 104 °F
Method -	No information available
Autoignition Temperature	426 °C / 798.8 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	19.9% 4.0% No information available No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 2	Instability 1	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Environmental Precautions	Should not be released into		

Methods for Containment and CleanKeep in suitable, closed containers for disposal. Soak up with inert absorbent material.UpRemove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Do not freeze. Keep away from heat/sparks/open flames/hot surfaces No smoking. Corrosives area. Keep away from heat, sparks and flame. Protect from moisture. Keep under nitrogen. Incompatible Materials. Strong oxidizing agents.
8. E>	kposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143. Acid gases filter. Type E. Yellow. conforming to EN14387.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

,	
Physical State	Liquid
Appearance	Colorless
Odor	vinegar-like
Odor Threshold	No information available
рН	No information available
Melting Point/Range	15 - 16 °C / 59 - 60.8 °F
Boiling Point/Range	115.5 - °C / 239.9 - 244.4 °F
Flash Point	40 °C / 104 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	19.9%
Lower	4.0%
Vapor Pressure	No information available
Vapor Density	No information available

Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

1.130 No information available No data available 426 °C / 798.8 °F No information available No information available C2 D4 O2 64.08

Reactive Hazard	None known, based on information available	
Stability	May react with metals and lead to the formation of flammable hydrogen gas. Hygroscopic.	
Conditions to Avoid	Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Produc	azardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)	
Hazardous Polymerization	No information available.	

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

	ergistic	No information available well as chronic effects from short and long-term exposure				
Irritation Sensitization		Causes burns by all exposure routes No information available				
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
[2H3]Acetic [2H]acid	1186-52-3	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				
Reproductive Effect	ts	No information available.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information available.				
STOT - single exposision STOT - repeated ex		Respiratory system None known				
Aspiration hazard		No information available				
Symptoms / effects delayed	,both acute and	 Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation 				

Endocrine Disruptor Information	No information available		
Other Adverse Effects	The toxicological properties have not been fully investigated.		
	12. Ecological information		
Ecotoxicity Do not empty into drains.			
Persistence and Degradability	No information available		
Bioaccumulation/ Accumulation	No information available.		
Mobility	No information available.		
	13. Disposal considerations		
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.		
	14. Transport information		
DOT UN-No Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group TDG	UN2789 ACETIC ACID, GLACIAL 8 3 II		

Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
TDG	
UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
IATA	
UN-No	UN2789
Proper Shipping Name	ACETIC ACID SOLUTION
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN2789
Proper Shipping Name	ACETIC ACID, GLACIAL
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	Ш
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
[2H3]Acetic [2H]acid	1186-52-3	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
[2H3]Acetic [2H]acid	1186-52-3	-	-	214-693-4	-	-		-	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65	This product does not cor	ntain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable	
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N	
U.S. Department of Homeland Security	This product does not cor	ntain any DHS chemicals.
Other International Regulations		
Mexico - Grade	No information available	
Authorisation/Restrictions accordin	g to EU REACH	Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
[2H3]Acetic [2H]acid	1186-52-3	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
[2H3]Acetic [2H]acid	1186-52-3	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
[2H3]Acetic [2H]acid	1186-52-3	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information	
Prepared By	Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com	
Creation Date Revision Date Print Date	22-Sep-2009 27-Mar-2024 27-Mar-2024	
Revision Summary	New emergency telephone response service provider.	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS