

SAFETY DATA SHEET

Creation Date 02-Nov-2009

Revision Date 28-Mar-2024

Revision Number 5

1. Identification

Product Name Formic acid, ACS, 96+%

Cat No. : 36617

CAS No 64-18-6
Synonyms Methanoic acid

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|------------------------------------|--------------|
| Flammable liquids | Category 3 |
| Acute oral toxicity | Category 4 |
| Acute Inhalation Toxicity - Vapors | Category 3 |
| Skin Corrosion/Irritation | Category 1 A |
| Serious Eye Damage/Eye Irritation | Category 1 |

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor
Harmful if swallowed
Causes severe skin burns and eye damage

Toxic if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Keep cool
Wear respiratory protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|-------------|---------|----------|
| Formic acid | 64-18-6 | >95 |

4. First-aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in

| | |
|--|---|
| | attendance. |
| Eye Contact | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Inhalation | Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. If not breathing, give artificial respiration. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Most important symptoms and effects | Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|---|
| Suitable Extinguishing Media | Water spray, carbon dioxide (CO ₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| Unsuitable Extinguishing Media | No information available |
| Flash Point | 50 °C / 122 °F |
| Method - | No information available |
| Autoignition Temperature | 520 °C / 968 °F |
| Explosion Limits | |
| Upper | 45 vol % |
| Lower | 10 vol % |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen. Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
3

Flammability
2

Instability
1

Physical hazards
N/A

6. Accidental release measures

| | |
|-----------------------------|--|
| Personal Precautions | Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all |
|-----------------------------|--|

Environmental Precautions sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Containers should be vented periodically in order to overcome pressure buildup. Incompatible Materials. Strong oxidizing agents. Metals. Finely powdered metals. Strong bases.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-------------|----------------------------|--|--|--|
| Formic acid | TWA: 5 ppm STEL: 10 ppm | (Vacated) TWA: 5 ppm (Vacated) TWA: 9 mg/m ³ TWA: 5 ppm TWA: 9 mg/m ³ | IDLH: 30 ppm TWA: 5 ppm TWA: 9 mg/m ³ | TWA: 5 ppm TWA: 9 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protection Chemical resistant apron. Boots. Chemical protection suit (EN 14605).

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143. Acid gases filter. Type E. Yellow. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Colorless

| | |
|--|------------------------------|
| Odor | pungent |
| Odor Threshold | No information available |
| pH | 2.1 10 g/L aq.sol |
| Melting Point/Range | 8 °C / 46.4 °F |
| Boiling Point/Range | 101 °C / 213.8 °F @ 760 mmHg |
| Flash Point | 50 °C / 122 °F |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | 45 vol % |
| Lower | 10 vol % |
| Vapor Pressure | 44 mbar @ 20 °C |
| Vapor Density | No information available |
| Specific Gravity | 1.220 |
| Solubility | miscible |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | 520 °C / 968 °F |
| Decomposition Temperature | No information available |
| Viscosity | 1.47 mPa.s @ 20 °C |
| Molecular Formula | C H2 O2 |
| Molecular Weight | 46.02 |

10. Stability and reactivity

| | |
|----------------------------------|---|
| Reactive Hazard | None known, based on information available |
| Stability | Hygroscopic. heat sensitive. Decomposes to water and carbon dioxide. |
| Conditions to Avoid | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water. |
| Incompatible Materials | Strong oxidizing agents, Metals, Finely powdered metals, Strong bases |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂), Hydrogen, Thermal decomposition can lead to release of irritating gases and vapors |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information

| | |
|-------------|---|
| Oral LD50 | Category 4. |
| Dermal LD50 | Based on ATE data, the classification criteria are not met. |
| Vapor LC50 | Category 3. |

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------|-------------------|-------------|-----------------------------|
| Formic acid | 730 mg/kg (Rat) | Not listed | 7.85 mg/l (Rat) 4h OECD 403 |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|-----------------|--|
| Irritation | Causes severe burns by all exposure routes Irritating to respiratory system |
| Sensitization | No information available |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------|---------|------------|------------|------------|------------|------------|
| Formic acid | 64-18-6 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

| Component | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Japan - Endocrine Disruptor Information |
|-------------|--|--|---|
| Formic acid | Applicable | Not applicable | Not applicable |

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------|--------------------|--|----------------------|--------------------|
| Formic acid | EC50 = 25 mg/L/96h | Leuciscus idus: LC50 = 46-100 mg/L/96h | EC50 = 46.7 mg/L/17h | EC50 = 34 mg/L/48h |

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

| Component | log Pow |
|-------------|---------|
| Formic acid | -0.54 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|-----------------------|------------------------|------------------------|
| Formic acid - 64-18-6 | U123 | - |

14. Transport information

DOT

UN-No UN1779
 Proper Shipping Name FORMIC ACID
 Hazard Class 8
 Subsidiary Hazard Class 3

| | |
|--------------------------------|-------------|
| Packing Group | II |
| TDG | |
| UN-No | UN1779 |
| Proper Shipping Name | FORMIC ACID |
| Hazard Class | 8 |
| Subsidiary Hazard Class | 3 |
| Packing Group | II |
| IATA | |
| UN-No | UN1779 |
| Proper Shipping Name | FORMIC ACID |
| Hazard Class | 8 |
| Subsidiary Hazard Class | 3 |
| Packing Group | II |
| IMDG/IMO | |
| UN-No | UN1779 |
| Proper Shipping Name | FORMIC ACID |
| Hazard Class | 8 |
| Subsidiary Hazard Class | 3 |
| Packing Group | II |

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------|---------|------|--|--------------------------------|
| Formic acid | 64-18-6 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------|---------|-----|-----|-----------|-------|------|------|------|-------|------|
| Formic acid | 64-18-6 | X | - | 200-579-1 | X | X | X | X | X | X |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|-------------|---------|----------|----------------------------------|------------------------------------|
| Formic acid | 64-18-6 | >95 | 1.0 | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Formic acid | X | 5000 lb | - | - |

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-------------|--------------------------|---|--|
| Formic acid | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------|---------------|------------|--------------|----------|--------------|
| Formic acid | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------|---------|---|---|---|
| Formic acid | 64-18-6 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic | Ozone Depletion | Restriction of |
|-----------|--------|----------|--------------------|-----------------|----------------|
|-----------|--------|----------|--------------------|-----------------|----------------|

| | | | Pollutant | Potential | Hazardous Substances (RoHS) |
|-------------|---------|--------|----------------|----------------|-----------------------------|
| Formic acid | 64-18-6 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------|---------|---|--|----------------------------|------------------------------------|
| Formic acid | 64-18-6 | Not applicable | Not applicable | Not applicable | Annex I - Y34 |

16. Other information

Prepared By

Health, Safety and Environmental Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

Creation Date

02-Nov-2009

Revision Date

28-Mar-2024

Print Date

28-Mar-2024

Revision Summary

New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS