

SAFETY DATA SHEET

Creation Date 06-Oct-2009

Revision Date 27-Mar-2024

Revision Number 3

1. Identification

Product Name Cyclohexane

Cat No. : 40975

CAS No 110-82-7
Synonyms Hexahydrobenzene; Benzene hexahydride; Hexamethylene.

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet**Company**

Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification**Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Flammable liquids | Category 2 |
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Central nervous system (CNS). | |
| Aspiration Toxicity | Category 1 |

Label Elements**Signal Word**

Danger

Hazard Statements

Highly flammable liquid and vapor
May be fatal if swallowed and enters airways

Causes skin irritation
Causes eye irritation
May cause drowsiness or dizziness



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ventilating/lighting equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Keep cool

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell

Skin

If skin irritation occurs: Get medical advice/attention
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do NOT induce vomiting

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|-------------|----------|----------|
| Cyclohexane | 110-82-7 | >95 |

4. First-aid measures

| | |
|--|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention. |
| Inhalation | Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Aspiration into lungs can produce severe lung damage. Get medical attention immediately if symptoms occur. |
| Ingestion | Do NOT induce vomiting. Aspiration hazard. Call a physician or poison control center immediately. |
| Most important symptoms and effects | Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|--|
| Suitable Extinguishing Media | CO ₂ , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| Unsuitable Extinguishing Media | Water may be ineffective, This material is lighter than water and insoluble in water. The fire could easily be spread by the use of water in an area where the water cannot be contained |
| Flash Point | -18 °C / -0.4 °F |
| Method - | CC (closed cup) |
| Autoignition Temperature | 260 °C / 500 °F |
| Explosion Limits | |
| Upper | 8.0 vol % |
| Lower | 1.3 vol % |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
1

Flammability
3

Instability
0

Physical hazards
N/A

6. Accidental release measures

| | |
|----------------------------------|---|
| Personal Precautions | Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. |
| Environmental Precautions | Avoid release to the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. |

Methods for Containment and Clean Up Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not breathe mist/vapors/spray. Avoid contact with skin, eyes or clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-------------|--------------|--|---|------------------|
| Cyclohexane | TWA: 100 ppm | (Vacated) TWA: 300 ppm (Vacated) TWA: 1050 mg/m ³ TWA: 300 ppm TWA: 1050 mg/m ³ | IDLH: 1300 ppm TWA: 300 ppm TWA: 1050 mg/m ³ | TWA: 100 ppm |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|----------------------------|--------------------------|
| Physical State | Liquid |
| Appearance | Colorless |
| Odor | sweet |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | 6.5 °C / 43.7 °F |

| | |
|--|--------------------------|
| Boiling Point/Range | 81 °C / 177.8 °F |
| Flash Point | -18 °C / -0.4 °F |
| Method - | CC (closed cup) |
| Evaporation Rate | 6.1 |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | 8.0 vol % |
| Lower | 1.3 vol % |
| Vapor Pressure | 104 mbar @ 20 °C |
| Vapor Density | 2.90 |
| Specific Gravity | 0.770 |
| Solubility | Insoluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | 260 °C / 500 °F |
| Decomposition Temperature | No information available |
| Viscosity | 0.94 mPa.s @ 20 °C |
| Molecular Formula | C6 H12 |
| Molecular Weight | 84.15 |

10. Stability and reactivity

| | |
|----------------------------------|---|
| Reactive Hazard | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials | Strong oxidizing agents |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO ₂) |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------|----------------------|-------------------------|--|
| Cyclohexane | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | LC50 > 32880 mg/m ³ (Rat) 4 h |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|-----------------|--|
| Irritation | Irritating to eyes and skin |
| Sensitization | No information available |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------|----------|------------|------------|------------|------------|------------|
| Cyclohexane | 110-82-7 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

| | |
|---|---|
| Developmental Effects | No information available. |
| Teratogenicity | No information available. |
| STOT - single exposure | Central nervous system (CNS) |
| STOT - repeated exposure | None known |
| Aspiration hazard | Category 1 |
| Symptoms / effects, both acute and delayed | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| Endocrine Disruptor Information | No information available |
| Other Adverse Effects | The toxicological properties have not been fully investigated. |

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------|--------------------|--|---|---------------------|
| Cyclohexane | EC50 >500 mg/L/72h | LC50: 48.87 - 68.76 mg/L, 96h static (Poecilia reticulata) LC50: 24.99 - 44.69 mg/L, 96h static (Lepomis macrochirus) LC50: 23.03 - 42.07 mg/L, 96h static (Pimephales promelas) LC50: 3.96 - 5.18 mg/L, 96h flow-through (Pimephales promelas) | EC50 = 85.5 mg/L 5 min EC50 = 93 mg/L 10 min | EC50 = 0.9 mg/l/48h |

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|-------------|---------|
| Cyclohexane | 3.44 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|------------------------|------------------------|------------------------|
| Cyclohexane - 110-82-7 | U056 | - |

14. Transport information

DOT

| | |
|-----------------------------|-------------|
| UN-No | UN1145 |
| Proper Shipping Name | CYCLOHEXANE |
| Hazard Class | 3 |
| Packing Group | II |

TDG

| | |
|--------------|--------|
| UN-No | UN1145 |
|--------------|--------|

Proper Shipping Name CYCLOHEXANE
 Hazard Class 3
 Packing Group II

IATA

UN-No UN1145
 Proper Shipping Name Cyclohexane
 Hazard Class 3
 Packing Group II

IMDG/IMO

UN-No UN1145
 Proper Shipping Name Cyclohexane
 Hazard Class 3
 Packing Group II

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-------------|----------|------|---|-----------------------------|
| Cyclohexane | 110-82-7 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------|----------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Cyclohexane | 110-82-7 | X | - | 203-806-2 | X | X | X | X | X | KE-18562 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|-------------|----------|----------|-------------------------------|---------------------------------|
| Cyclohexane | 110-82-7 | >95 | 1.0 % | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------|----------------------------|-----------------------------|------------------------|---------------------------|
| Cyclohexane | X | 1000 lb | - | - |

Clean Air Act

Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-------------|--------------------------|---|-------------------------------|
| Cyclohexane | 1000 lb | - | 1000 lb 454 kg |

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------|---------------|------------|--------------|----------|--------------|
| Cyclohexane | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------|----------|---|--|---|
| Cyclohexane | 110-82-7 | - | Use restricted. See item 57. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------|----------|----------|------------------------------|---------------------------|--|
| Cyclohexane | 110-82-7 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------|----------|---|--|----------------------------|------------------------------------|
| Cyclohexane | 110-82-7 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Health, Safety and Environmental Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

Creation Date 06-Oct-2009

Revision Date 27-Mar-2024

Print Date 27-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS