

# SAFETY DATA SHEET

Revision Date 30-Mar-2024

**Revision Number** 3

## 1. Identification

## Product Name

## Molybdenum wire

No information available

45055

7439-98-7

Cat No. :

CAS No Synonyms

Recommended Use Uses advised against Laboratory chemicals. Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### **Company**

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

#### Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

## 2. Hazard(s) identification

#### <u>Classification</u> Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements None required

<u>Hazards not otherwise classified (HNOC)</u> None identified

3. Composition/Information on Ingredients

Component		CAS No	Weight %
Molybdenum		7439-98-7	<=100
	4.	First-aid measures	
Eye Contact	Rinse immeo medical atter		the eyelids, for at least 15 minutes. Get
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.		
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.		
Most important symptoms and effects	None reasor	ably foreseeable.	
Notes to Physician	Treat sympto	omatically	
	5 5	ro fighting moscuros	

5. Fire-fighting measures

Suitable Extinguishing Media	approved class D extinguishers. Do not use water or foam.
Unsuitable Extinguishing Media	No information available
Flash Point	No information available
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

## Hazardous Combustion Products

Molybdenum oxides.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 0	Flammability 0	Instability 0	Physical hazards -
	6. Accidental re	lease measures	
Personal Precautions	Ensure adequate ventilatio formation.	n. Use personal protective equ	ipment as required. Avoid dust
Environmental Precautions			n 12 for additional Ecological water system. Do not flush into

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Up

	7. Handling and storage
Handling	Avoid dust formation. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.
•	

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Oxidizing agent.

## 8. Exposure controls / personal protection

## Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Molybdenum	TWA: 10 mg/m <sup>3</sup>	(Vacated) TWA: 10 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
	TWA: 3 mg/m <sup>3</sup>		_	TWA: 3 mg/m <sup>3</sup>

### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas.	
Personal Protective Equipment		
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.	
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.	
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.	
Recommended Filter type:	Particle filter.	
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.	

9.	Physical	and	chemical	properties

Physical State	Solid disc Bar Foil Plate Rod Wire
Appearance	Grey
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	2610 °C / 4730 °F
Boiling Point/Range	5560 °C / 10040 °F
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	23 hPa @ 20 °C
Vapor Density	Not applicable
Specific Gravity	10.22 g/cm3
	-

Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity

No information available No data available No information available No information available Not applicable

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products.	
Incompatible Materials	Acids, Oxidizing agent	
Hazardous Decomposition Products Molybdenum oxides		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	
11. Toxicological information		

Acute Toxicity

## Product Information

Component Informa	ation						
Component		LD50 Oral	LD50 Oral LD50 Derma		LC50	LC50 Inhalation	
Molybdenum		Not listed	Not listed LD50 > 2000 mg/kg (Rat)		LC50 > 5.84	LC50 > 5.84 mg/L (Rat) 4 h	
Foxicologically Synergistic No information available   Products Image: Contract of the synthesis of the synthesynthesis							
Delayed and immed	liate effects	as well as chronic effe	cts from short ar	d long-term expos	sure_		
Irritation		No information ava	ailable				
Sensitization		No information ava	ailable				
Carcinogenicity		The table below in	dicates whether e	ach agency has liste	ed any ingredient a	as a carcinogen.	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Molybdenum	7439-98-	7 Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects Reproductive Effec	ts		No information available No information available.				
Developmental Effe	cts	No information ava	ailable.				
Teratogenicity		No information ava	ailable.				
STOT - single expos STOT - repeated ex		None known None known					
Aspiration hazard		No information ava	ailable				
Symptoms / effects delayed	s,both acute	acute and No information available					
Endocrine Disruptor Information No		n No information ava	ailable				

Other Adverse Effects	The toxicological properties have not been fully investigated.		
	12. Ecological information		
Ecotoxicity May cause long-term adverse effects	in the environment. Do not allow material to contaminate ground water system.		
Persistence and Degradability	Insoluble in water May persist		
<b>Bioaccumulation/ Accumulation</b>	No information available.		
Mobility	Is not likely mobile in the environment due its low water solubility.		
	13. Disposal considerations		
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.		

	14. Transport information
DOT	Not regulated
DOT <u>TDG</u> IATA	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
	15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Molybdenum	7439-98-7	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

# TSCA - Per 40 CFR 751, Regulation of Certain Chemical Not applicable Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Molybdenum	7439-98-7	Х	-	231-107-2	Х	Х		Х	Х	KE-25427

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California	Propos	sition	65
oumorniu	1 10000		~~

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Molybdenum	Х	Х	Х	-	-

#### U.S. Department of Transportation

Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

#### Authorisation/Restrictions according to EU REACH

Not applicable

	Component		REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
ſ	Molybdenum	7439-98-7	-	-	-

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Molybdenum	7439-98-7	Listed	Not applicable	Not applicable	Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Molybdenum	7439-98-7	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By

Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com

Revision Date Print Date Revision Summary 30-Mar-2024 30-Mar-2024 New emergency telephone response service provider.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**