

# SAFETY DATA SHEET

Creation Date 07-Aug-2018

Revision Date 25-Mar-2024

**Revision Number** 4

1. Identification

**Product Name** 

Potassium hydroxide, 45% w/v aqueous solution

Cat No. :	47010
Synonyms	No information available
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

## **Emergency Telephone Number**

For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Acute oral toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system.

Category 1 Category 4 Category 1 A Category 1 Category 3

## Label Elements

Signal Word Danger

**Hazard Statements** May be corrosive to metals Harmful if swallowed Causes severe skin burns and eye damage May cause respiratory irritation



# **Precautionary Statements**

## Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

# Keep only in original container **Response**

Immediately call a POISON CENTER or doctor/physician

## Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

## Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

# Rinse mouth

Do NOT induce vomiting

## Spills

Absorb spillage to prevent material damage

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

#### Store in a dry place

## Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	50
Potassium hydroxide	1310-58-3	50

	4. First-aid measures
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

	contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms and effects	Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Notes to Physician	Treat symptomatically
	5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\scriptsize 2}},$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

# **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

## **Hazardous Combustion Products**

None known.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA_ Health 3	<b>Flammability</b> 0	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	personnel to safe areas. Ke	eep people away from and up	
Environmental Precautions	Should not be released into sewer system.	o the environment. Do not flus	h into surface water or sanitary

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Storage.

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls / personal protection

# Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Potassium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	(Vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

## <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Inorganic gases and vapours filter. Type B. Grey. or. Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

7.11195100	and chemical properties
Physical State	Liquid
Appearance	No information available
Odor	No information available
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	1.51
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

# Molecular Weight

56.11

	10. Stability and reactivity	
Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products.	
Incompatible Materials	Strong oxidizing agents	
Hazardous Decomposition Products None under normal use conditions		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

# Product Information

	tion						
Component		LD50 Oral		LD50 Dermal		LC50 Inhalation	
Water		-		-		-	
Potassium hydro		LD50 = 333-384 mg/kg		Not listed	No	ot listed	
oxicologically Syne	ergistic	No information ava	ailable				
Products	ata affa ata	an well on chronic offe	ata fuana ah art an				
elayed and immedi	ate effects	as well as chronic effe	cts from short an	a long-term expo	<u>isure</u>		
rritation		Causes severe bu	rns by all exposure	e routes			
Sensitization		No information ava	ailable				
Carcinogenicity		The table below in	dicates whether ea	ach agency has lis	ted any ingredient a	as a carcinogen	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-	5 Not listed	Not listed	Not listed	Not listed	Not listed	
Potassium hydroxide	1310-58-	3 Not listed	Not listed	Not listed	Not listed	Not listed	
Autagenic Effects		No information ava	ailable				
Reproductive Effects	6	No information ava	ailable.				
Developmental Effect	ts	No information ava	ailable.				
Feratogenicity		No information ava	ailable.				
STOT - single expos STOT - repeated exp		Respiratory systen None known	n				
<b>v</b> 1		1 5 5					
STOT - repeated exp	osure	None known No information ava and Product is a corros Possible perforatio	ailable sive material. Use n of stomach or es	sophagus should b	or emesis is contrai be investigated: Ing and danger of perfo	estion causes	
STOT - repeated exp Aspiration hazard Symptoms / effects,	osure both acute	None known No information ava and Product is a corros Possible perforatio severe swelling, se	ailable sive material. Use on of stomach or es evere damage to th	sophagus should b	e investigated: Ing	estion causes	

# 12. Ecological information

## Ecotoxicity

Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshv	vater Algae	Freshwa	ter Fish	Microtox	Water Flea
Potassium hydroxide	No	ot listed	LC50 = 50-16	5 mg/L (96h)	Not listed	Not listed
Persistence and Degrada Bioaccumulation/ Accum	-	Soluble in wa		ce is unlikely b	based on information av	/ailable.
Mobility		Will likely be	mobile in the	environment c	lue to its water solubilit	у.
	Componer	t			log Pow	
Pot	assium hydr				0.83	
		13. Di	sposal c	onsidera	tions	
Waste Disposal Methods		hazardous w	aste. Chemic	al waste gene	ine whether a discarde rators must also consu ensure complete and a	
		14. T	ranspor	t informa	ition	
DOT						
UN-No		UN1814				
Proper Shipping Nam	e		I HYDROXIDE	E, SOLUTION		
Hazard Class		8				
Packing Group		II				
<u>_TDG</u>						
UN-No Data and Ohima in a Nam		UN1814				
Proper Shipping Nam	ie		I HYDROXIDE	SOLUTION		
Hazard Class		8 11				
Packing Group IATA		11				
UN-No		UN1814				
Proper Shipping Nam						
Hazard Class		8				
Packing Group		Ű				
IMDG/IMO						
UN-No		UN1814				
Proper Shipping Nam	e	POTASSIUM	I HYDROXIDE	E SOLUTION		
Hazard Class		8				
Packing Group		II				
		15 P	egulator	y informa	ation	

# United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Х	ACTIVE	-
Potassium hydroxide	1310-58-3	Х	ACTIVE	-

## Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

## TSCA 12(b) - Notices of Export

Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Potassium hydroxide	1310-58-3	Х	-	215-181-3	Х	Х	Х	Х	Х	KE-29139

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

Component		CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Potassium hydroxi	de	Х	1000 lb	-	-

Clean Air Act

Not applicable

**OSHA** - Occupational Safety and Not applicable Health Administration

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Potassium hydroxide	1000 lb	-	1000 lb 454 kg

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Potassium hydroxide	Х	Х	Х	-	Х

## U.S. Department of Transportation

Reportable Quantity (RQ):	Υ
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

# U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Potassium hydroxide	1310-58-3	-	Use restricted. See item 75. (see link for restriction details)	-

## REACH links

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Potassium hydroxide	1310-58-3	Listed	Not applicable	Not applicable	Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Potassium hydroxide	1310-58-3	Not applicable	Not applicable	Not applicable	Annex I - Y35

Prepared By Health, Safety and Environmental Department   Email: chem.techinfo@thermofisher.com   www.thermofisher.com   Creation Date 07-Aug-2018   Revision Date 25-Mar-2024	
5	Prepared By
Print Date25-Mar-2024Revision SummaryNew emergency telephone response service provider.	Revision Date Print Date

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

