

## **SAFETY DATA SHEET**

Revision Date 29-Mar-2024 Revision Number 4

### 1. Identification

Product Name N-(2-Hydroxyethyl)ethylenediamine

Cat No. : A10833

**CAS No** 111-41-1

Synonyms 2-(2-Aminoethylamino)ethanol; N-(2-Aminoethyl)ethanolamine

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1Skin SensitizationCategory 1Reproductive ToxicityCategory 1B

### Label Elements

### Signal Word

Danger

### **Hazard Statements**

Causes severe skin burns and eye damage May cause an allergic skin reaction

May damage the unborn child. Suspected of damaging fertility



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

#### Response

Immediately call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

## Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### **Storage**

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Aminoethylethanolamine	111-41-1	>95

### 4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician immediately.

Most important symptoms and Causes burns by all exposure routes. May cause allergic skin reaction. Product is a

effects corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation

of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 144 °C / 291.2 °F

Method - No information available

Autoignition Temperature 345 °C / 653 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

### 6. Accidental release measures

Personal Precautions
Environmental Precautions

Ensure adequate ventilation. Use personal protective equipment as required.

See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system.

**Methods for Containment and Clean** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, **Up** sawdust). Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle

product only in closed system or provide appropriate exhaust ventilation.

**Storage.** Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives

area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. Acids. Metals. copper.

### 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with oc

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Aminoethylethanolamine		(Vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	

#### Legend

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter.

Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Viscous liquid Liquid

Appearance Clear Odor Odorless

Odor Threshold No information available

**pH**12 11% aq. solution **Melting Point/Range**12 11% aq. solution

-28 °C / -18.4 °F

Boiling Point/Range 237 - 243 °C / 458.6 - 469.4 °F @ 12 mmHg

Flash Point 144 °C / 291.2 °F
Evaporation Rate No information available

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure<1 mbar @ 20 °C</th>

Vapor Pensity 3.59
Specific Gravity 1.029

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

No information available
345 °C / 653 °F
No information available

Viscosity
155 mPa.s at 20 °C
Molecular Formula
C4 H12 N2 O
Molecular Weight
104.15

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

### N-(2-Hydroxyethyl)ethylenediamine

Stability Stable under normal conditions. Hygroscopic.

**Conditions to Avoid** Incompatible products. Exposure to moist air or water.

**Incompatible Materials** Acids, Metals, copper

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

### 11. Toxicological information

#### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Aminoethylethanolamine	LD50 = 2000 mg/kg ( Rat )	LD50 > 2000 mg/kg (Rat)	Not listed	

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Aminoethylethanolami	111-41-1	Not listed				
l ne l						

Not mutagenic in AMES Test **Mutagenic Effects** 

Possible risk of impaired fertility. May cause harm to the unborn child. **Reproductive Effects** 

**Developmental Effects** No information available.

Teratogenic effects have occurred in experimental animals. **Teratogenicity** 

STOT - single exposure None known None known STOT - repeated exposure

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

### **Ecotoxicity**

Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Aminoethylethanolamine	EC50: = 210 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 728 mg/L, 96h (Pimephales promelas)	EC50 = 135 mg/L 17 h	EC50: = 22 mg/L, 48h (Daphnia magna)

**Persistence and Degradability** 

Persistence is unlikely

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Aminoethylethanolamine	-1.46

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

**UN-No** UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

TDG\_

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

<u>IATA</u>

UN-No UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

IMDG/IMO

**UN-No** UN2735

Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

## 15. Regulatory information

### **United States of America Inventory**

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
[	Aminoethylethanolamine	111-41-1	Χ	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Aminoethylethanolamine	111-41-1	Х	-	203-867-5	Х	Χ	Χ	Х	Х	KE-01366

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Aminoethylethanolamine	111-41-1	>95	0.1 %	-

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aminoethylethanolamine	Х	X	X	-	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Aminoethylethanolamine	111-41-1	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Aminoethylethanolamine	111-41-1	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### Other International Regulations

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
ŀ						
- 1	Aminoethylethanolamine	111-41-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information		16. Other information
-----------------------	--	-----------------------

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

**Revision Date** 29-Mar-2024 **Print Date** 29-Mar-2024

**Revision Summary** New emergency telephone response service provider.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**