

## SAFETY DATA SHEET

Creation Date 16-Nov-2010 Revision Date 26-Mar-2024 **Revision Number** 7

### 1. Identification

**Boron fluoride-methanol Product Name** 

B21357 Cat No.:

**CAS No** 2802-68-8

**Synonyms** Anca 1040; Boron Fluoride.

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

#### Details of the supplier of the safety data sheet

#### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill. MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4 Acute oral toxicity Category 4 Acute dermal toxicity Category 3 Acute Inhalation Toxicity - Vapors Category 3 Skin Corrosion/Irritation Category 1 A Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 1 Target Organs - Respiratory system, Optic nerve, Central nervous system (CNS). Specific target organ toxicity - (repeated exposure)

Category 1

Target Organs - Kidney.

#### **Label Elements**

#### Signal Word

Danger

#### **Hazard Statements**

Combustible liquid

Harmful if swallowed

Causes severe skin burns and eye damage

May cause respiratory irritation

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure

Toxic in contact with skin or if inhaled



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### Ingestion

Rinse mouth

Do NOT induce vomiting

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Reacts violently with water

#### Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS.

WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen,	2802-68-8	>94
compound with methanol (1:1)		
Boron trifluoride	7637-07-2	1-10
Methyl alcohol	67-56-1	1-9

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Water mist may be used to cool closed containers. CO 2, dry chemical, dry sand,

alcohol-resistant foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

**Flash Point** 68 °C / 154.4 °F

Method - No information available

**Autoignition Temperature** 420 °C / 788 °F

**Explosion Limits** 

**Upper** No data available

**Lower** 4.00%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards321W

Revision Date 26-Mar-2024 Boron fluoride-methanol

#### 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** 

Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Do not expose spill to water. Remove all sources of ignition. Up

### 7. Handling and storage

Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Keep away from water or moist air. Incompatible Materials. Acids. Bases. Metals.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Boron trifluoride	TWA: 2.5 mg/m³ Ceiling: 1 ppm	(Vacated) TWA: 2.5 mg/m³ Ceiling: 1 ppm Ceiling: 3 mg/m³ (Vacated) Ceiling: 1 ppm (Vacated) Ceiling: 3 mg/m³	IDLH: 25 ppm Ceiling: 1 ppm Ceiling: 3 mg/m³	TWA: 2.5 mg/m³ Ceiling: 1 ppm Ceiling: 3 mg/m³
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m³ Skin TWA: 200 ppm TWA: 260 mg/m³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³	TWA: 200 ppm STEL: 250 ppm

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143. Acid gases filter. Type E. Yellow.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceLight yellowOdorpungent

Odor Threshold No information available

pH 2.0 Acidic
Melting Point/Range -20 °C / -4 °F

Boiling Point/Range 59 °C / 138.2 °F @ 4 mmHg

Flash Point 68 °C / 154.4 °F Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

**Upper** No data available

**Lower** 4.00%

Vapor Pressure26 hPa @ 50 °CVapor DensityNo information available

Specific Gravity1.21-1.235SolubilityHydrolysesPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature420 °C / 788 °F

Decomposition Temperature > 60°C

Viscosity No information available

Molecular Formula C2 H8 B F3 O2

Molecular Weight 131.89

### 10. Stability and reactivity

Reactive Hazard Yes

**Stability** Moisture sensitive.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water. Exposure to moisture.

Incompatible Materials Acids, Bases, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release

of irritating gases and vapors

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing. Reacts violently with water.

### 11. Toxicological information

**Acute Toxicity** 

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Boron trifluoride	Not listed	Not listed	1180 mg/m <sup>3</sup> (Rat) 4 h
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Revision Date 26-Mar-2024 Boron fluoride-methanol

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1)	2802-68-8	Not listed				
Boron trifluoride	7637-07-2	Not listed				
Methyl alcohol	67-56-1	Not listed				

**Mutagenic Effects** No information available

No information available. **Reproductive Effects** 

**Developmental Effects** No information available.

**Teratogenicity** No information available.

Respiratory system Optic nerve Central nervous system (CNS) STOT - single exposure

STOT - repeated exposure Kidnev

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. Contains a substance which is: Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Boron trifluoride	Not listed	Not listed	Not listed	21.3 mg/L EC50 = 48 h
Methyl alcohol	Not listed	Pimephales promelas: LC50	EC50 = 39000 mg/L 25 min	EC50 > 10000 mg/L 24h
		> 10000 mg/L 96h	EC50 = 40000 mg/L 15 min	_
			EC50 = 43000 mg/L 5 min	

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its volatility.

Component	log Pow
Methyl alcohol	-0.74

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

### 14. Transport information

DOT

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Name (BORON TRIFLUORIDE DIMETHANOL COMPLEX)

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

\_TDG

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Hazard Class
Packing Group

IATA

UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group |

IMDG/IMO

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group

### 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1)	2802-68-8	X	ACTIVE	-
Boron trifluoride	7637-07-2	Χ	ACTIVE	-
Methyl alcohol	67-56-1	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Borate(1-), trifluoromethoxy-,	2802-68-8	-	Х	220-543-9	-	Χ	Χ	-	Х	-
(T-4)-, hydrogen, compound with										
methanol (1:1)										
Boron trifluoride	7637-07-2	X	-	231-569-5	X	X	Х	Х	Х	X

Methyl alcohol	67-56-1	Х	-	200-659-6	Χ	Χ	Х	Х	Х	KE-23193

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Boron trifluoride	7637-07-2	1-10	1.0	-
Methyl alcohol	67-56-1	1-9	1.0 %	-

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Not applicable

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		-

**OSHA** - Occupational Safety and

Not applicable

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals	
Boron trifluoride	-	TQ: 250 lb	

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Boron trifluoride	-	500 lb	-
Methyl alcohol	5000 lb	-	5000 lb
,			2270 kg

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Methyl alcohol	67-56-1	Developmental	-	Developmental

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Boron trifluoride	X	X	X	X	X
Methyl alcohol	X	X	Х	X	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product contains the following DHS chemicals:

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Revision Date 26-Mar-2024

Component	DHS Chemical Facility Anti-Terrorism Standard		
Boron trifluoride	Release STQs - 5000lb		
	Theft STQs - 45lb		

**Other International Regulations** 

**Mexico - Grade** 

Moderate risk, Grade 2

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1)	2802-68-8	-	-	-
Boron trifluoride	7637-07-2	-	Use restricted. See item 75. (see link for restriction details)	-
Methyl alcohol	67-56-1	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1)	2802-68-8	Not applicable	Not applicable	Not applicable	Not applicable
Boron trifluoride	7637-07-2	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Borate(1-), trifluoromethoxy-, (T-4)-, hydrogen, compound with methanol (1:1)	2802-68-8	Not applicable	Not applicable	Not applicable	Not applicable
Boron trifluoride	7637-07-2	5 tonne	20 tonne	Not applicable	Not applicable
Methyl alcohol	67-56-1	500 tonne	5000 tonne	Not applicable	Not applicable

### 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 16-Nov-2010

 Revision Date
 26-Mar-2024

 Print Date
 26-Mar-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**