

## **SAFETY DATA SHEET**

Creation Date 23-Jan-2009 Revision Date 28-Mar-2024 Revision Number 4

1. Identification

Product Name Dimethyl sulfoxide

Cat No. : J66650

**CAS No** 67-68-5

Synonyms Dimethyl sulfoxide; DMSO

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4

#### Label Elements

## Signal Word

Warning

## **Hazard Statements**

Combustible liquid

## **Precautionary Statements**

## Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

**Storage** 

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified Other hazards

DMSO readily penetrates skin and may carry other dissolved chemicals into the body.

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Dimethyl sulfoxide	67-68-5	<=100

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur. If not breathing,

give artificial respiration.

**Ingestion** Do NOT induce vomiting. Get medical attention.

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting
Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 87 °C / 188.6 °F

Method - No information available

Autoignition Temperature 301 °C / 573.8 °F

**Explosion Limits** 

 Upper
 42 vol %

 Lower
 2.6 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

**Specific Hazards Arising from the Chemical** 

Combustible material. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Sulfides. Formaldehyde.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Ν	F	Р	Α
---	---	---	---

Health	Flammability	Instability	Physical hazards
2 *	2	1	N/A

6. Accidental r	release measures
-----------------	------------------

Personal Precautions Use personal protective equipment as required. Remove all sources of ignition. Take

precautionary measures against static discharges. Ensure adequate ventilation.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary

sewer system. See Section 12 for additional Ecological Information.

**Methods for Containment and Clean** Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, **Up** closed containers for disposal.

## 7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Keep

away from open flames, hot surfaces and sources of ignition. Avoid contact with skin, eyes

or clothing. Avoid ingestion and inhalation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong acids.

Strong bases. Alkali metals.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

exposure limits are exceeded or it irritation or other symptoms are experience

**Recommended Filter type:** Particle filter.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorOdorless

Odor ThresholdNo information availablepHNo information availableMelting Point/Range18.4 °C / 65.1 °FBoiling Point/Range189 °C / 372.2 °FFlash Point87 °C / 188.6 °F

Evaporation Rate
No information available
Flammability (solid,gas)
Not applicable

Flammability or explosive limits

 Upper
 42 vol %

 Lower
 2.6 vol %

Vapor Pressure 0.55 mbar @ 20°C

Vapor Density 2.7 Specific Gravity 1.100

Solubility Soluble in water
Partition coefficient; n-octanol/water No data available
Autoignition Temperature 301 °C / 573.8 °F

Decomposition Temperature > 190°C

Viscosity 1.98 mPa.s @ 25°C

Molecular FormulaC2 H6 O SMolecular Weight78.13

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water. Keep away from open

flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Alkali metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Sulfides, Formaldehyde

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** Thermal decomposition can take place above 189°C / 372°F.

## 11. Toxicological information

## **Acute Toxicity**

## **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Dimethyl sulfoxide	LD50 = 28300 mg/kg (Rat)	LD50 = 40000 mg/kg (Rat)	LC50 > 5.33 mg/L (Rat) 4 h	

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

		·				
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico

Revision Date 28-Mar-2024 Dimethyl sulfoxide

Dimethyl sulfoxide 67-68-5 Not listed Not listed Not listed Not listed Not listed

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

No information available. **Teratogenicity** 

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dimethyl sulfoxide	EC50 96h 12350 - 25500	40 g/L LC50 96 h	= 16000 mg/L EC50	EC50 24h 7000 mg/L
	mg/L	33-37 g/L LC50 96 h	Pseudomonas putida 16 h	
		_	= 32 g/L EC50 Tetrahymena	
			pyriformis 24 h	
			= 77 mg/L EC50	
			Photobacterium	
			phosphoreum 5 min	

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

. Will likely be mobile in the environment due to its water solubility. **Mobility** 

Component	log Pow
Dimethyl sulfoxide	-1.35

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY DOT

According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

**UN-No** NA1993

**Proper Shipping Name** Combustible liquid, n.o.s.

**Packing Group** 

TDG Not regulated IATA Not regulated IMDG/IMO Not regulated

## 15. Regulatory information

## United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Dimethyl sulfoxide	67-68-5	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethyl sulfoxide	67-68-5	Χ	-	200-664-3	Х	Χ	Χ	Х	Х	KE-32367

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethyl sulfoxide	-	X	-	-	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade Slight risk, Grade 1

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Dimethyl sulfoxide	67-68-5	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dimethyl sulfoxide	67-68-5	Listed	Not applicable	Not applicable	Not applicable

# Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Dimethyl sulfoxide	67-68-5	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 23-Jan-2009

 Revision Date
 28-Mar-2024

 Print Date
 28-Mar-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**