

SAFETY DATA SHEET

Creation Date 24-Aug-2009

Revision Date 29-Mar-2024

Revision Number 4

1. Identification

Product Name

Hydrochloric acid, 36% w/w aq. soln.

Cat No. : L13091

CAS No Synonyms 7647-01-0 Muriatic acid

Recommended Use Uses advised against Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 Category 1 B Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	60-70
Hydrochloric acid	7647-01-0	30-40

4. First-aid measures					
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.				
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.				

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and effects Notes to Physician

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}},$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Health 3	Flammability 1	Instability 0	Physical hazards N/A			
6. Accidental release measures						
Precautions	Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Should not be released into the environment. See Section 12 for additional Ecological					
	Information.					

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep only in the original container. Corrosives area. Incompatible Materials. Strong oxidizing agents. Reducing Agent. Bases. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Hydrochloric acid	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m ³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³	Ceiling: 2 ppm

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Recommended Filter type:	Acid gases filter. Type E. Yellow. or. Particulates filter conforming to EN 143.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties					
Physical State	Liquid				
Appearance	Colorless				
Odor	pungent				
Odor Threshold	No information available				
рН	< 1				
Melting Point/Range	-35 °C / -31 °F				
Boiling Point/Range	57 °C / 134.6 °F @ 760 mmHg				
Flash Point	No information available				
Evaporation Rate	> 1.00				
Flammability (solid,gas)	Not applicable				
Flammability or explosive limits					
Upper	No data available				
Lower	No data available				
Vapor Pressure	125 mbar @ 20 °C				
Vapor Density	1.26				
Specific Gravity	1.16				
Solubility	Miscible with water				
Partition coefficient; n-octanol/water	r No data available				
Autoignition Temperature	No information available				
Decomposition Temperature	1782 °C				
Viscosity	1.9 mPa.s at 15 °C				
Molecular Formula	CIH				
Molecular Weight	36.45				

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability		Stable under normal conditions.						
Conditions to Avoid		Incompatible products. Excess heat.						
Incompatible Materia	als	Strong oxidizing ag	Strong oxidizing agents, Reducing Agent, Bases, Metals					
Hazardous Decompo	osition Produc	ts Hydrogen chloride	gas					
Hazardous Polymeri	zation	Hazardous polyme	rization does not	occur.				
Hazardous Reaction	S	None under norma	I processing.					
		11. Toxico	ological info	ormation				
Acute Toxicity			5					
Product Information								
Oral LD50		Based on ATE dat						
Dermal LD50		Based on ATE dat	a, the classificatio	n criteria are not m	et. ATE > 2000 m	g/kg.		
Vapor LC50		Based on ATE dat	a, the classificatio	n criteria are not m	et. ATE > 20 mg/l			
Component Informa	tion				0			
Component	r	LD50 Oral		LD50 Dermal	LC50	Inhalation		
Water		-		-		-		
Hydrochloric a	cid	238 - 277 mg/kg (Ra	t) > 501	10 mg/kg (Rabbit)	1.68 m(g/L(Rat)1 h		
Toxicologically Syne	ergistic	No information ava	ilable		I			
Products Delayed and immedi	iate effects as	well as chronic effe	cts from short ar	nd long-term expo	sure			
Irritation		No information ava	ilable					
Sensitization		No information available						
Carcinogenicity		The table below in	dicates whether e	ach agency has lis	ted any ingredient	as a carcinogen		
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico		
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed		
Hydrochloric acid	7647.01.0	Not listed	Not listed	Not listed	Not listed	Not listed		

vvater	7732-18-5	NOT IISTED	NOT IISTED	NOT IISTED	INOT IISTED	Not listed	
Hydrochloric acid	7647-01-0	Not listed Not listed Not listed Not listed Not listed					
Mutagenic Effects		No information ava	ailable				
Reproductive Effect	ts	No information ava	ailable.				
Developmental Effe	cts	No information ava	ailable.				
Teratogenicity		No information ava	ailable.				
STOT - single expos STOT - repeated exp		Respiratory systen None known	n				
Aspiration hazard		No information ava	ailable				
Symptoms / effects delayed	,both acute and	Ingestion causes s perforation	evere swelling, se	vere damage to th	e delicate tissue a	nd danger of	
Endocrine Disruptor Information		No information available					
Other Adverse Effects		The toxicological p	roperties have not	been fully investig	gated.		
		12. Ecolo	ogical infor	mation			

Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae		Freshwater Fish	Microtox	Water Flea		
Hydrochloric acid	-		282 mg/L LC50 96 h	-	56mg/L EC50 72h Daphnia		
			Gambusia affinis				
			mg/L LC50 48 h Leucscus				
			idus				
Persistence and Degrada	ability	Persistence i	s unlikely based on informa	ation available.			
Bioaccumulation/ Accun	Bioaccumulation/ Accumulation No information available.						
Mobility Will li			Will likely be mobile in the environment due to its water solubility.				
13. Disposal considerations							
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification			local, regional, and				

	14. Transport information
DOT	
UN-No	UN1789
Proper Shipping Name	HYDROCHLORIC ACID
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN1789
Proper Shipping Name	HYDROCHLORIC ACID
Hazard Class	8
Packing Group	II
UN-No	UN1789
Proper Shipping Name	Hydrochloric acid
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN1789
Proper Shipping Name	Hydrochloric acid
Hazard Class	8
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Х	ACTIVE	-
Hydrochloric acid	7647-01-0	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Hydrochloric acid	7647-01-0	Х	-	231-595-7	Х	Х	Х	Х	Х	KE-20189

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Hydrochloric acid	7647-01-0	30-40	1.0 %	-

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Hydrochloric acid	X	5000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrochloric acid	Х		-

OSHA - Occupational Safety and Not applicable

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrochloric acid	-	TQ: 5000 lb

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Hydrochloric acid	5000 lb	5000 lb	5000 lb 2270 kg

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Hydrochloric acid	Х	Х	Х	Х	Х

U.S. Department of Transportation

Y

Reportable Quantity (RQ):

Compo	nent	DHS Chemical Facility Anti-Terrorism Stan
U.S. Department of Homeland Security	This product contains the Legend - STQs = Screeni	following DHS chemicals: ing Threshold Quantities, APA = A placarded amount
DOT Marine Pollutant DOT Severe Marine Pollutant	N N	

Component	DHS Chemical Facility Anti-Terrorism Standard
Hydrochloric acid	Release STQs - 15000lb (concentration >=37%)
	Release STQs - 5000lb (anhydrous)
	Theft STQs - 500lb (anhydrous)

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Hydrochloric acid	7647-01-0	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	25 tonne	250 tonne	Not applicable	Annex I - Y34

16. Other information

Prepared By

Health, Safety and Environmental Department Email: chem.techinfo@thermofisher.com www.thermofisher.com

Creation Date	24-Aug-2009
Revision Date	29-Mar-2024
Print Date	29-Mar-2024
Revision Summary	New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS