

SAFETY DATA SHEET

Creation Date 22-Apr-2009

Revision Date 24-Dec-2021

Revision Number 4

Product Name tert-Butylamine		
Cat No. :	AC107820000; AC107820010; AC107820025; AC107820050 AC107820100	
CAS No	75-64-9	
Synonyms	Trimethylaminomethane; 2-Aminoisobutane; 2-Amino-2-methylpropane	
Recommended Use	Laboratory chemicals.	
Uses advised against	Food, drug, pesticide or biocidal product use.	

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Category 2 Category 4 Category 3 Category 1 A Category 1 Category 3

Category 2

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Acute oral toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.
Specific target organ toxicity - (repeated exposure)
Target Organs - Kidney, Liver.

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Harmful if swallowed Causes severe skin burns and eye damage Toxic if inhaled May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS No	Weight %
	•	

tert-Butylamine		75-64-9	>95	
4. First-aid measures				
General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.			
Inhalation	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. If not breathing, give artificial respiration.			
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.			
Most important symptoms and effects	Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			
Notes to Physician	Treat symptomatically			

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire
Flash Point	-38 °C / -36.4 °F
Method -	No information available
Autoignition Temperature	380 °C / 716 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	8.90% 1.70% No information available No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA_						
Health 3	Flammability 3	Instability 0	Physical hazards N/A			
	5	0	IN/A			
	6. Accidental re	elease measures				
Personal PrecautionsUse personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.Environmental PrecautionsShould not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the						
Methods for Containment and Cl	environment. Collect spilla ean Soak up with inert absorb	age. ent material. Keep in suitable, cl	osed containers for disposal.			
Up	Remove all sources of ign	ition. Use spark-proof tools and	explosion-proof equipment.			
	7. Handling	and storage				
Handling	Do not get in eyes, on ski medical assistance. Do no surfaces and sources of ig	n, or on clothing. Do not ingest. of breathe mist/vapors/spray. Ke gnition. Use only non-sparking to , all metal parts of the equipmer	ools. To avoid ignition of vapors by			
Storage.			ilated place. Corrosives area. aterials. Strong oxidizing agents.			
8.	•	/ personal protection				
Exposure Guidelines		itain any hazardous materials wi gion specific regulatory bodies.	th occupational exposure			
Engineering Measures	are close to the workstation	I fume hood. Ensure that eyewa on location. Use explosion-proof ate ventilation, especially in con	electrical/ventilating/lighting			
Personal Protective Equipment						
Eye/face Protection	OSHA's eye and face prot	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.				
Skin and body protection	Wear appropriate protectiv	ve gloves and clothing to prever	t skin exposure.			
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.					
Hygiene Measures	Handle in accordance with	n good industrial hygiene and sa	fety practice.			
	9. Physical and ch	nemical properties				
Physical State		Liquid Colorless				
Appearance Odor		Ammonia-like				
Odar Threehold		No information available				

Odor **Odor Threshold**

Page 4/8

No information available

pH Melting Point/Range Boiling Point/Range Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

12.1 100g/l aq. sol -67 °C / -88.6 °F 46 °C / 114.8 °F @ 760 mmHg -38 °C / -36.4 °F No information available Not applicable 8.90% 1.70% 532 hPa @ 25 °C 2.5 0.690 Soluble in water No data available 380 °C / 716 °F No information available 0.5 mPa.s @ 20 °C C4 H11 N 73.13

10. Stability and reactivity		
Reactive Hazard	zard None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents, Strong acids, Alcohols, Acid anhydrides	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO ₂), Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information

Component		LD50 Oral		LD50 Dermal	LC50 Inhalation	
tert-Butylamin	e	464 mg/kg (Rat)		Not listed	LC50 = 3.8	mg/L(Rat)4 h
Foxicologically Syne Products Delayed and immedia	-	No information ava		d long-term expo	sure_	
Irritation		Causes severe burns by all exposure routes				
Sensitization		No information available				
Carcinogenicity		The table below inc	dicates whether ea	ach agency has list	ed any ingredient	as a carcinoge
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
tert-Butylamine	75-64-9	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				

Reproductive Effects	No information available.	
Developmental Effects	No information available.	
Teratogenicity	No information available.	
STOT - single exposure STOT - repeated exposure	Respiratory system Kidney Liver	
Aspiration hazard	No information available	
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Endocrine Disruptor Information	No information available	
Other Adverse Effects	The toxicological properties have not been fully investigated.	
	12 Ecological information	

12. Ecological information

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
tert-Butylamine	Not listed	Salmo Gairdneri: LC50:	Pseudonomas putida: EC50:	Daphnia magna: EC50: 136
		28-270 mg/L/96h	110 mg/L/96h	mg/L/24h
Persistence and Degrada	bility Persistence is	s unlikely based on inform	ation available.	

Persistence is unlikely based on information available.

Bioaccumulation/Accumulation

Waste Disposal Methods

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
tert-Butylamine	0.4

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN2734
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Technical Name	tert-Butylamine
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	ll
TDG	
UN-No	UN2734
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	ll
IATA	
UN-No	UN2734

Proper Shipping Name Hazard Class Subsidiary Hazard Class Packing Group	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.* 8 3 I
IMDG/IMO	
UN-No	UN2734
Proper Shipping Name	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
tert-Butylamine	75-64-9	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
tert-Butylamine	75-64-9	Х	-	200-888-1	Х	Х	Х	Х	Х	KE-24864

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

Not applicable **SARA 313**

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
tert-Butylamine	X	-	-	-

Clean Air Act

Not applicable

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
tert-Butylamine	1000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Security

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
tert-Butylamine	Х	Х	Х	-	-

U.S. Department of Transportation

U.S. Department of Homeland	Th
DOT Severe Marine Pollutant	N
DOT Marine Pollutant	N
Reportable Quantity (RQ):	Υ

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
tert-Butylamine	75-64-9	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		

	16. Other information
Prepared By	Regulatory Affairs
	Acros Organics BVBA
	Tel: 800-ACROS-01
Creation Date	22-Apr-2009
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS