

# SAFETY DATA SHEET

Revision Date 24-Dec-2021

**Revision Number** 4

# 1. Identification

## Product Name

## Cyclohexene oxide

# Cat No.: AC111210000; AC111211000; AC111215000 CAS No Synonyms 286-20-4 7-Oxabicycloó4.1.0!heptane; Epoxycyclohexane

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

## 2. Hazard(s) identification

### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	
Acute oral toxicity	
Acute dermal toxicity	
Acute Inhalation Toxicity - Vapors	
Skin Corrosion/Irritation	
Serious Eye Damage/Eye Irritation	
Specific target organ toxicity (single exposure)	
Target Organs - Respiratory system.	

Category 3 Category 4 Category 3 Category 4 Category 1 Category 1 Category 3

### Label Elements

Signal Word Danger

### Hazard Statements

Flammable liquid and vapor Toxic in contact with skin Causes severe skin burns and eye damage May cause respiratory irritation Harmful if swallowed or if inhaled



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
7-Oxabicyclo[4.1.0]heptane	286-20-4	98

## 4. First-aid measures

Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician immediately.
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically
	E Fire fighting measures

## 5. Fire-fighting measures

Suitable Extinguishing Media	Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	27 °C / 80.6 °F
Method -	No information available
Autoignition Temperature	345 °C / 653 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	9.00% 1.50% No information available No information available

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3	Flammability 2	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal PrecautionsRemove all sources of ignition. Take precautionary measures against static discharges.Environmental PrecautionsSee Section 12 for additional Ecological Information.			es against static discharges.
Methods for Containment and CleanSoak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.			

	7 Handling and storage
Handling Storage.	<ul> <li>7. Handling and storage</li> <li>Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.</li> <li>Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Corrosives area. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Bases.</li> </ul>
8. E	xposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

	ijerear and enemiear properties
Physical State	Liquid
Appearance	Clear
Odor	No information available
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-40 °C / -40 °F
Boiling Point/Range	129 - 130 °C / 264.2 - 266 °F @ 7 mmHg
Flash Point	27 °C / 80.6 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	9.00%
Lower	1.50%
Vapor Pressure	19 mbar @ 20 °C
Vapor Density	3.4
Specific Gravity	0.970
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	345 °C / 653 °F
Decomposition Temperature	> 210°C
Viscosity	1.75 mPa s at 25 °C

Molecular Formula Molecular Weight	C6 H10 O 98.14
	10. Stability and reactivity
Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.
Incompatible Materials	Acids, Bases
Hazardous Decomposition Produ	cts Carbon monoxide (CO), Carbon dioxide (CO2)
Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

# Product Information

Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
7-Oxabicyclo[4.1.0]heptane	LD50 = 1090 µL/kg (Rat)	LD50 = 0.63 mL/kg(Rat)	Not listed
Toxicologically Synergistic Products	No information available		

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
7-Oxabicyclo[4.1.0]hep tane	286-20-4	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effect	S	No information ava	ailable.			
Developmental Effe	cts	No information ava	ailable.			
Teratogenicity		No information available.				
STOT - single expos STOT - repeated exp		Respiratory system None known				
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	both acute and	nd Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation			ndicated. estion causes	
Endocrine Disrupto	r Information	No information available				

Other Adverse Effects	The toxicological properties have not been fully investigated.
	12. Ecological information
Ecotoxicity	
Development and Developility	Incoluble in water Devictories is whitely beend on information synilable
Persistence and Degradability	Insoluble in water Persistence is unlikely based on information available.
<b>Bioaccumulation/ Accumulation</b>	No information available.
Mobility	Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its volatility.

### Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a Waste Disposal Methods hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN1993
Hazard Class	3
Packing Group	
TDG	
UN-No	UN1993
Hazard Class	3
Packing Group	
UN-No	UN2920
Proper Shipping Name	CORROSIVE LIQUID, FLAMMABLE, N.O.S.*
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	
IMDG/IMO	
UN-No	UN2920
Proper Shipping Name	Corrosive liquid, flammable, n.o.s.
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	
	15. Regulatory information

## United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
7-Oxabicyclo[4.1.0]heptane	286-20-4	Х	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
7-Oxabicyclo[4.1.0]heptane	286-20-4	-	Х	206-007-7	Х	Х	Х	Х	Х	KE-27440
KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)										
U.S. Federal Regulations										
SARA 313	Not app	Not applicable								
SARA 311/312 Hazard Categorie	es See see	See section 2 for more information								
CWA (Clean Water Act)	Not app	Not applicable								
Clean Air Act	Not app	Not applicable								
<b>OSHA</b> - Occupational Safety and Health Administration	Not app	Not applicable								
CERCLA	Not app	olicable								
California Proposition 65	This pro	This product does not contain any Proposition 65 chemicals.								
U.S. State Right-to-Know Regulations	Not app	blicable								
<b>U.S. Department of Transportat</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	t <b>ion</b> N N N									
U.S. Department of Homeland Security	This pro	oduct doe	s not cor	ntain any DI	HS chemi	cals.				
Other International Regulations										
Mexico - Grade	No info	rmation a	vailable							

Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
7-Oxabicyclo[4.1.0]heptane	286-20-4	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No		Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	000.00.4	for Major Accident Notification	for Safety Report Requirements	Not an Parkla	Notionalizable
7-Oxabicyclo[4.1.0]heptane	286-20-4	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By

Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com

Revision Date Print Date Revision Summary	24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

