

SAFETY DATA SHEET

Creation Date 21-Oct-2009

Revision Date 24-Dec-2021

Revision Number 6

Product Name	Octanoic acid
Cat No. :	AC129390000; AC129390010; AC129390025; AC129390250; AC129390251
CAS No	124-07-2
Synonyms	Caprylic acid
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 C Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Indestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Compor	ent CAS No	Weight %		
Octanoic	acid 124-07-2	2 >95		
	4. First-aid measu	ures		
General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.			
Eye Contact	, , ,	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.		
Skin Contact	, , ,	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.		
Inhalation	inhaled the substance; give artificial re	Do not use mouth-to-mouth method if victim ingested or respiration with the aid of a pocket mask equipped with piratory medical device. Remove from exposure, lie		

Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Call a physician immediately.
Most important symptoms and effects	Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	CO $_{\mbox{\tiny 2}},$ dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	130 °C / 266 °F
Method -	No information available
Autoignition Temperature	440 °C / 824 °F
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Thermal decomposition can lead to release of irritating gases and vapors. **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 1	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Should not be released into the environment. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.		

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Incompatible Materials. Strong oxidizing agents.

8. E	xposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Light yellow
Odor	pungent
Odor Threshold	No information available
рН	No information available
Melting Point/Range	16 - 16.5 °C / 60.8 - 61.7 °F
Boiling Point/Range	237 °C / 458.6 °F @ 760 mmHg
Flash Point	130 °C / 266 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	0.05 hPa @ 20 °C
Vapor Density	5.0
Specific Gravity	0.910
Solubility	Alcohol Ether Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	440 °C / 824 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C8 H16 O2
Molecular Weight	144.21

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Strong oxidizing agents

Hazardous Decomp	osition Produ		s Carbon monoxide (CO), Carbon dioxide (CO ₂), Thermal decomposition can lead to release of irritating gases and vapors				
Hazardous Polymerization Hazardous polymerization does not occur.							
Hazardous Reaction	ardous Reactions None under normal processing.						
		11. Toxico	logica	l infc	ormation		
Acute Toxicity							
Product Information	-	No acute toxicity in	formation is	s availa	ble for this produc	t	
Componer	nt	LD50 Oral		L	D50 Dermal	LC50	Inhalation
Octanoic ac	id	LD50 = 10080 mg/kg (F	Rat)	LD50	> 5 g/kg (Rabbit)	Nc	t listed
Toxicologically Syn Products	ergistic	No information ava	ilable				
Delayed and immed	liate effects as	s well as chronic effe	cts from sł	hort and	<u>d long-term expo</u>	sure	
Irritation							
Sensitization		No information ava	ilable				
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcino				as a carcinogen.			
Component	CAS No	IARC	NTP		ACGIH	OSHA	Mexico
Octanoic acid	124-07-2	Not listed	Not list	ed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ilable				
Reproductive Effec	ts	No information ava	ilable.				
Developmental Effe	Developmental Effects No information available.						
Teratogenicity	No information available.						
STOT - single exposure STOT - repeated exposure		Respiratory system None known	Respiratory system None known				
Aspiration hazard		No information ava	No information available				
Symptoms / effects delayed	s,both acute ai	and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated			sis is		
Endocrine Disrupto	r Information	No information ava	ilable				

Other Adverse Effects

See actual entry in RTECS for complete information. The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Octanoic acid	Not listed	LC50: = 110 mg/L, 96h semi-static (Brachydanio rerio) LC50: = 310 mg/L, 96h semi-static (Oryzias latipes)	Not listed	EC50 = 170 mg/L/24h

 Persistence and Degradability
 Soluble in water Persistence is unlikely based on information available.

 Bioaccumulation/ Accumulation
 No information available.

 Mobility
 . Will likely be mobile in the environment due to its water solubility.

 Component
 log Pow

 Octanoic acid
 2.92

 13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Technical Name	Octanoic acid
Hazard Class	8
Packing Group	III
TDG	
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	III
IATA	
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN3265
Proper Shipping Name	Corrosive liquid, acidic, organic, n.o.s.
Hazard Class	8
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Octanoic acid	124-07-2	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Octanoic acid	124-07-2	Х	-	204-677-5	Х	Х	Х	Х	Х	KE-26628

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations	
SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade

Slight risk, Grade 1

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Octanoic acid	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Octanoic acid	124-07-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Octanoic acid	124-07-2	Not applicable	Not applicable	Not applicable	Annex I - Y34

16. Other information				
Prepared By	Regulatory Affairs Thermo Fisher Scientific			
	Email: EMSDS.RA@thermofisher.com			
Creation Date	21-Oct-2009			
Revision Date	24-Dec-2021			
Print Date 24-Dec-2021				
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS