

# SAFETY DATA SHEET

Creation Date 12-Mar-2013

Revision Date 24-Dec-2021

Revision Number 5

Product Name	Thiolacetic acid
Cat No. :	AC138780000; AC138780025; AC138780050; AC138781000; AC138785000
CAS No Synonyms	507-09-5 Acetyl mercaptan; Thiolacetic acid; Ethanethioic acid; Thiacetic acid
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.
Details of the supplier of the	safety data sheet

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 3
Serious Eye Damage/Eye Irritation	Category 1
Skin Sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	0,1

Label Elements

Signal Word Danger

Hazard Statements

Highly flammable liquid and vapor Toxic if swallowed May cause an allergic skin reaction Causes serious eye damage May cause respiratory irritation



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Skin If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do, Continue rinsing Immediately call a POISON CENTER or doctor/physician Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage

#### Storage Store locked up

Store in a well-ventilated place. Keep cool

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Lachrymator (substance which increases the flow of tears) Stench

### 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Thioacetic acid	507-09-5	>95

#### 4. First-aid measures

#### **General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.Skin ContactImmediate medical attention is required. Wash off immediately with plenty of water for at least 15 minutes.InhalationRemove to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.IngestionDo NOT induce vomiting. Call a physician or poison control center immediately.Most important symptoms and effectsDifficulty in breathing. Causes burns by all exposure routes. May cause allergic skin reaction. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: lingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing Treat symptomatically		attendance.
InhalationRemove to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.IngestionDo NOT induce vomiting. Call a physician or poison control center immediately.Most important symptoms and effectsDifficulty in breathing. Causes burns by all exposure routes. May cause allergic skin reaction. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion cause severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Eye Contact	
required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.IngestionDo NOT induce vomiting. Call a physician or poison control center immediately.Most important symptoms and effectsDifficulty in breathing. Causes burns by all exposure routes. May cause allergic skin reaction. Causes severe eye damage Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Skin Contact	
Most important symptoms and effects Difficulty in breathing. Causes burns by all exposure routes. May cause allergic skin reaction. Causes severe eye damage Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Inhalation	required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or
effects reaction. Causes severe eye damage Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
		reaction. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle
	Notes to Physician	

#### 5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	18 °C / 64.4 °F
Method -	No information available
Autoignition Temperature	427 °C / 800 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	16% 5.4% In o information available No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Vapors may travel to source of ignition and flash back. Will form explosive mixtures with air. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Containers may explode when heated. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Sulfides. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA			
Health	Flammability	Instability	Physical hazards
3	3	U	N/A

	6. Accidental release measures
Personal Precautions Environmental Precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment. See Section 12 for additional Ecological
	Information.
Methods for Containment and Cle Up	an Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
	7. Handling and storage
Handling	Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
Storage.	Keep in a dry place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. To maintain product quality: Keep refrigerated. Incompatible Materials. Strong bases. Metals.
8. [	Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.
Personal Protective Equipment	
Eye/face Protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure. Impervious clothing. Chemical resistant apron. Boots. Impervious gloves.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection.
	9. Physical and chemical properties
Physical State	Liquid

Physical State	
Appearance	
Odor	
Odor Threshold	

Liquid Light yellow Stench No information available

#### Thiolacetic acid

pH	1.8 10% ag.sol
Melting Point/Range	-17 °C / 1.4 °F
Boiling Point/Range	97 - 93 °C / 206.6 - 199.4 °F
Flash Point	18 °C / 64.4 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	16%
Lower	5.4%
Vapor Pressure	1 hPa @ 20 °C
Vapor Density	2.6
Specific Gravity	1.070
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	427 °C / 800 °F
Decomposition Temperature	> 87°C
Viscosity	No information available
Molecular Formula	C2 H4 O S
Molecular Weight	76.11
	10. Stability and reactivity

To. Stability and reactivity		
Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Temperatures above 85°C. Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Exposure to moist air or water. Exposure to air or moisture over prolonged periods.	
Incompatible Materials	Strong bases, Metals	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Sulfur oxides, Sulfides, Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	No information available.	
Hazardous Reactions	None under normal processing.	

# 11. Toxicological information

#### Acute Toxicity

# Product Information

Component		LD50 Oral		LD50 Dermal	LC50	LC50 Inhalation	
Thioacetic acid		200 - 350 mg/kg (Rat) Not listed Not listed		t listed			
Toxicologically Syner	gistic	No information ava	ailable				
Products	-						
Delayed and immedia	te effects as w	ell as chronic effe	cts from short an	d long-term expo	sure		
Irritation		CAUSES (SEVERE) EYE BURNS					
Sensitization		May cause sensitization by skin contact					
• • • • •		The table balance in	-1		•		
Carcinogenicity		The table below in	dicates whether ea	ach agency has lis	ted any ingredient	as a carcinoge	
	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Component			INTE	ACGIN	USHA	WEXICO	
Component Thioacetic acid	507-09-5	Not listed	Not listed	Not listed	Not listed	Not listed	

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	Respiratory system None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

# 12. Ecological information

Ecotoxicity Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Thioacetic acid	Not listed	Not listed	Not listed	EC50 = 2.1 mg/L 48h		
Persistence and Degrada	ability Soluble in wa	ater Persistence is unlikely	based on information ava	ilable.		
<b>Bioaccumulation/Accum</b>	nulation No information	on available.				
Mobility	Will likely be	e mobile in the environment due to its water solubility.				
	13. Di	sposal considera	ations			
Waste Disposal Methods	hazardous w	aste generators must deterr vaste. Chemical waste gen ardous waste regulations to	erators must also consult	local, regional, and		

	14. Transport information
DOT	
UN-No	UN2436
Proper Shipping Name	THIOACETIC ACID
Hazard Class	3
Packing Group	I
TDG	
UN-No	UN2436
Proper Shipping Name	THIOACETIC ACID
Hazard Class	3
Packing Group	11
IATA	
UN-No	UN2436
Proper Shipping Name	THIOACETIC ACID
Hazard Class	3
Packing Group	11
IMDG/IMO	

UN-No	UN2436
Proper Shipping Name	THIOACETIC ACID
Hazard Class	3
Packing Group	II
	1E Deculo

#### 15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Thioacetic acid	507-09-5	Х	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

International Inventories Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Thioacetic acid	507-09-5	Х	-	208-063-8	Х	Х	Х	Х	Х	KE-13215

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Security

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Thioacetic acid	-	Х	-	-	-

#### **U.S. Department of Transportation**

U.S. Department of Homeland	This product does not contain any DHS chemicals.
DOT Severe Marine Pollutant	Ν
DOT Marine Pollutant	Ν
Reportable Quantity (RQ):	Ν

#### Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Thioacetic acid	507-09-5	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Thioacetic acid	507-09-5	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	12-Mar-2013 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**