

SAFETY DATA SHEET

Creation Date 21-Feb-2012

Revision Date 24-Dec-2021

Revision Number 6

Product Name	Propionic acid
Cat No. :	AC149300000; AC149300010; AC149300025; AC149300050; AC149300100
CAS No	79-09-4
Synonyms	Carboxyethane; Ethanecarboxylic acid; Ethylformic acid
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Corrosive to metals
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.

Category 3 Category 1 Category 1 B Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/sprav Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Keep only in original container Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Spills Absorb spillage to prevent material damage Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Store in corrosive resistant polypropylene container with a resistant inliner Store in a dry place Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified

3.	Compo	sition/I	Information	on Ingredients
<u> </u>	001100	01010111	mation	on ingrounding

Component	CAS No	Weight %
Propionic acid	79-09-4	>95

4. First-aid measures		
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.	
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.	
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.	
Most important symptoms and effects	Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Notes to Physician	Treat symptomatically	

5. Fire-fighting measures

CO $\ensuremath{\scriptscriptstyle 2},$ dry chemical, dry sand, alcohol-resistant foam.
No information available
51 °C / 123.8 °F
No information available
485 °C / 905 °F
12.1 vol % 2.1 vol % t No information available No information available

Specific Hazards Arising from the Chemical Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA			
Health	Flammability	Instability	Physical hazards
3	2	0	N/A

	6. Accidental release measures	
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Environmental Precautions Should not be released into the environment.		
Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up		

7. Handling and storage

Handl	ing
-------	-----

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Do not store in metal containers. Incompatible Materials. Bases. Strong oxidizing agents. Amines. Halogens. Metals. Reducing Agent.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Propionic acid	TWA: 10 ppm	(Vacated) TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
		(Vacated) TWA: 30 mg/m ³	TWA: 30 mg/m ³	
			STEL: 15 ppm	
			STEL: 45 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting	
	equipment. Ensure that eyewash stations and safety showers are close to the workstation	
	location. Ensure adequate ventilation, especially in confined areas.	

Personal	Protective	e Equipment

Eye/face Protection	Tight sealing safety goggles. Face protection shield.					
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.					
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.					
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.					

9. Physical and chemical properties
Liquid
No information available
pungent
No information available
2.5 100 g/l aq. sol
-22 °C / -7.6 °F
141 °C / 285.8 °F @ 760 mmHg
51 °C / 123.8 °F

Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight No information available Not applicable 12.1 vol % 5 mbar @ 20 °C 2.56 0.990 miscible No data available 485 °C / 905 °F No information available 1.02 mPa.s at 25 °C C3 H6 O2 74.08

10. Stability and reactivity

Reactive Hazard	None known, based on information available				
Stability	Stable under normal conditions.				
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.				
Incompatible Materials	Bases, Strong oxidizing agents, Amines, Halogens, Metals, Reducing Agent				
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO ₂)				
Hazardous Polymerization Hazardous polymerization does not occur.					
Hazardous Reactions	None under normal processing.				

11. Toxicological information

Acute Toxicity

Product Information Component Information

component information									
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation						
Propionic acid	LD50 = 3455 mg/kg (Rat)	LD50 = 3235 mg/kg (Rabbit)	LC50 = > 19.7 mg/l (Rat)1 h						
Toxicologically Synergistic No information available									
Products	Products								
Delayed and immediate effects as well as chronic effects from short and long-term exposure									
Irritation	Causes burns by all exposure routes								

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico			
Propionic acid 79-09-4		Not listed Not listed Not listed		Not listed	Not listed				
Mutagenic Effects		Not mutagenic in AMES Test							
Reproductive Effects No information available.									
Developmental Effects No information available.									
Teratogenicity		No information available.							

STOT - single exposure STOT - repeated exposure	Respiratory system None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Component Freshwater Algae		Microtox	Water Flea	
Propionic acid	¥		EC50 = 59.6 mg/L 17 h	Not listed	
Persistence and Degrada	ability Miscible with	water Persistence is unlike	ely based on information a	vailable.	
Bioaccumulation/ Accun	nulation No information	on available.			

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Propionic acid	0.33

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN3463
Proper Shipping Name	PROPIONIC ACID
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
TDG	
UN-No	UN3463
Proper Shipping Name	PROPIONIC ACID
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
ΙΑΤΑ	
UN-No	UN3463
Proper Shipping Name	PROPIONIC ACID
Hazard Class	8
Subsidiary Hazard Class	3

Packing Group	II
IMDG/IMO	
UN-No	UN3463
Proper Shipping Name	PROPIONIC ACID
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Propionic acid	79-09-4	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Propionic acid	79-09-4	Х	-	201-176-3	Х	Х	Х	Х	Х	KE-29352

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Propionic acid	X	5000 lb	-	-

Clean Air Act

Not applicable

OSHA - Occupational Safety and Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Propionic acid	5000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Propionic acid	Х	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ): DOT Marine Pollutant	Y N
DOT Severe Marine Pollutant U.S. Department of Homeland	This product does not contain any DHS chemicals.
Security	

Other International Regulations

Mexico - Grade

Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Propionic acid	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Propionic acid	79-09-4	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Propionic acid	79-09-4	Not applicable	Not applicable	Not applicable	Annex I - Y34

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	21-Feb-2012
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS