

SAFETY DATA SHEET

Creation Date 11-Jun-2009

Revision Date 24-Dec-2021

Revision Number 7

1. IdentificationProduct NameEthanolamineCat No. :AC149580000; AC149580010; AC149580025; AC149580200;
AC149580250; AC149582500CAS No
Synonyms141-43-5
2-Aminoethanol, monoethanolamineRecommended Use
Uses advised againstLaboratory chemicals.
Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Category 4 Category 4 Category 4 Category 4 Category 1 B Category 1 Category 3

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Acute oral toxicity
Acute dermal toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity (single exposure)
Target Organs - Respiratory system.

Label Elements

Signal Word

Ethanolamine

Danger

Hazard Statements Combustible liquid Causes severe skin burns and eye damage May cause respiratory irritation Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower **Fves** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethanolamine	141-43-5	>95

4. First-aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

closed containers.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.		
Inhalation	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie down. Call a physician immediately. If not breathing, give artificial respiration.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Call a physician immediately.		
Most important symptoms and effects	Difficulty in breathing. Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation		
Notes to Physician	Treat symptomatically		
	5. Fire-fighting measures		
Suitable Extinguishing Media	CO 2, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool		

Unsuitable Extinguishing Media	No information available
Flash Point	92 °C / 197.6 °F
Method -	No information available
Autoignition Temperature	450 °C / 842 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	23.5% @ 140°C 3.0% @140°C No information available No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 2	Instability 1	Physical hazards N/A		
	6. Accidental rel	ease measures			
Personal Precautions		Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all			

Environmental Precautions	sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.		
Methods for Containment and Clean Up	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.		
	7. Handling and storage		
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition.		
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame. Store under an inert atmosphere. Incompatible Materials. Strong oxidizing agents.		

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Ethanolamine			IDLH: 30 ppm	TWA: 3 ppm
	STEL: 6 ppm	(Vacated) TWA: 8 mg/m ³ (Vacated) STEL: 6 ppm	TWA: 3 ppm TWA: 8 mg/m ³	TWA: 8 mg/m ³ STEL: 6 ppm
		(Vacated) STEL: 6 ppm (Vacated) STEL: 15 mg/m ³	STEL: 6 ppm	STEL: 0 ppm STEL: 15 mg/m ³
		TWA: 3 ppm	STEL: 15 mg/m ³	_
		TWA: 6 mg/m ³	-	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.		
Personal Protective Equipment			
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.		
Skin and body protection	Wear impervious gloves and/or clothing if needed to prevent contact with the material.		
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.		
Recommended Filter type:	Ammonia and organic ammonia derivatives filter. Type K. Green. conforming to EN14387. Particulates filter conforming to EN 143.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.		
(9. Physical and chemical properties		
Physical State	Liquid		

Ethanolamine

ation available C 20 g/l aq. sol 50 °F 338 °F @ 760 mmHg 197.6 °F Acetate = 1.0) able 140°C 0°C g @ 20°C 1.0) vailable 842 °F tion available
842 °F ation available) °C)

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Hygroscopic. Air sensitive.		
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to air. Exposure to moist air or water.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Product	S Carbon monoxide (CO), Carbon dioxide (CO ₂), Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and vapors		
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component	LD50 Oral	LD50 Dermal	LD50 Dermal LC50 In					
Ethanolamine	1720 mg/kg (Rat)	1000 mg/kg(Rabbit)	LC50 > 1.3 m	ng/L(Rat)6 h				
		1 mL/kg (Rabbit)						
Toxicologically Synergistic	No information availab	ble						
Products								
Delayed and immediate effects as well as chronic effects from short and long-term exposure								
rritation	Causes burns by all e	Causes burns by all exposure routes						
		No information available						
Sensitization	No information availab	bie						
	.	The table below indicates whether each agency has listed any ingredient as a carcinogen.						
Carolnogonicity				e a carcinoden				
Carcinogenicity	I he table below indica	ates whether each agency has lis	ted any ingredient a	s a carcinogen.				

Ethanolamine	141-43-5	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information available				
Reproductive Effect	ts	No information available.				
Developmental Effe	cts	No information available.				
Teratogenicity		No information ava	ailable.			
STOT - single exposure STOT - repeated exposure		Respiratory system None known				
Aspiration hazard		No information ava	ailable			
Symptoms / effects delayed	s,both acute and	Symptoms of over Product is a corros Possible perforation severe swelling, se	sive material. Use	of gastric lavage o sophagus should b	r emesis is contrai e investigated: Ing	ndicated. estion causes
Endocrine Disruptor Information		No information available				
Other Adverse Effects		The toxicological p	properties have not	been fully investig	jated.	

12. Ecological information

Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethanolamine	EC50: 15 mg/L/72h	Leusiscus idus: LC50: >200	Pseudomonas putida: EC50:	EC50: 65 mg/L/48h
		mg/L/48h	110 mg/L/17 h	-
		Salmo gairdneri: LC50: 150	Nitrosomonas: EC50: 12200	
		mg/L/96h	mg/L/2 h	
			Photobacterium	
			phosphoreum: EC50: 13.7	
			mg/L/30 min	

Persistence and Degradability Soluble in water Persistence is unlikely based on information available. Miscible with water

Bioaccumulation/Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Ethanolamine	-1.91

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information						
DOT UN-No Proper Shipping Name Hazard Class Packing Group - <u>TDG</u> UN-No	UN2491 ETHANOLAMINE 8 III UN2491					

Proper Shipping Name Hazard Class Packing Group	ETHANOLAMINE 8 III
IATA	
UN-No	UN2491
Proper Shipping Name	ETHANOLAMINE
Hazard Class	8
Packing Group	III
IMDG/IMO	
UN-No	UN2491
Proper Shipping Name	ETHANOLAMINE
Hazard Class	8
Packing Group	III
	15 Pogula

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethanolamine	141-43-5	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethanolamine	141-43-5	Х	-	205-483-3	Х	Х	Х	Х	Х	Х

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
	Ethanolamine	Х	Х	Х	Х	Х
	U.S. Department of Trans Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollut	N N				
U.S. Department of Homeland Security		eland This pro	oduct does not contai	in any DHS chemicals		
	Other International Regu	lations				
	Mexico - Grade	Slight ris	sk, Grade 1			

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	, <u> </u>	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ethanolamine	141-43-5	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethanolamine	141-43-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethanolamine	141-43-5	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	11-Jun-2009 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

End of SDS