

# SAFETY DATA SHEET

Creation Date 17-Dec-2009

Revision Date 24-Dec-2021

Revision Number 5

Product Name	(1S)-(-)-ß-Pinene	
Cat No. :	AC150320000; AC150320010; AC150320050; AC150320051; AC150322500	
CAS No Synonyms	18172-67-3 Beta-pinene; Nopinen; Pseudopinen.	
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.	
Details of the supplier of the safety data sheet		

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Aspiration Toxicity	Category 1

### Label Elements

Signal Word Danger

Hazard Statements Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



## Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Skin If skin irritation or rash occurs: Get medical advice/attention IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Indestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

## 3. Composition/Information on Ingredients

Compoi	nent	CAS No	Weight %
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S)-		18172-67-3	>95
	4. Firs	t-aid measures	
General Advice	ieneral Advice If symptoms persist, call a physician.		
Eye Contact	contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Ge		

Skin ContactWash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.InhalationRemove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).IngestionClean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.Most important symptoms and effectsMay cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing Treat symptomatically		medical attention.
symptoms occur. Risk of serious damage to the lungs (by aspiration).IngestionClean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.Most important symptoms and effectsMay cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Skin Contact	
a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.Most important symptoms and effectsMay cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Inhalation	
effects tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing	Ingestion	a physician or poison control center immediately. If vomiting occurs naturally, have victim
Notes to Physician Treat symptomatically		tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest
	Notes to Physician	Treat symptomatically
5. Fire-fighting measures		5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective, Do not use a solid water stream as it may scatter and spread fire
Flash Point	32 °C / 89.6 °F
Method -	CC (closed cup)
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 3	Flammability 3	<b>Instability</b> 0	Physical hazards N/A
		6. Accidental rel	ease measures	
Personal P	recautions	Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.		
Environme	ntal Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.		
Methods fo Up	r Containment and C	Clean Soak up with inert absorbe Remove all sources of ignit	nt material. Keep in suitable, c ion. Use spark-proof tools and	

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.
Storage.	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents.
8. E	xposure controls / personal protection
Exposure Guidelines	
Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

7. FTIYSICa	n and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-61 °C / -77.8 °F
Boiling Point/Range	165 - 167 °C / 329 - 332.6 °F @ 760 mmHg
Flash Point	32 °C / 89.6 °F
Method -	CC (closed cup)
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	4.70
Specific Gravity	0.870
Solubility	Insoluble in water Alcohol Chloroform Ether
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C10 H16
Molecular Weight	136.24

10. Stability and reactivity				
Reactive Hazard	None known, based on inf	None known, based on information available		
Stability	Stable under normal cond	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.			
Incompatible Materials	Strong oxidizing agents			
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)				
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			
11. Toxicological information				
Acute Toxicity				
Product Information Component Information				
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S)-	LD50 = 4.7 g/kg	LD50 > 5 g/kg	Not listed	

### **Toxicologically Synergistic** No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure Irritation Irritating to eyes and skin Sensitization May cause sensitization by skin contact Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. CAS No IARC NTP ACGIH OSHA Component Mexico Bicyclo[3.1.1]heptane, 18172-67-3 Not listed Not listed Not listed Not listed Not listed 6,6-dimethyl-2-methyle ne-, (1S)-**Mutagenic Effects** No information available **Reproductive Effects** No information available. **Developmental Effects** No information available. No information available. Teratogenicity None known STOT - single exposure None known STOT - repeated exposure Aspiration hazard No information available Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling delayed of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing **Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and Degradability	May persist
-------------------------------	-------------

Bioaccumulation/	Accumulation	No information available
Bioaccumulation/	Accumulation	No information available

Mobility

. Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S)-	4.53

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT	
UN-No	UN2319
Proper Shipping Name	TERPENE HYDROCARBONS, N.O.S.
Hazard Class	3
Packing Group	III
TDG	
UN-No	UN2319
Proper Shipping Name	TERPENE HYDROCARBONS, N.O.S.
Hazard Class	3
Packing Group	III
ΙΑΤΑ	
UN-No	UN2319
Proper Shipping Name	Terpene hydrocarbons, n.o.s
Hazard Class	3
Packing Group	III
IMDG/IMO	
UN-No	UN2319
Proper Shipping Name	Terpene hydrocarbons, n.o.s
Hazard Class	3
Packing Group	
	15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Bicyclo[3.1.1]heptane,	18172-67-3	Х	ACTIVE	-
6,6-dimethyl-2-methylene-, (1S)-				

Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Bicyclo[3.1.1]heptane,	18172-67-3	Х	-	242-060-2	Х	Х	Х	Х	Х	KE-11520
6,6-dimethyl-2-methylene-, (1S)-										

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-, (1S)-	18172-67-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-,	18172-67-3	Not applicable	Not applicable	Not applicable	Not applicable

(1S)-			

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	17-Dec-2009
Revision Date	24-Dec-2021
Print Date	24-Dec-2021
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**