

# SAFETY DATA SHEET

Creation Date 11-Jun-2009 Revision Date 23-Feb-2022 Revision Number 9

1. Identification

Product Name Tetrahydrofuran, stabilized with BHT

Cat No.: AC176630000; AC176630010; AC176630025; AC176630050;

AC176630100; AC176630250

CAS No 109-99-9 Synonyms THF

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use. Not suitable for concentration or distillation.

## Details of the supplier of the safety data sheet

## Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Serious Eye Damage/Eye Irritation

Category 2

Carcinogenicity

Category 2

Category 2

Category 2

Category 2

Category 2

Target Organs - Respiratory system, Central nervous system (CNS).

### Label Elements

### Signal Word

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor Harmful if swallowed Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing cancer



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

# Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Indestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

May form explosive peroxides

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Tetrahydrofuran	109-99-9	>99.9
2,6-Di-tert-butyl-p-cresol	128-37-0	0.025

# 4. First-aid measures

If symptoms persist, call a physician. **General Advice** 

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Do NOT induce vomiting. Call a physician or poison control center immediately. Ingestion

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting: Causes central nervous system depression

Treat symptomatically

# 5. Fire-fighting measures

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may **Suitable Extinguishing Media** 

be used to cool closed containers.

Water may be ineffective **Unsuitable Extinguishing Media** 

**Flash Point** -21 °C / -5.8 °F

Method -No information available

**Autoignition Temperature** 215 °C / 419 °F

**Explosion Limits** 

Upper 11.8% Lower 2.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. May form explosive peroxides. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

## **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). peroxides.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards N/A

# Accidental release measures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all **Personal Precautions** 

sources of ignition. Take precautionary measures against static discharges. Avoid contact

with skin and eyes. Keep people away from and upwind of spill/leak.

**Environmental Precautions** 

Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

# 7. Handling and storage

Handling

Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. If peroxide formation is suspected, do not open or move container. Handle under an inert atmosphere.

Storage.

Store under an inert atmosphere. Shelf life 30 months (Unopened) or Shelf life: 6 months after opening. Containers should be dated when opened. May form explosive peroxides on prolonged storage. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Acids.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Tetrahydrofuran	TWA: 50 ppm	(Vacated) TWA: 200 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 100 ppm	(Vacated) TWA: 590 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 590 mg/m <sup>3</sup>
	Skin	(Vacated) STEL: 250 ppm	TWA: 590 mg/m <sup>3</sup>	STEL: 250 ppm
		(Vacated) STEL: 735 mg/m <sup>3</sup>	STEL: 250 ppm	STEL: 735 mg/m <sup>3</sup>
		TWA: 200 ppm	STEL: 735 mg/m <sup>3</sup>	
		TWA: 590 mg/m <sup>3</sup>	_	
2,6-Di-tert-butyl-p-cresol	TWA: 2 mg/m <sup>3</sup>	(Vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>

## Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid Appearance Colorless

Odor Petroleum distillates
Odor Threshold No information available

pH 7-8 20% aq. solution

Melting Point/Range -108.4 °C / -163.1 °F

Boiling Point/Range 66 °C / 150.8 °F

Boiling Point/Range66 °C / 150.8 °FFlash Point-21 °C / -5.8 °FEvaporation Rate> 1 (Ether = 1.0)Flammability (solid,gas)Not applicable

Flammability or explosive limits

 Upper
 11.8%

 Lower
 2.0%

 Vapor Pressure
 170 mbar @ 20 °C

 Vapor Density
 2.5 (Ether = 1.0)

 Specific Gravity
 0.880

Specific Gravity 0.880
Solubility miscible

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
215 °C / 419 °F
No information available
0.456 mPas @ 20°C Dynamic

Molecular FormulaC4 H8 OMolecular Weight72.11

# 10. Stability and reactivity

Reactive Hazard Yes.

Stability Stable under recommended storage conditions. Reacts with air to form peroxides. May form

explosive peroxides on prolonged storage. Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), peroxides

Hazardous Polymerization Hazardous polymerization may occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tetrahydrofuran	1650 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	180 mg/L (Rat) 1 h
-			53.9 mg/L (Rat) 4 h
2,6-Di-tert-butyl-p-cresol	> 6 g/kg ( Rat )	> 2 g/kg ( Rat )	Not listed

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes May cause irritation of respiratory tract

**Sensitization** No information available

**Carcinogenicity** Limited evidence of a carcinogenic effect.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Tetrahydrofuran	109-99-9	Group 2B	Not listed	A3	Χ	A3
2,6-Di-tert-butyl-p-cres	128-37-0	Not listed				
ol						

ACGIH: (American Conference of Governmental Industrial

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

Hygienists)
A2 - Suspected Human (
A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

Causes central nervous system depression

**Endocrine Disruptor Information** 

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Tetrahydrofuran	Group III Chemical	Not applicable	Not applicable

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

# 12. Ecological information

## **Ecotoxicity**

delayed

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Tetrahydrofuran	Not listed	2160 mg/l LC50 = 96 h Pimephales promelas Leuciscus idus: LC50: 2820 mg/L/48h	Not listed	EC50 48 h 3485 mg/l EC50: >10000 mg/L/24h
2,6-Di-tert-butyl-p-cresol	EC50 = 0.758 mg/L 96h EC50 = 6 mg/L 72 h	LC50 = 0.199 mg/L 96h	EC50 = 7.82 mg/L 5 min EC50 = 8.57 mg/L 15 min EC50 = 8.98 mg/L 30 min	EC50 >0.31 mg/L 48h

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

Component	log Pow
Tetrahydrofuran	0.45
2,6-Di-tert-butyl-p-cresol	5.1

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Tetrahydrofuran - 109-99-9	U213	-

# 14. Transport information

DOT

**UN-No** UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class
Packing Group

TDG

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3 Packing Group II

**IATA** 

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3 Packing Group II

IMDG/IMO

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3 Packing Group II

# 15. Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Tetrahydrofuran	109-99-9	X	ACTIVE	-
2,6-Di-tert-butyl-p-cresol	128-37-0	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

## TSCA 12(b) - Notices of Export

	Component	CAS No	TSCA 12(b) - Notices of Export
Г	Tetrahydrofuran	109-99-9	Section 4, 1 % de minimus concentration

# **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Tetrahydrofuran	109-99-9	Х	-	203-726-8	Χ	Χ	Х	Х	Х	KE-33454
2,6-Di-tert-butyl-p-cresol	128-37-0	Х	-	204-881-4	X	X	Х	Х	Х	KE-03079

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

# Tetrahydrofuran, stabilized with BHT

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Tetrahydrofuran	1000 lb	-

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

	Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Γ	Tetrahydrofuran	109-99-9	Carcinogen	-	Carcinogen

# U.S. State Right-to-Know

# Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tetrahydrofuran	X	X	X	-	X
2,6-Di-tert-butyl-p-cresol	Χ	Х	Х	=	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

# U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

# Other International Regulations

Mexico - Grade Serious risk, Grade 3

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Tetrahydrofuran	109-99-9	-	Use restricted. See item 75. (see link for restriction details)	-
2,6-Di-tert-butyl-p-cresol	128-37-0	-	-	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

		Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of
--	--	-----------	--------	----------	--------------------	-----------------	----------------

\_\_\_\_\_

			Pollutant	Potential	Hazardous Substances (RoHS)
Tetrahydrofuran	109-99-9	Listed	Not applicable	Not applicable	Not applicable
2,6-Di-tert-butyl-p-cresol	128-37-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident Notification	for Safety Report Requirements		
		Notification	Requirements		
Tetrahydrofuran	109-99-9	Not applicable	Not applicable	Not applicable	Not applicable
2,6-Di-tert-butyl-p-cresol	128-37-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 11-Jun-2009

 Revision Date
 23-Feb-2022

 Print Date
 23-Feb-2022

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**