

SAFETY DATA SHEET

Creation Date 20-Jul-2009

Revision Date 13-May-2022

Revision Number 5

1. IdentificationProduct NameTriethylsilaneCat No. :AC212920000; AC212920050; AC212920250; AC212921000;
AC212925000CAS No
Synonyms617-86-7
No information availableRecommended Use
Uses advised againstLaboratory chemicals.
Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Category 2

Label Elements

Signal Word Danger

Hazard Statements Highly flammable liquid and vapor



Precautionary Statements Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection **Skin** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower **Fire** In case of fire: Use CO2, dry chemical, or foam for extinction **Storage** Store in a well-ventilated place. Keep cool **Disposal** Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	Component CAS No Weight %			
Silane, triethyl-		617-86-7	99	
	4.	First-aid measures		
General Advice	If symptoms persist, call a physician.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.			
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects Notes to Physician	None reasonably foreseeable. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically			
	5. Fi	re-fighting measures		
<u> </u>				

Unsuitable Extinguishing Media	No information available
Flash Point	-3 °C / 26.6 °F
Method -	No information available
Autoignition Temperature	245 °C / 473 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impact	No data available No data available No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Silicon dioxide. Hydrogen.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 2	Flammability 3	Instability 1	Physical hazards N/A	
		6. Accidental re	lease measures		
Personal	Precautions			dequate ventilation. Remove all static discharges	
Environm	nental Precautions	Do not flush into surface w contaminate ground water	sources of ignition. Take precautionary measures against static discharges. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.		
Methods Up	for Containment and Cl	ean Keep in suitable, closed co Remove all sources of igni	ntainers for disposal. Soak up tion. Use spark-proof tools and		
		7. Handling	and storage		
Handling		get in eyes, on skin, or on flames, hot surfaces and s of vapors by static electrici	clothing. Avoid ingestion and in ources of ignition. Use only nor	ure adequate ventilation. Do not halation. Keep away from open I-sparking tools. To avoid ignition the equipment must be grounded.	
Storage.		Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Acids. Bases. Strong oxidizing agents.			
	8.	Exposure controls	/ personal protection	on	
Exposure	Guidelines		ain any hazardous materials wi jion specific regulatory bodies.	th occupational exposure	
Engineer	ing Measures		se to the workstation location.	nt. Ensure that eyewash stations Ensure adequate ventilation,	

Personal Protective Equipment

Eye/face Protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	aromatic
Odor Threshold	No information available
рН	Not applicable 0.3 g/L (20°C)
Melting Point/Range	No data available
Boiling Point/Range	107 - 108 °C / 224.6 - 226.4 °F @ 760 mmHg
Flash Point	-3 °C / 26.6 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	31 hPa (20°C)
Vapor Density	No information available
Specific Gravity	0.720
Solubility	Decomposes in contact with water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	245 °C / 473 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C6 H16 Si
Molecular Weight	116.28

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions. Decomposes in contact with water.		
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Acids, Bases, Strong oxidizing agents		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Silicon dioxide, Hydrogen			
Hazardous Polymerization	ous Polymerization Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		
	11. Toxicological information		

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silane, triethyl-	>2000 mg/kg (Rat)	Not listed	Not listed
Toxicologically Synergistic	No information available		

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Irritating to eyes,	respiratory	system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silane, triethyl-	617-86-7	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effect	ts	No information ava	ailable.			
Developmental Effe	cts	No information available.				
Teratogenicity		No information ava	No information available.			
STOT - single expos STOT - repeated ex		None known None known				
Aspiration hazard		No information available				
Symptoms / effects delayed	s,both acute and	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting				
Endocrine Disrupto	r Information	No information available				
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.				

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available.

Persistence and Degradability	Persistence is unlikely
Bioaccumulation/ Accumulation	No information available.

Mobility

Is not likely mobile in the environment.

Component	log Pow
Silane, triethyl-	3.64

	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Technical Name	(TRIETHYLSILANE)

Hazard Class Packing Group	3 II
<u>TDG</u>	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Technical Name	(TRIETHYLSILANE)
Hazard Class	3
Packing Group	II
IATA	
UN-No	UN1993
Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.*
Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN1993
Proper Shipping Name	Flammable liquid, n.o.s.
Hazard Class	3
Packing Group	II
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Silane, triethyl-	617-86-7	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Silane, triethyl-	617-86-7	-	Х	210-535-3	Х	-	Х	Х	Х	KE-34232

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable

Silane, triethyl-

Concern (SVHC)

California Proposition 65	This product does	not contain any Proposit	ion 65 chemicals.	
U.S. State Right-to-Know Regulations	Not applicable			
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N			
U.S. Department of Homeland Security	This product does	not contain any DHS ch	emicals.	
Other International Regulations				
Mexico - Grade	Serious risk, Grad	le 3		
Authorisation/Restrictions according	ng to EU REACH	Not applicable		
Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High

Safety, health and environmental regulations/legislation specific for the substance or mixture

617-86-7

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Silane, triethyl-	617-86-7	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Silane, triethyl-	617-86-7	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	20-Jul-2009
Revision Date	13-May-2022
Print Date	13-May-2022
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

End of SDS