

SAFETY DATA SHEET

Creation Date 03-Nov-2010

Revision Date 24-Dec-2021

Revision Number 6

1. Identification

Product Name

Succinic acid

Cat No. :

Synonyms

CAS No

AC219550000; AC219550010; AC219550250; AC219552500

110-15-6 Butanedioic acid

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements Causes serious eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CA	S No	Weight %		
Succinic acid	110	-15-6	>95		
	4. First-aid me	asures			
General Advice If symptoms persist, call a physician.					
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.				
Inhalation	Remove to fresh air. If breathing medical attention.	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Get nedical attention.			
Ingestion	Clean mouth with water and drin symptoms occur.	nouth with water and drink afterwards plenty of water. Get medical attention if ms occur.			
Most important symptoms and effects	nd Causes severe eye damage.				
Notes to Physician Treat symptomatically					
	5. Fire-fighting n	neasures			

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media	No information available
Flash Point	206 °C / 402.8 °F
Method -	No information available
Autoignition Temperature	630 °C / 1166 °F
Explosion Limits Upper Lower Oxidizing Properties	No data available No data available Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 3	Flammability 1	Instability 0	Physical hazards N/A			
		6. Accidental release measures					
	Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.					
Environn	ironmental Precautions Should not be released into the environment. See Section 12 for additional Ecological Information.						

Methods for Containment and Clean Avoid dust formation. Sweep up and shovel into suitable containers for disposal. Up

7. Handling and storage					
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.				
Storage.	age. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Bases. Reducing Agent.				
	8. Exposure controls / personal protection				
<u>Exposure Guidelines</u>	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.				
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.				
Personal Protective Equipme	<u>nt</u>				
Eye/face Protection	Tight sealing safety goggles.				

Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

3	· · ·
Physical State	Powder Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
рН	2.7 0.1M aq.sol
Melting Point/Range	185 - 190 °C / 365 - 374 °F
Boiling Point/Range	235 °C / 455 °F
Flash Point	206 °C / 402.8 °F
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	0.0022 mmHg @ 19 °C
Vapor Density	Not applicable
Specific Gravity	1.56
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	630 °C / 1166 °F
Decomposition Temperature	> 235°C
Viscosity	Not applicable
Molecular Formula	C4 H6 O4
Molecular Weight	118.09
-	

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat.
Incompatible Materials	Bases, Reducing Agent
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information				
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Succinic acid	LD50 = 2260 mg/kg (Rat)	LD50 = 6740 mg/kg(Rat)	LC50 = 1284 mg/m ³ (Rat)	
Toxicologically Synergistic Products	No information available			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Causes eye burns
------------	------------------

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Succinic acid	110-15-6	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		Not mutagenic in A	MES Test				
Reproductive Effects		No information available.					
Developmental Effects No information available.							
Teratogenicity		No information available.					
• .	OT - single exposure Respiratory system OT - repeated exposure None known						
Aspiration hazard		No information available					
Symptoms / effects,I delayed	ffects,both acute and No information available						
Endocrine Disruptor	Information	No information available					
Other Adverse Effect	S	The toxicological p	properties have no	t been fully investig	ated.		

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwa	ter Algae	Freshwater Fish	Microtox	Water Flea		
Succinic acid	EC50 > 100 mg/l 72h		LC50 > 100 mg/l 96h (Danio		EC50 > 100 mg/l 48h		
	(Pseudokirchneriella		rerio)(OECD 203)	(acivated sludge)(OECD	(Daphnia magna)(OECD		
	subcapitata)(OECD 201)		209)	202)		
Persistence and Degradability Soluble in water Persistence is unlikely based on information available.					lable.		
Bioaccumulation/ Accun	nulation	No information	on available.				
Mobility		Will likely be	mobile in the environment	due to its water solubility.			
	13. Disposal considerations						
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.				ocal, regional, and			
14. Transport information							
DOT		Not regulated	t				
TDG Not regulated							
IATA Not regulated							
IMDG/IMO		Not regulated					
15. Regulatory information							

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Succinic acid	110-15-6	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

Not applicable TSCA 12(b) - Notices of Export

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Succinic acid	110-15-6	Х	-	203-740-4	Х	Х	Х	Х	Х	KE-13150

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable				
SARA 311/312 Hazard Categories	See section 2 for more information				
CWA (Clean Water Act)	Not applicable				
Clean Air Act	Not applicable				
OSHA - Occupational Safety and Health Administration	Not applicable				
CERCLA	Not applicable				
California Proposition 65	This product does not contain any Proposition 65 chemicals.				
U.S. State Right-to-Know Regulations	Not applicable				
U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N				
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.				
Other International Regulations					
Mexico - Grade	Slight risk, Grade 1				
Authorisation/Restrictions according to EU REACH					

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of	
			[^]			

			Pollutant	Potential	Hazardous Substances (RoHS)
Succinic acid	110-15-6	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Succinic acid	110-15-6	Not applicable	Not applicable	Not applicable	Annex I - Y34

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	03-Nov-2010 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS