

# SAFETY DATA SHEET

Creation Date 15-Jun-2009

Revision Date 24-Dec-2021

Revision Number 6

 1. Identification

 Product Name
 Hexanes

 Cat No. :
 AC268360000; AC268360010; AC268360025

 CAS No
 92112-69-1

 Synonyms
 Hex

 Recommended Use
 Laboratory chemicals.

 Uses advised against
 Food, drug, pesticide or biocidal product use.

 Details of the supplier of the safety data sheet
 Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Flammable liquids   | Category 2 |
|---|------------|
| Skin Corrosion/Irritation                                     | Category 2 |
| Serious Eye Damage/Eye Irritation                             | Category 2 |
| Reproductive Toxicity   | Category 2 |
| Specific target organ toxicity (single exposure)              | Category 3 |
| Target Organs - Respiratory system, Central nervous system (C | NS).       |
| Specific target organ toxicity - (repeated exposure)          | Category 1 |
| Target Organs - Respiratory system, Heart.                    |            |
| Aspiration Toxicity   | Category 1 |
|   |            |

### Label Elements

Signal Word Danger

### **Hazard Statements**

Highly flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of damaging fertility Causes damage to organs through prolonged or repeated exposure



## Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

# Keep cool

Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

### Toxic to aquatic life with long lasting effects

WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

| Component  |   | CAS No                     | Weight %                                   |
|--|---|----------------------------|--|
| Hexane, branched and I   | inear   | 92112-69-1                 | 100  |
|  | 4.  | First-aid measures         |  |
| General Advice   | If symptoms   | persist, call a physician. |  |
| Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Ge medical attention.   |   |                            |  |
| Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation pers call a physician.  |   |                            | t 15 minutes. If skin irritation persists, |
| Inhalation   | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).                                   |                            |  |
| Ingestion  | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward. |                            |  |
| Most important symptoms and<br>effects Difficulty in breathing. Inhalation of high vapor concentrations may cause sym<br>headache, dizziness, tiredness, nausea and vomiting: Causes central nervous<br>depression |   |                            |  |
| Notes to Physician   | Treat sympto  | matically                  |  |
|  | 5. Fi   | re-fighting measures       |  |

3. Composition/Information on Ingredients

| Suitable Extinguishing Media   | Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. |
|--|--|
| Unsuitable Extinguishing Media   | Do not use a solid water stream as it may scatter and spread fire  |
| Flash Point  | -22 °C / -7.6 °F   |
| Method -   | No information available   |
| Autoignition Temperature   | 223 °C / 433.4 °F  |
| Explosion Limits<br>Upper<br>Lower<br>Sensitivity to Mechanical Impac<br>Sensitivity to Static Discharge | No data available<br>No data available<br>It No information available<br>No information available                          |

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| NFPA<br>Health Flammability<br>3 3   |   | Instability<br>1  | Physical hazards<br>N/A   |  |  |  |
|--|---|---|---|--|--|--|
|  | 6. Accidental re  | elease measures   |   |  |  |  |
| Personal Precautions   | • •   |   | adequate ventilation. Remove all  |  |  |  |
| Environmental Precautions  |   | precautionary measures agains<br>water or sanitary sewer system |   |  |  |  |
| Methods for Containment and Cle<br>Up  | Methods for Containment and CleanSoak up with inert absorbent material. Keep in suitable, closed containers for disposal.UpRemove all sources of ignition. Take precautionary measures against static discharges.<br>Use spark-proof tools and explosion-proof equipment. |   |   |  |  |  |
|  | 7. Handling   | and storage   |   |  |  |  |
| Handling         Wear personal protective equipment/face protection. Do not get in eyes, on skin, or or clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-p tools and explosion-proof equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of equipment must be grounded. |   |   | e ventilation. Keep away from open<br>on-sparking tools. Use spark-proof<br>y measures against static |  |  |  |
| Storage.   |   |   | ntilated place. Flammables area.<br>/aterials. Strong oxidizing agents.                               |  |  |  |
|  |   |   |   |  |  |  |

### Exposure Guidelines

| Component                   | ACGIH TLV | OSHA PEL                              | NIOSH IDLH | Mexico OEL (TWA) |
|-----------------------------|-----------|---------------------------------------|------------|------------------|
| Hexane, branched and linear |           | (Vacated) TWA: 500 ppm                |            |                  |
|                             |           | (Vacated) TWA: 1800 mg/m <sup>3</sup> |            |                  |
|                             |           | (Vacated) STEL: 1000 ppm              |            |                  |
|                             |           | (Vacated) STEL: 3600                  |            |                  |
|                             |           | mg/m <sup>3</sup>                     |            |                  |

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

| Engineering Measures          | Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. |
|-------------------------------|---|
| Personal Protective Equipment |   |
| Eye/face Protection           | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.   |
| Skin and body protection      | Wear appropriate protective gloves and clothing to prevent skin exposure.   |
| Respiratory Protection        | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.     |
| Hygiene Measures              | Handle in accordance with good industrial hygiene and safety practice.  |
| (                             | 9. Physical and chemical properties   |
| Physical State<br>Appearance  | Liquid<br>Colorless   |

| Odor<br>Odor Threshold<br>pH<br>Melting Point/Range<br>Boiling Point/Range | No information available<br>No information available<br>No information available<br>-95 °C / -139 °F<br>69 °C / 156.2 °F @ 760 mmHg |
|--|---|
| Flash Point  | -22 °C / -7.6 °F  |
| Evaporation Rate   | No information available  |
| Flammability (solid,gas)   | Not applicable  |
| Flammability or explosive limits   |   |
| Upper  | No data available   |
| Lower  | No data available   |
| Vapor Pressure   | 160 mbar @ 20°C   |
| Vapor Density  | No information available  |
| Specific Gravity   | 0.659   |
| Solubility   | Immiscible  |
| Partition coefficient; n-octanol/water                                     | No data available   |
| Autoignition Temperature   | 223 °C / 433.4 °F   |
| Decomposition Temperature  | No information available  |
| Viscosity  | 0.31 mPa s @ 20 °C  |
| Molecular Formula  | C6 H14  |
| Molecular Weight   | 86.18   |
|  |   |

# 10. Stability and reactivity

| Reactive Hazard   | None known, based on information available   |  |
|---|--|--|
| Stability   | Stable under normal conditions.  |  |
| Conditions to Avoid   | Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition. |  |
| Incompatible Materials  | Strong oxidizing agents  |  |
| Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2) |  |  |
| Hazardous Polymerization  | Hazardous polymerization does not occur.   |  |
| Hazardous Reactions   | None under normal processing.  |  |

# 11. Toxicological information

### Acute Toxicity

#### Product Information Component Information

| Component  | LD50 Oral                   | LD50 Dermal  | LC50 Inhalation                          |  |  |  |
|--|-----------------------------|--|--|--|--|--|
| Hexane, branched and linear  | LD50 = 15000 mg/kg (Rat)    | LD50 = 3350 mg/kg (Rabbit)   | LC50 = 259354 mg/m <sup>3</sup> (Rat) 4h |  |  |  |
| Toxicologically Synergistic       No information available         Products       Delayed and immediate effects as well as chronic effects from short and long-term exposure |                             |  |  |  |  |  |
| Irritation   | Irritating to eyes and skin | Irritating to eyes and skin  |  |  |  |  |
| Sensitization No information available   |                             |  |  |  |  |  |
| Carcinogenicity  | The table below indicates   | The table below indicates whether each agency has listed any ingredient as a carcinogen. |  |  |  |  |
|  |                             |  |  |  |  |  |

| Component            | CAS No     | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------------|------------|------------|------------|------------|------------|------------|
| Hexane, branched and | 92112-69-1 | Not listed |
| linear               |            |            |            |            |            |            |

| Mutagenic Effects   | No information available  |  |
|---|---|--|
| Reproductive Effects  | Possible risk of impaired fertility.  |  |
| Developmental Effects   | No information available.   |  |
| Teratogenicity  | No information available.   |  |
| STOT - single exposure<br>STOT - repeated exposure  | Respiratory system Central nervous system (CNS)<br>Respiratory system Heart   |  |
| Aspiration hazard   | Category 1  |  |
| Symptoms / effects,both acute and<br>delayed  | Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression |  |
| Endocrine Disruptor Information No information available                                  |   |  |
| Other Adverse Effects   | The toxicological properties have not been fully investigated.  |  |
|   | 12. Ecological information  |  |
| Ecotoxicity<br>Toxic to aquatic organisms, may caus<br>from closely analogous substances. | e long-term adverse effects in the aquatic environment. Based on available literature. Data   |  |
| Persistence and Degradability   | Persistence is unlikely based on information available.   |  |

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its volatility.

| Component                   | log Pow |
|-----------------------------|---------|
| Hexane, branched and linear | 4.11    |

|                        | 13. Disposal considerations   |
|------------------------|---|
| Waste Disposal Methods | Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. |

| 14. Transport information |                   |  |  |  |
|---------------------------|-------------------|--|--|--|
| DOT                       |                   |  |  |  |
| UN-No                     | UN1208            |  |  |  |
| Proper Shipping Name      | Hexanes           |  |  |  |
| Hazard Class              | 3                 |  |  |  |
| Packing Group             | II.               |  |  |  |
| TDG                       |                   |  |  |  |
| UN-No                     | UN1208            |  |  |  |
| Proper Shipping Name      | HEXANES           |  |  |  |
| Hazard Class              | 3                 |  |  |  |
| Packing Group             | II.               |  |  |  |
| IATA                      |                   |  |  |  |
| UN-No                     | UN1208            |  |  |  |
| Proper Shipping Name      | Hexanes (Mixture) |  |  |  |
| Hazard Class              | 3                 |  |  |  |
| Packing Group             | II                |  |  |  |
| IMDG/IMO                  |                   |  |  |  |
| UN-No                     | UN1208            |  |  |  |
| Proper Shipping Name      | Hexanes (Mixture) |  |  |  |
| Hazard Class              | 3                 |  |  |  |
|                           |                   |  |  |  |

### Packing Group

## 15. Regulatory information

### United States of America Inventory

| Component                   | CAS No     | TSCA | TSCA Inventory notification -<br>Active-Inactive | TSCA - EPA Regulatory<br>Flags |
|-----------------------------|------------|------|--|--------------------------------|
| Hexane, branched and linear | 92112-69-1 | -    | -  | -                              |

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

Ш

### TSCA 12(b) - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component                   | CAS No     | DSL | NDSL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-----------------------------|------------|-----|------|-----------|-------|------|------|------|-------|------|
| Hexane, branched and linear | 92112-69-1 | -   | -    | 295-570-2 | -     | Х    | Х    | Х    | -     | -    |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### SARA 313

| SARA 311/312 Hazard Categories                              | See section 2 for more information   |
|---|--|
| CWA (Clean Water Act)                                       | Not applicable   |
| Clean Air Act   |  |
| <b>OSHA</b> - Occupational Safety and Health Administration | Not applicable   |
| CERCLA  | This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) |

**California Proposition 65** 

This product contains the following Proposition 65 chemicals.

| Component            | CAS No     | California Prop. 65 | Prop 65 NSRL | Category      |
|----------------------|------------|---------------------|--------------|---------------|
| Hexane, branched and | 92112-69-1 | Male reproductive   | -            | Developmental |
| linear               |            | (n-hexane)          |              |               |

#### U.S. State Right-to-Know Regulations

| U.S. Department of Transportation |   |
|-----------------------------------|---|
| Reportable Quantity (RQ):         | Υ |
| DOT Marine Pollutant              | Ν |
| DOT Severe Marine Pollutant       | Ν |

# U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Not applicable

### Other International Regulations

Hexane, branched and linear

Mexico - Grade Serious risk, Grade 3

92112-69-1

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component                   | CAS No     | OECD HPV  | Persistent Organic<br>Pollutant  | Ozone Depletion<br>Potential  | Restriction of<br>Hazardous<br>Substances (RoHS) |
|-----------------------------|------------|---|--|-------------------------------|--|
| Hexane, branched and linear | 92112-69-1 | Listed  | Not applicable   | Not applicable                | Not applicable                                   |
|                             |            |   |  |                               | -  |
| Component                   | CAS No     | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste)            |

Requirements

Not applicable

Not applicable

Notification

Not applicable

|  | 16. Other information  |
|--|--|
| Prepared By  | Regulatory Affairs<br>Thermo Fisher Scientific<br>Email: EMSDS.RA@thermofisher.com   |
| Creation Date<br>Revision Date<br>Print Date<br>Revision Summary | 15-Jun-2009<br>24-Dec-2021<br>24-Dec-2021<br>This document has been updated to comply with the US OSHA HazCom 2012 Standard<br>replacing the current legislation under 29 CFR 1910.1200 to align with the Globally<br>Harmonized System of Classification and Labeling of Chemicals (GHS). |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**