

SAFETY DATA SHEET

Creation Date 23-Jan-2009

Revision Date 25-Dec-2021

Revision Number 7

1. Identification

Product Name

Methyl sulfoxide

Cat No. :

AC295520000, AC295520010, AC295520025, AC295520250, AC295522500

CAS No Synonyms 67-68-5 Dimethyl sulfoxide; DMSO

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Category 4

Label Elements

Signal Word Warning

Hazard Statements Combustible liquid

Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep cool Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified Other hazards

DMSO readily penetrates skin and may carry other dissolved chemicals into the body.

3. Composition/Information on Ingredients

Component			CAS No		Weight %	
Dimethyl sulfoxide			67-68-5		>95	
	4.	First-	aid measures			
General Advice If symptoms attendance.			all a physician. Show this s	ifety data she	et to the doctor in	
Eye Contact	medical attention.			or at least 15 minutes. Get		
Skin Contact				s. Get medical attention		
Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. If not breat give artificial respiration.			oms occur. If not breathing,			
Ingestion Do NOT indu			ing. Get medical attention.			
Most important symptoms and effectsDifficulty in breathing. Symptoms of overexposure may be headache, di nausea and vomiting Treat symptomaticallyNotes to PhysicianTreat symptomatically		dache, dizziness, tiredness,				

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	87 °C / 188.6 °F
Method -	No information available
Autoignition Temperature	301 °C / 573.8 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	42 vol % 2.6 vol % It No information available No information available

Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Sulfur oxides. Sulfides. Formaldehyde.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> H	lealth 2 *	Flammability 2	Instability 1	Physical hazards N/A		
		6. Accidental release	measures			
Personal Pre	cautions	Use personal protective equipment precautionary measures against sta	as required. Remove all sou	rces of ignition. Take		
Environment	al Precautions	Should not be released into the environment of the sewer system. See Section 12 for a	vironment. Do not flush into s	surface water or sanitary		
Methods for Containment and Clean Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, Up closed containers for disposal.						
		7. Handling and s	torage			
Handling		Wear personal protective equipmer away from open flames, hot surface or clothing. Avoid ingestion and inh	es and sources of ignition. Av			
Storage.		Keep containers tightly closed in a heat, sparks and flame. Incompatik Strong bases. Alkali metals.				
	8. E	xposure controls / pers	onal protection			
Exposure Gu	<u>iidelines</u>	This product does not contain any h limitsestablished by the region spec		cupational exposure		
Engineering	Measures	Ensure adequate ventilation, espec and safety showers are close to the		re that eyewash stations		
Personal Pro	tective Equipment					
Eye/face	Protection	Wear appropriate protective eyegla OSHA's eye and face protection reg EN166.				
Skin and	body protection	Wear appropriate protective gloves	and clothing to prevent skin	exposure.		
Respirato	ory Protection	Follow the OSHA respirator regulat EN 149. Use a NIOSH/MSHA or Eu exposure limits are exceeded or if in	ropean Standard EN 149 ap	proved respirator if		
Hygiene	Measures	Handle in accordance with good inc	dustrial hygiene and safety p	ractice.		
	Ç	9. Physical and chemic	al properties			

Physical State Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity	Liquid Colorless Odorless No information available No information available 18.4 °C / 65.1 °F 189 °C / 372.2 °F 87 °C / 188.6 °F No information available Not applicable 42 vol % 2.6 vol % 0.55 mbar @ 20°C 2.7 1.100
•	
	Not applicable
Flammability or explosive limits	
Upper	42 vol %
Lower	2.6 vol %
Vapor Pressure	0.55 mbar @ 20°C
Vapor Density	2.7
Specific Gravity	1.100
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	301 °C / 573.8 °F
Decomposition Temperature	> 190°C
Viscosity	1.98 mPa.s @ 25°C
Molecular Formula	C2 H6 O S
Molecular Weight	78.13

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Hygroscopic.		
Conditions to Avoid	Incompatible products. Excess heat. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents, Strong acids, Strong bases, Alkali metals		
Hazardous Decomposition Product	s Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Sulfides, Formaldehyde		
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	Thermal decomposition can take place above 189°C / 372°F.		

11. Toxicological information

Acute Toxicity

Product Information

Component	LD50 Oral	LD50 Dermal	LC50 I	nhalation		
Dimethyl sulfoxide	LD50 = 28300 mg/kg (Rat)	LD50 = 40000 mg/kg (Rat)	LC50 > 5.33	mg/L (Rat)4 h		
Toxicologically Synergistic No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure						
rritation	No information available					
Sensitization	No information available					
Carcinogenicity	The table below indicate	es whether each agency has list	ed any ingredient a	as a carcinogen		
Component CAS I		NTP ACGIH	OSHA	Mexico		

Dimethyl sulfoxide	67-68-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information available					
Reproductive Effects		No information ava	ailable.				
Developmental Effect	10	No information ava	vilabla				
Developmental Effect	lS	NO INIOMALION AVA					
Teratogenicity		No information ava	ailable.				
STOT - single exposu		None known					
STOT - repeated expo	osure	None known					
Aspiration hazard		No information available					
Symptoms / effects,both acute and delayed		Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting					
Endocrine Disruptor Information		No information available					
							
Other Adverse Effect	S	The toxicological p	roperties have not	been fully investig	jated.		

12. Ecological information

Ecotoxicity

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dimethyl sulfoxide	EC50 96h 12350 - 25500	40 g/L LC50 96 h	= 16000 mg/L EC50	EC50 24h 7000 mg/L
	mg/L	33-37 g/L LC50 96 h	Pseudomonas putida 16 h	
			= 32 g/L EC50 Tetrahymena	
			pyriformis 24 h	
			= 77 mg/L EC50	
			Photobacterium	
			phosphoreum 5 min	

Persistence and Degradability Persistence is unlikely

Bioaccumulation/Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dimethyl sulfoxide	-2.03
· · · · · ·	

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993, Combustible Liquid, NOS if it is shipped in bulk.
UN-No	NA1993

UN-No	NA1993
Proper Shipping Name	Combustible liquid, n.o.s.
Packing Group	III
TDG	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated

15. Regulatory information

United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
I	Dimethyl sulfoxide	67-68-5	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethyl sulfoxide	67-68-5	Х	-	200-664-3	Х	Х	Х	Х	Х	KE-32367

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

California Proposition 65	This product does not contain any Proposition 65 chemicals.
CERCLA	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
Clean Air Act	Not applicable
CWA (Clean Water Act)	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
SARA 313	Not applicable

U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethyl sulfoxide	-	Х	-	-	-
U.S. Department of Trans Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollut	N N				
U.S. Department of Home Security	eland This pro	duct does not conta	in any DHS chemicals.		
Other International Regu	lations				
Mexico - Grade	Slight ris	sk, Grade 1			

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	U (
Dimethyl sulfoxide	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dimethyl sulfoxide	67-68-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No		Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	07.00.5	for Major Accident Notification	for Safety Report Requirements		
Dimethyl sulfoxide	67-68-5	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	23-Jan-2009 25-Dec-2021 25-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS