

SAFETY DATA SHEET

Creation Date 03-Sep-2009

Revision Date 25-Dec-2021

Revision Number 6

1. Identification

Product Name

AC348430000; AC348430010; AC348430025; AC348431000; AC348435000

CAS No Synonyms

Cat No. :

68-12-2 DMF

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

N,N-Dimethylformamide

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Serious Eye Damage/Eye Irritation	Category 2
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system, Central nervous system (C	NS).

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness May damage the unborn child May cause cancer Harmful in contact with skin or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Lachrymator (substance which increases the flow of tears)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component		CAS No	Weight %	
Dimethylformamide		68-12-2	>95	
	4.	First-aid measures		
Eye Contact	Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes medical attention.			
Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attent immediately if symptoms occur.			st 15 minutes. Get medical attention	
Inhalation	Remove to f	resh air. If breathing is difficult, give oxy	gen. Get medical attention.	
Ingestion	Do NOT inde	Do NOT induce vomiting. Get medical attention.		
Most important symptoms and effectsIrritating to eyes. Difficulty in breathing. May be harmful Gastrointestinal discomfort: Symptoms of overexposure				
Notes to Physiciantiredness, nausea and vomitingNotes to PhysicianTreat symptomatically				
	5. Fi	ire-fighting measures		
Suitable Extinguishing Media	Water sprav	, carbon dioxide (CO2), dry chemical, a	Icohol-resistant foam Water mist may	

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	58 °C / 136.4 °F
Method -	Abel-Pensky (DIN 51755)
Autoignition Temperature	445 °C / 833 °F
Explosion Limits Upper Lower	15.2 vol % 2.2 vol %
Sensitivity to Mechanical Impac	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 2	Flammability 2	Instability 0	Physical hazards N/A	
		6. Accidental rel	ease measures		
Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Keep per away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all so of ignition. Take precautionary measures against static discharges.					
Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological					

Information.

Methods for Containment and CleanSoak up with inert absorbent material. Keep in suitable, closed containers for disposal.UpRemove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

	7. Handling and storage
Handling Use only under a chemical fume hood. Wear personal protective equipmed Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spr from open flames, hot surfaces and sources of ignition. Use only non-span spark-proof tools and explosion-proof equipment. Take precautionary mean static discharges.	
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Halogens. Halogens. Halogenated compounds. Reducing Agent

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Dimethylformamide	TWA: 5 ppm	(Vacated) TWA: 10 ppm	IDLH: 500 ppm	TWA: 10 ppm
	Skin	(Vacated) TWA: 30 mg/m ³	TWA: 10 ppm	
		Skin	TWA: 30 mg/m ³	
		TWA: 10 ppm	-	
		TWA: 30 mg/m ³		

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical propertiesPhysical StateLiquidAppearanceColorlessOdorRotten-egg likeOdor ThresholdNo information availablepH6-8 @ 20°C 20% aq.solMelting Point/Range-61 °C / -77.8 °FBoiling Point/Range153 °C / 307.4 °F

Flash Point Method - Evaporation Rate Flammability (solid,gas)	58 °C / 136.4 °F Abel-Pensky (DIN 51755) 0.17 Not applicable
Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight	15.2 vol % 2.2 vol % 4.9 mbar @ 20 °C 2.5 0.945 Soluble in water No data available 445 °C / 833 °F > 350°C 0.8 mPa.s at 20 °C C3 H7 N O 73.09
Surface tension	36.42 mN/m (25 °C)

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.	
Incompatible Materials	Strong oxidizing agents, Halogens, Halogenated compounds, Reducing Agent,	
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information	1						
LC50 Inhalation (DU	ST) VALUE	9400 mg/m ³ /24 (mou	se)				
LC50 Inhalation (VA	POR) VALUE	3421 ppm/h (rat)					
Component Informa	tion						
Componen	t	LD50 Oral		LD50 Dermal	LC50 I	nhalation	
Dimethylformar	nide	3040 mg/kg (Rat)		0 mg/kg (Rabbit) .2 g/kg (Rat)	>5.58 m	g/L/4h (Rat)	
Toxicologically Syn	ergistic	No information availa	able				
Products Delayed and immed	iate effects as	well as chronic effects	s from short an	d long-term expo	sure		
Irritation		Irritating to eyes	Irritating to eyes				
Sensitization No information available							
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a car				as a carcinogen.			
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Dimethylformamide	68-12-2	Group 2A	Not listed	A3	Х	Not listed	
Mutagenic Effects	Mutagenic Effects No information available						

Reproductive Effects	Experiments have shown reproductive toxicity effects on laboratory animals.
Developmental Effects	May cause harm to the unborn child. Developmental effects have occurred in experimental animals.
Teratogenicity	Teratogenic effects have occurred in experimental animals.
STOT - single exposure STOT - repeated exposure	Respiratory system Central nervous system (CNS) None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	May be harmful if absorbed through skin: Gastrointestinal discomfort: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information

Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information	
Dimethylformamide	Group III Chemical	Not applicable	Not applicable	
Other Adverse Effects The toxicological properties have not been fully investigated.				

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Freshwater Algae	Freshwater Fish	Microtox	Water Flea
EC50 = 7500 mg/L/96h		5	EC50 = 7500 mg/L/48h
l	Ű	EC50 = 570 mg/L 240 n	
l	Onchorhynchus mykiss:		
l	LC50 = 9.8 g/L/96h		
l	Lepomis macrochirus: LC50		
	= 6.3 g/L/96h		
	0	EC50 = 7500 mg/L/96h = 10.6 g/L/96h Onchorhynchus mykiss: LC50 = 9.8 g/L/96h Lepomis macrochirus: LC50	EC50 = 7500 mg/L/96h Pimephales promelas: LC50 EC50 = 2000 mg/L 5 min = 10.6 g/L/96h EC50 = 570 mg/L 240 h EC50 = 570 mg/L 240 h Onchorhynchus mykiss: LC50 = 9.8 g/L/96h EC50 = 570 mg/L 240 h

Persistence and Degradability

Persistence is unlikely

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its water solubility but will likely degrade over time. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dimethylformamide	-1.028

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT UN-No Proper Shipping Name Hazard Class Packing Group TDG	UN2265 N,N-DIMETHYLFORMAMIDE 3 III
UN-No Proper Shipping Name Hazard Class Packing Group	UN2265 N,N-DIMETHYLFORMAMIDE 3 III

UN-No	UN2265
Proper Shipping Name	N,N-DIMETHYLFORMAMIDE
Hazard Class	3
Packing Group	III
IMDG/IMO	
UN-No	UN2265
Proper Shipping Name	N,N-DIMETHYLFORMAMIDE
Hazard Class	3
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Dimethylformamide	68-12-2	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethylformamide	68-12-2	Х	-	200-679-5	Х	Х	Х	Х	Х	KE-11411

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Dimethylformamide	68-12-2	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Dimethylformamide	Х		-

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Dimethylformamide	100 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Dimethylformamide	68-12-2	Carcinogen	-	Carcinogen
U.S. State Right-to-Know	1			

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethylformamide	Х	Х	Х	Х	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	Y
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Dimethylformamide	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - (Toxic to Reproduction, Article 57c)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dimethylformamide	68-12-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Dimethylformamide	68-12-2	Not applicable	Not applicable	Not applicable	Annex I - Y42

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date	03-Sep-2009

Revision Date Print Date Revision Summary 25-Dec-2021 25-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS