

SAFETY DATA SHEET

Creation Date 12-Oct-2010

Revision Date 25-Dec-2021

Revision Number 6

Product Name	1. Identification tert-Butyl acrylate, stabilized			
Cat No. :	AC371130000; AC371130010; AC371130050; AC371130051; AC371131000			
CAS No Synonyms	1663-39-4 No information available			
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.			
Details of the supplier of the safety data sheet				

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Toxic if inhaled May cause respiratory irritation Harmful if swallowed or in contact with skin



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients			
Component 2-Propenoic acid, 1,1-dimethyle	ethyl ester	CAS No 1663-39-4	Weight %
		First-aid measures	
General Advice		ety data sheet to the doctor in attendan	ce. Immediate medical attention is
Eye Contact	In the case of advice.	contact with eyes, rinse immediately w	ith plenty of water and seek medical
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.		
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.		
Most important symptoms and effects	May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing		
Notes to Physician Treat symptomatically			
5. Fire-fighting measures			

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	11 °C / 51.8 °F
Method -	No information available
Autoignition Temperature	400 °C / 752 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health	h	Flammability	Instability	Physical hazards	
3		3	0	N/A	
		6. Accidental rele	ease measures		
Personal Precauti	ions	away from and upwind of spi		equate ventilation. Keep people safe areas. Remove all sources harges.	
Environmental Pro	ecautions	Do not flush into surface wat		0	
Methods for Conta Up	ainment and Clea	n Soak up with inert absorbent Remove all sources of ignitio	material. Keep in suitable, clos n. Use spark-proof tools and e		
		7. Handling a	nd storage		
Handling		Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.			
Storage.		Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents.			
8. Exposure controls / personal protection					
<u>Legend</u>					
ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health					
Engineering Meas	sures	are close to the workstation I	ime hood. Ensure that eyewas ocation. Use explosion-proof e ventilation, especially in confi	lectrical/ventilating/lighting	

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
	9. Physical and chemical properties

	9. Physical and chemical properties	
Physical State	Liquid	
Appearance	Clear	
Odor	aromatic	

tert-Butyl acrylate, stabilized

Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity	No information available No information available -69 °C / -92.2 °F 121 °C / 249.8 °F @ 760 mmHg 11 °C / 51.8 °F No information available Not applicable 7% 0.7% No information available No information available 0.883 2g/L No data available 400 °C / 752 °F No information available 0.9 mPa.s at 20 °C
Viscosity Molecular Formula	0.9 mPa.s at 20 °C C7 H12 O2
Molecular Weight	128.17

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component Information							
Component	t	LD50 Oral LD50 Dermal LC50 Inhalation					
2-Propenoic acid, 1,1-d	imethylethyl L	.D50 = 1047 mg/kg (F	D50 = 1047 mg/kg (Rat) LD50 = 2000 mg/kg (Rabbit) LC50 = 7 mg/L (Rat) 4 h				
ester							
Toxicologically Syne	ergistic	No information ava	ailable				
Products							
Delayed and immed	iate effects as v	vell as chronic effe	cts from short an	d long-term expo	sure		
Irritation		Irritating to skin					
Sensitization	May cause sensitization by skin contact						
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.							
Component	CAS No	IARC NTP ACGIH OSHA Mexico					
2-Propenoic acid,	1663-39-4	Not listed	Not listed	Not listed	Not listed	Not listed	
1,1-dimethylethyl ester							

Mutagenic Effects No information available

Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	Respiratory system None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
2-Propenoic acid,	EC50: = 280 mg/L, 72h	LC50: = 1.81 mg/L, 96h	EC50 > 10000 mg/L 30 min	EC50: = 57 mg/L, 48h	
1,1-dimethylethyl ester	(Desmodesmus subspicatus)	semi-static (Oncorhynchus mykiss)		(Daphnia magna)	
Persistence and Degradability Persistence is unlikely					

Persistence and Degradability

Persistence is unlikely

Bioaccumulation/Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
2-Propenoic acid, 1,1-dimethylethyl ester	2.32

13. Disposal considerations

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN1992
Proper Shipping Name	FLAMMABLE LIQUIDS, TOXIC, N.O.S.
Technical Name	2-Propenoic acid, 1,1-dimethylethyl ester
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II
TDG	
UN-No	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II

UN-No	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II
IMDG/IMO	
UN-No	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
2-Propenoic acid, 1,1-dimethylethyl ester	1663-39-4	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
2-Propenoic acid,	1663-39-4	Х	-	216-768-7	Х	Х	Х	Х	Х	KE-29493
1,1-dimethylethyl ester										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	

U.S. Department of Transportation	
Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
2-Propenoic acid,	-	Use restricted. See item 75.	-
1,1-dimethylethyl ester		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Propenoic acid, 1,1-dimethylethyl ester	1663-39-4	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
2-Propenoic acid, 1,1-dimethylethyl ester	1663-39-4	200 tonne	500 tonne	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	12-Oct-2010 25-Dec-2021 25-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS