

# SAFETY DATA SHEET

Creation Date 14-Sep-2009

Revision Date 25-Dec-2021

**Revision Number** 4

Product Name	n-Heptane
Cat No. :	AC383790000; AC383790010; AC383790025; AC383790050; AC383790250
CAS No	142-82-5
Synonyms	Normal heptane.; Heptane
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

<u>Company</u> Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Central nervous system (CNS).	
Specific target organ toxicity - (repeated exposure)	Category 2
Target Organs - Kidney, Liver, Blood.	
Aspiration Toxicity	Category 1

# Label Elements

Signal Word Danger

#### **Hazard Statements**

Highly flammable liquid and vapor May cause drowsiness or dizziness May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause damage to organs through prolonged or repeated exposure



# Precautionary Statements

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Take precautionary measures against static discharge

# Keep cool

Response

Get medical attention/advice if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

# Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component		CAS No	Weight %
n-Heptane	142-82-5 >95		
	4.	First-aid measures	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact	Wash off imm	nediately with plenty of water for at leas	t 15 minutes. Get medical attention.
Inhalation	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention. Risk of serious damage to the lungs (by aspiration). If not breathing, give artificial respiration.		
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.		
Most important symptoms and effects Notes to Physician	Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically		
	5. Fir	re-fighting measures	
Suitable Extinguishing Media	g Media CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.		
Unsuitable Extinguishing Media	Water may be ineffective		
Flash Point	-4 °C / 24.8 °F		
Method -	No information available		
Autoignition Temperature	215 °C / 41	9 °F	
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge			

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

# **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 3	Instability 0	Physical hazards N/A			
	6. Accidental release measures					
Personal Precautions	Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing					

Environmental Precautions	Ensure adequate ventilation. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.
Methods for Containment and Clean Up	Remove all sources of ignition. Soak up with inert absorbent material. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal.
	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Wash hands before breaks and immediately after handling the product. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents.
8. Ex	posure controls / personal protection
Experience Cuidelines	

# Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
n-Heptane	TWA: 400 ppm STEL: 500 ppm	(Vacated) TWA: 400 ppm (Vacated) TWA: 1600 mg/m <sup>3</sup> (Vacated) STEL: 500 ppm (Vacated) STEL: 2000	IDLH: 750 ppm TWA: 85 ppm TWA: 350 mg/m <sup>3</sup> Ceiling: 440 ppm	TWA: 400 ppm STEL: 500 ppm
		TWA: 2000 mg/m <sup>3</sup> TWA: 2000 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup>	

# <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Q	9. Physical and chemical properties
Physical State	Liquid

Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula Molecular Weight	Appearance Odor Odor Threshold pH
Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	•
Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	
Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	
Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Evaporation Rate
Upper Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Flammability (solid,gas)
Lower Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Flammability or explosive limits
Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Upper
Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Lower
Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Vapor Pressure
Solubility Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Vapor Density
Partition coefficient; n-octanol/water Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Specific Gravity
Autoignition Temperature Decomposition Temperature Viscosity Molecular Formula	Solubility
Decomposition Temperature Viscosity Molecular Formula	Partition coefficient; n-octanol/water
Viscosity Molecular Formula	Autoignition Temperature
Molecular Formula	Decomposition Temperature
Molecular Weight	Molecular Formula
	Molecular Weight

Colorless Petroleum distillates No information available No information available -91 °C / -131.8 °F 98 °C / 208.4 °F -4 °C / 24.8 °F 2.8 (Butyl Acetate = 1.0) Not applicable 6.7 vol % 1.05 vol % 48 mbar @ 20 °C 3.5 0.683 Insoluble in water No data available 215 °C / 419 °F No information available 0.4 mPa s at 20 °C C7 H16 100.20

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Product	ts Carbon monoxide (CO), Carbon dioxide (CO₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

# Acute Toxicity

# Product Information

n-Heptane

142-82-5

Not listed

Component Information	on					
Component		LD50 Oral LD50 Dermal LC50 Inhalati				nhalation
n-Heptane		>2000 mg/kg (rat) LD50 = 3000 mg/kg (Rabbit) LC50 > 73.5 mg/L (Rat) 4 h				
Toxicologically Synergistic No information available Products Delayed and immediate effects as well as chronic effects from short and long-term exposure						
rritation		Irritating to eyes a	nd skin			
Sensitization No information available						
Carcinogenicity		The table below in	dicates whether ea	ach agency has list	ed any ingredient a	s a carcinogen
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico

Not listed

Not listed

Not listed

Not listed

Mutagenic Effects	No information available
Reproductive Effects	No information available.
Developmental Effects	No information available.
Teratogenicity	No information available.
STOT - single exposure STOT - repeated exposure	Central nervous system (CNS) Kidney Liver Blood
Aspiration hazard	Aspiration hazard
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
n-Heptane	Not listed	LC50: = 375.0 mg/L, 96h (Cichlid fish)	Not listed	EC50: >10 mg/L/24h
Persistence and Degrada	bility Persistence i	s unlikely		

#### **Bioaccumulation/Accumulation**

No information available.

Mobility

The product is insoluble and floats on water. Is not likely mobile in the environment due its low water solubility.

Component	log Pow	
n-Heptane	4.66	

# 13. Disposal considerations

Waste Disposal MethodsChemical waste generators must determine whether a discarded chemical is classified as a<br/>hazardous waste. Chemical waste generators must also consult local, regional, and<br/>national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information				
DOT				
UN-No	UN1206			
Proper Shipping Name	HEPTANES			
Hazard Class	3			
Packing Group	П			
TDG				
UN-No	UN1206			
Proper Shipping Name	HEPTANES			
Hazard Class	3			
Packing Group	II			
IATA				
UN-No	UN1206			
Proper Shipping Name	Heptanes			
Hazard Class	3			

Packing Group	П
IMDG/IMO UN-No	UN1206
Proper Shipping Name	Heptanes
Hazard Class Packing Group	3 
	15. Re

15. Regulatory information

# United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
n-Heptane	142-82-5	Х	ACTIVE	-

# Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

# International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
n-Heptane	142-82-5	Х	-	205-563-8	Х	Х	Х	Х	Х	KE-18271

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

------

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
n-Heptane	Х	Х	Х	-	Х

# U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	Y
DOT Severe Marine Pollutant	N

### U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

# Other International Regulations

Mexico - Grade

Serious risk, Grade 3

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
n-Heptane	-	Use restricted. See item 75.	-
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
n-Heptane	142-82-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS NO	Seveso in Directive	Seveso III Directive	Rotterdam	Basel Convention
	l	(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
	l	for Major Accident	for Safety Report		
		Notification	Requirements		
n-Heptane	142-82-5	Not applicable	Not applicable	Not applicable	Not applicable
			(2012/18/EC) - Qualifying Quantities for Major Accident Notification	(2012/18/EC) - (2012/18/EC) - Qualifying Quantities for Major Accident Notification Requirements	(2012/18/EC) - (2012/18/EC) - Convention (PIC) Qualifying Quantities for Major Accident Notification Requirements

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	14-Sep-2009 25-Dec-2021 25-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**