

# **SAFETY DATA SHEET**

Creation Date 04-Feb-2010 Revision Date 26-Dec-2021 Revision Number 7

1. Identification

Product Name 1,2-Dichloroethane

Cat No.: AC406830000; AC406830025; AC406835000

CAS No 107-06-2

Synonyms Ethylene dichloride; EDC

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2 Acute oral toxicity Category 4 Acute Inhalation Toxicity - Vapors Category 3 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Carcinogenicity Category 1B Specific target organ toxicity (single exposure) Category 3 Target Organs - Respiratory system, Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, Liver, Heart, Blood.

### Label Elements

### Signal Word

#### Danger

#### **Hazard Statements**

Highly flammable liquid and vapor

Harmful if swallowed

Causes skin irritation

Causes serious eye irritation

Toxic if inhaled

May cause respiratory irritation

May cause drowsiness or dizziness

May cause cancer

May cause damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

### **Fire**

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Ethylene dichloride	107-06-2	>95

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Difficulty in breathing. May cause cardiac arrhythmia. May cause central nervous system depression: Symptoms may include tightness in the chest, flushing, headache, nausea,

vomiting, respiratory depression, weakness, irregular heartbeat, abdominal pain,

convulsions, and shock Treat symptomatically

Notes to Physician

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective

**Flash Point** 13 °C / 55.4 °F

Method - No information available

Autoignition Temperature 440 °C / 824 °F

**Explosion Limits** 

**Upper** 15.9 vol % **Lower** 6.2 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors.

Revision Date 26-Dec-2021 1,2-Dichloroethane

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Phosgene. Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health **Flammability** Instability Physical hazards 3 N/A

## 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, Remove all sources of ignition. Take precautionary measures against static discharges. Should not be released into the environment. See Section 12 for additional Ecological Information.

**Environmental Precautions** 

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Up

## 7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Bases. Alkali metals.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethylene dichloride	TWA: 10 ppm	(Vacated) TWA: 1 ppm	IDLH: 50 ppm	TWA: 40 mg/m <sup>3</sup>
		(Vacated) TWA: 4 mg/m <sup>3</sup>	TWA: 1 ppm	_
		Ceiling: 100 ppm	TWA: 4 mg/m <sup>3</sup>	
		(Vacated) STEL: 2 ppm	STEL: 2 ppm	
		(Vacated) STEL: 8 mg/m <sup>3</sup>	STEL: 8 mg/m <sup>3</sup>	
		TWA: 50 ppm	_	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** 

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

**Eye/face Protection** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorsweetOdor Threshold400 ppm

PH No information available

 Melting Point/Range
 -35 °C / -31 °F

 Boiling Point/Range
 81 - 85 °C / 177.8

 Boiling Point/Range
 81 - 85 °C / 177.8 - 185 °F

 Flash Point
 13 °C / 55.4 °F

Evaporation Rate 6.5 (Butyl Acetate = 1.0)

Flammability (solid,gas)

Not applicable
Flammability or explosive limits

**Upper** 15.9 vol % **Lower** 6.2 vol %

Vapor Pressure 65 mmHg @ 29 °C

Vapor Density 3.4 Specific Gravity 1.250

SolubilityInsoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature440 °C / 824 °FDecomposition TemperatureNo information availableViscosity0.8 mPa s at 20 °C

Viscosity 0.8 mPa s : Molecular Formula C2 H4 Cl2

Molecular Formula C2 H4 Cl2 Molecular Weight 98.96

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Bases, Alkali metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Phosgene, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

Product Information Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene dichloride	625 mg/kg (Rat)	2800 mg/kg (Rabbit)	28.79 mg/L ( Rat ) 1h
	413 mg/kg ( Mouse )		7.8 mg/l ( Rat ) 4h

Revision Date 26-Dec-2021 1,2-Dichloroethane

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethylene dichloride	107-06-2	Group 2B	Reasonably	Not listed	Х	Not listed
		· '	Anticipated			

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system Central nervous system (CNS)

STOT - repeated exposure Kidney Liver Heart Blood

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and May cause central nervous system depression: Symptoms may include tightness in the chest, flushing, headache, nausea, vomiting, respiratory depression, weakness, irregular

heartbeat, abdominal pain, convulsions, and shock

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

### **Ecotoxicity**

Do not empty into drains.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
subcapitata)  EC50: = 166 mg/L, 96h static (Desmodesmus subspicatus)  LC50: = 225 mg/L, 96h static (Oncorhynchus mykiss)	Ethylene dichloride	EC50: > 433 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 166 mg/L, 96h static (Desmodesmus subspicatus)	flow-through (Lepomis macrochirus) LC50: 110 - 123 mg/L, 96h flow-through (Pimephales promelas) LC50: = 225 mg/L, 96h static		EC50: 140 - 190 mg/L, 48h Static (Daphnia magna)

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

Component	log Pow
Ethylene dichloride	1.45

## 13. Disposal considerations

### **Waste Disposal Methods**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Ethylene dichloride - 107-06-2	U077	-

## 14. Transport information

DOT

**UN-No** UN1184

Proper Shipping Name ETHYLENE DICHLORIDE

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

TDG

UN-No UN1184

Proper Shipping Name ETHYLENE DICHLORIDE

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

<u>IATA</u>

**UN-No** UN1184

Proper Shipping Name ETHYLENE DICHLORIDE

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

IMDG/IMO

UN-No UN1184

Proper Shipping Name ETHYLENE DICHLORIDE

Hazard Class 3 Subsidiary Hazard Class 6.1 Packing Group II

## 15. Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethylene dichloride	107-06-2	X	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

## TSCA 12(b) - Notices of Export

Component	CAS No	TSCA 12(b) - Notices of Export
Ethylene dichloride	107-06-2	Section 4

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

	Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
--	-----------	--------	-----	------	--------	-------	------	------	------	-------	------

Γ	Ethylene dichloride	107-06-2	Х	-	203-458-1	Х	Х	Х	Х	Х	KE-10121

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Ethylene dichloride	107-06-2	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

	Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
1	Ethylene dichloride	X	100 lb	Х	Х

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors	
Ethylene dichloride	X		-	

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Ethylene dichloride	100 lb 1 lb	-	

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethylene dichloride	107-06-2	Carcinogen	10 μg/day	Carcinogen

## U.S. State Right-to-Know

## Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethylene dichloride	X	X	X	X	-

## **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade Serious risk, Grade 3

## Authorisation/Restrictions according to EU REACH

Component			REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)	
Ethylene dichloride	Carcinogenic Category 1B,Article 57	Use restricted. See item 28.	SVHC Candidate list - Carcinogenic,	

	Application date: May 22, 2016	(see link for restriction details)	Article 57a
	Sunset date: November 22, 2017	Use restricted. See item 75.	
	Exemption - None	(see link for restriction details)	

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)	
Ethylene dichloride	107-06-2	Listed	Not applicable	Not applicable	Not applicable	
Component	CAS No	for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)	
		Notification	Requirements			
Ethylene dichloride	107-06-2	Not applicable	Not applicable	X	Annex I - Y45	

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 04-Feb-2010

 Revision Date
 26-Dec-2021

 Print Date
 26-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**