

SAFETY DATA SHEET

Creation Date 17-Jan-2011

Revision Date 26-Dec-2021

Revision Number 9

1. Identification

Product Name

Magnesium

Cat No. : AC413380000; AC413380250; AC413381000

CAS No Synonyms 7439-95-4 Magnesium metal (ribbons/turnings)

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

<u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Self-heating substances and mixtures Substances/mixtures which, in contact with water, emit flammable gases

Category 1 Category 2 Category 2

Label Elements

Signal Word Danger

Hazard Statements

Flammable solid Self-heating in large quantities; may catch fire In contact with water releases flammable gas



Precautionary Statements Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool. Protect from sunlight

Keep away from any possible contact with water, because of violent reaction and possible flash fire

Handle under inert gas. Protect from moisture

Skin

Brush off loose particles from skin. Immerse in cool water/wrap with wet bandages

Fire

In case of fire: Use fire-fighting equipment on basis class D for extinction

Storage

Maintain air gap between stacks/pallets

Store away from other materials

Store in a dry place. Store in a closed container

Store bulk masses at temperatures not exceeding manufacturer recommendations

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	Component		Weight %		
Magnesium	Magnesium		>95		
	4.	First-aid measures			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.				
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration.				
Ingestion	Do NOT induce vomiting. Get medical attention.				
Most important symptoms and effects	No information available.				
Notes to Physician	Treat symptomatically				

5. Fire-fighting measures

Suitable Extinguishing Media	Dry chemical. approved class D extinguishers. clay. sodium carbonate.			
Unsuitable Extinguishing Media	No information available			
Flash Point	500 °C / 932 °F			
Method -	No information available			
Autoignition Temperature	472.8 °C / 883 °F			
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	No data available No data available t No information available No information available			
Specific Hazards Arising from the Chemical Water reactive. Produce flammable gases on contact with water. Flammable.				

Hazardous Combustion Products Magnesium oxides. Hydrogen. Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 0	Flammability 4	Instability 2	Physical hazards W		
		6. Accidental re	lease measures			
Personal	Precautions	Use personal protective ec formation. Remove all sou		dequate ventilation. Avoid dust		
Environm	nental Precautions	See Section 12 for addition				
Methods Up	for Containment and C	lean Pick up and transfer to pro expose spill to water.	perly labelled containers. Rem	ove all sources of ignition. Do not		
		7. Handling	and storage			
Handling			the product. Ensure adequate	Wash hands before breaks and ventilation. Wear personal		
Storage.		Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Keep from any possible contact with water. Store under ar inert atmosphere. Incompatible Materials. Acids. Strong oxidizing agents. Halogens. A chlorides.				
	8.	Exposure controls	/ personal protecti	on		
Exposure	e Guidelines		tain any hazardous materials w gion specific regulatory bodies.			
Engineer	ing Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showe are close to the workstation location.				

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No special protective equipment required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Solid

Physical State
Appearance
Odor
Odor Threshold
рН
Melting Point/Range
Boiling Point/Range
Flash Point
Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

Silver Odorless No information available 7 651 °C / 1203.8 °F 1107 °C / 2024.6 °F 500 °C / 932 °F Not applicable No information available No data available No data available negligible Not applicable No information available No information available No data available 472.8 °C / 883 °F No information available Not applicable Mg 24.3

10. Stability and reactivity

Reactive Hazard	Yes			
Stability	Stable under normal conditions. Air sensitive. Water reactive.			
Conditions to Avoid	Protect from water. Exposure to air. Incompatible products. Exposure to moist air or water.			
Incompatible Materials	Acids, Strong oxidizing agents, Halogens, Acid chlorides			
Hazardous Decomposition Products Magnesium oxides, Hydrogen				
Hazardous Polymerization	Hazardous polymerization does not occur.			
Hazardous Reactions	None under normal processing.			

11. Toxicological information

Acute Toxicity

Product Information Component Information			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation

Magnesiur	n L	_D50 = 230 mg/kg(R	at)	Not listed	sted Not listed				
	Toxicologically Synergistic No information available								
Delayed and immed	diate effects as w	ell as chronic effe	cts from short ar	d long-term expo	osure				
Irritation		May cause irritation							
Sensitization		No information ava	ailable						
Carcinogenicity		The table below in	The table below indicates whether each agency has listed any ingredient as a c						
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico			
Magnesium Mutagenic Effects	7439-95-4	Not listed	Not listed	Not listed	Not listed	Not listed			
Mulagenic Enecis		NO INOTTALION AVA	allable						
Reproductive Effec	ts	No information ava	ailable.						
Developmental Effe	ects	No information ava	ailable.						
Teratogenicity		No information ava	ailable.						
STOT - single expo STOT - repeated ex		None known None known							
Aspiration hazard		No information ava	ailable						
Symptoms / effects delayed	s,both acute and	d No information available							
Endocrine Disrupto	or Information	No information available							
Other Adverse Effe	cts	The toxicological properties have not been fully investigated.							
		12. Ecol	ogical infor	mation					
<u>Ecotoxicity</u> Contains no substan	ces known to be h	nazardous to the en	vironment or that a	are not degradable	in waste water trea	atment plants.			
Persistence and De	egradability	ty Insoluble in water							
Bioaccumulation/ A	Accumulation	No information available.							
Mobility		Is not likely mobile in the environment due its low water solubility.							
		13. Dispo	sal conside	erations					
Waste Disposal Me	thods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.							
		14. Tran	sport infor	mation					
DOT_ UN-No		UN1869							
Proper Shipping	g Name	MAGNESIUM							
Hazard Class	-	4.1							
Packing Group		111							
_ <u>TDG</u> UN-No		UN1869							
Proper Shipping	g Name	MAGNESIUM							
Hazard Class		4.1							

Packing Group	III
IATA	
UN-No	UN1869
Proper Shipping Name	MAGNESIUM
Hazard Class	4.1
Packing Group	111
IMDG/IMO	
UN-No	UN1869
Proper Shipping Name	MAGNESIUM
Hazard Class	4.1
Packing Group	III
	15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Magnesium	7439-95-4	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Magnesium	7439-95-4	Х	-	231-104-6	Х	Х		Х	Х	KE-22673

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Magnesium	Х	Х	Х	-	Х

U.S. Department of Transportation Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland	This product contains the following

Security

This product contains the following DHS chemicals: **Legend** - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard
Magnesium	-

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Magnesium	7439-95-4	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Magnesium	7439-95-4	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information			
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com			
Creation Date Revision Date Print Date Revision Summary	17-Jan-2011 26-Dec-2021 26-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).			
D' L'				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS