

SAFETY DATA SHEET

Creation Date 20-Jan-2010 Revision Date 26-Dec-2021 Revision Number 6

1. Identification

Product Name Chloroform, stabilized with ethanol

Cat No. : AC423550000; AC423550010; AC423550025; AC423550040;

AC423550250; AC423550251; AC423555000

CAS No 67-66-3

Synonyms Formyl trichloride; Methane trichloride; Methenyl trichloride

Recommended Use Laboratory chemicals.

Uses advised against .

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 2

Carcinogenicity

Category 2

Reproductive Toxicity

Specific target organ toxicity (single exposure)

Category 2

Category 2

Category 2

Category 2

Target Organs - Respiratory system, Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Heart, Liver, Kidney, Blood.

Label Elements

Signal Word

Danger

Hazard Statements

Harmful if swallowed

Causes skin irritation

Causes serious eye irritation

Toxic if inhaled

May cause respiratory irritation

May cause drowsiness or dizziness

Suspected of causing cancer

Suspected of damaging the unborn child

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|---------------|---------|----------|
| Chloroform | 67-66-3 | >99 |
| Ethyl alcohol | 64-17-5 | <0.8 |

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

. Symptoms of overexposure are dizziness, headache, tiredness, nausea,

unconsciousness, cessation of breathing: May cause decreases in blood pressure and

other cardiac effects: Symptoms may be delayed

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing MediaSubstance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper
Lower
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No data available
No information available
No information available

Specific Hazards Arising from the Chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards211

6. Accidental release measures

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

away from and upwind of spill/leak. Evacuate personi

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not

ingest. If swallowed then seek immediate medical assistance.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct

sunlight. Store under an inert atmosphere. Protect from moisture. Incompatible Materials.

Strong oxidizing agents. Alkali metals. Aluminium. Acetone.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|---------------|----------------|---------------------------------------|------------------------------|-----------------------------|
| Chloroform | TWA: 10 ppm | (Vacated) TWA: 2 ppm | IDLH: 500 ppm | TWA: 10 ppm |
| | | (Vacated) TWA: 9.78 mg/m ³ | STEL: 2 ppm | TWA: 50 mg/m ³ |
| | | Ceiling: 50 ppm | STEL: 9.78 mg/m ³ | STEL: 50 ppm |
| | | Ceiling: 240 mg/m ³ | _ | STEL: 225 mg/m ³ |
| | | | | _ |
| | | | | |
| Ethyl alcohol | STEL: 1000 ppm | (Vacated) TWA: 1000 ppm | IDLH: 3300 ppm | STEL: 1000 ppm |
| | | (Vacated) TWA: 1900 mg/m ³ | TWA: 1000 ppm | |
| | | TWA: 1000 ppm | TWA: 1900 mg/m ³ | |
| | | TWA: 1900 mg/m ³ | | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid Appearance Colorless

Odor aromatic Slight sweet **Odor Threshold** No information available No information available -63 °C / -81.4 °F

Melting Point/Range 61 °C / 141.8 142.7 °F **Boiling Point/Range** Flash Point No information available **Evaporation Rate** 11.6 (Butyl Acetate = 1.0)

Flammability (solid,gas) Not applicable

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** 213 mbar @ 20 °C Vapor Density 4.12 (Air = 1.0)1.480

Specific Gravity

Solubility Slightly soluble in water Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available **Decomposition Temperature** No information available 0.56 mPa.s @ 20 °C **Viscosity**

C H CI3 Molecular Formula **Molecular Weight** 119.38

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions. UNSTABLE (REACTIVE) UPON DEPLETION OF

INHIBITOR. Light sensitive.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Excess heat. Exposure to light. Protect

from moisture.

Incompatible Materials Strong oxidizing agents, Alkali metals, Aluminium, Acetone

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| oomponom mormanom | | | | |
|-------------------|--|-------------------------|---|--|
| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | |
| Chloroform | | LD50 > 20 g/kg (Rabbit) | LC50 = 10.5 mg/L (Rat) 4 h | |
| Ethyl alcohol | Ethyl alcohol LD50 = 10470 mg/kg OCED 401 (Rat) 3450 mg/kg (Mouse) | | LC50 = 117-125 mg/l (4h) OECD 403 (rat) 20000 ppm/10H (rat) | |

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes and skin

Sensitization No information available

NTP: (National Toxicity Program)

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. Limited evidence of a carcinogenic effect. Ethanol has been shown to be carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---------------|---------|------------|-------------|-------|------------|--------|
| Chloroform | 67-66-3 | Group 2B | Reasonably | A3 | X | A3 |
| | | | Anticipated | | | |
| Ethyl alcohol | 64-17-5 | Not listed | Known | A3 | Not listed | A3 |

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

No information available **Mutagenic Effects**

Mexico - Occupational Exposure Limits - Carcinogens

SUSPECT REPRODUCTIVE HAZARD - CONTAINS MATERIAL WHICH MAY INJURE **Reproductive Effects**

UNBORN CHILD (CAUSE BIRTH DEFECTS) (BASED ON ANIMAL DATA).

No information available. **Developmental Effects**

No information available. **Teratogenicity**

STOT - single exposure Respiratory system Central nervous system (CNS) STOT - repeated exposure Heart Liver Kidney Blood

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing: May cause decreases in blood pressure and other cardiac effects:

Symptoms may be delayed

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals. See actual entry in

RTECS for complete information.

12. Ecological information

Do not empty into drains. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|------------|----------------------|------------------------------|-------------------------|-----------------------|
| Chloroform | EC50 = 560 mg/L/48h | LC50: = 300 mg/L, 96h static | Photobacterium | EC50 = 28.9 mg/L/48h |
| | _ | (Poecilia reticulata) | phosphoreum: EC50 = 520 | _ |
| | | LC50: = 18 mg/L, 96h | mg/L/5 min | |
| | | flow-through (Lepomis | Photobacterium | |
| | | macrochirus) | phosphoreum: EC50 = 670 | |
| | | LC50: = 18 mg/L, 96h | mg/L/15 min | |
| | | flow-through (Oncorhynchus | Photobacterium | |

| | | mykiss) LC50: = 71 mg/L, 96h flow-through (Pimephales promelas) | phosphoreum: EC50 = 670 mg/L/30min | |
|---------------|---|--|--|---|
| Ethyl alcohol | EC50 (72h) = 275 mg/l (Chlorella vulgaris) | LC50 = 14200 mg/l/96h | Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min | EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h |

Persistence and Degradability

Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|---------------|---------|
| Chloroform | 2 |
| Ethyl alcohol | -0.32 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| | Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|-----|----------------------|------------------------|------------------------|
| - [| Chloroform - 67-66-3 | U044 | = |

14. Transport information

DOT

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1
Packing Group

_ TDG

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1
Packing Group

IATA

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN1888

Proper Shipping Name CHLOROFORM

Hazard Class 6.1
Packing Group III

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---------------|---------|------|--|--------------------------------|
| Chloroform | 67-66-3 | X | ACTIVE | - |
| Ethyl alcohol | 64-17-5 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|---------------|---------|-----|------|-----------|-------|------|------|------|-------|----------|
| Chloroform | 67-66-3 | Х | - | 200-663-8 | Χ | Χ | Х | Х | Χ | X |
| Ethyl alcohol | 64-17-5 | Х | - | 200-578-6 | Χ | Χ | Х | Х | Х | KE-13217 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 - Threshold Values % |
|------------|---------|----------|----------------------------------|
| Chloroform | 67-66-3 | >99 | 0.1 |

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | |
|------------|-------------------------------|--------------------------------|------------------------|---------------------------|--|
| Chloroform | X | 10 lb | X | X | |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|------------|-----------|-------------------------|-------------------------|
| Chloroform | X | | - |

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|------------|--------------------------|----------------|--|
| Chloroform | 10 lb 1 lb | 10 lb | |

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Component | CAS No | California Prop. 65 | Prop 65 NSRL | Category |
|---------------|---------|------------------------|--------------|---------------|
| Chloroform | 67-66-3 | Carcinogen | 20 μg/day | Developmental |
| | | Developmental | 40 μg/day | Carcinogen |
| Ethyl alcohol | 64-17-5 | Development (alcoholic | - | Developmental |
| , | | beverages only) | | Carcinogen |
| | | Carcinogen | | |

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------|---------------|------------|--------------|----------|--------------|
| Chloroform | X | X | X | X | Х |
| Ethyl alcohol | X | Х | X | Х | Х |

U.S. Department of Transportation

Chloroform, stabilized with ethanol

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product contains the following DHS chemicals:

Security Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard | | |
|------------|---|--|--|
| Chloroform | Release STQs - 20000lb | | |

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | • |
|------------|---|---|---|
| Chloroform | - | Use restricted. See item 32. | - |
| | | (see | |
| | | http://eur-lex.europa.eu/LexUriServ/L | |
| | | exUriServ.do?uri=CELEX:32006R190 | |
| | | 7:EN:NOT for restriction details) | |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---------------|---------|----------|---------------------------------|------------------------------|--|
| Chloroform | 67-66-3 | Listed | Not applicable | Not applicable | Not applicable |
| Ethyl alcohol | 64-17-5 | Listed | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---------------|---------|---|--|-------------------------------|---------------------------------------|
| Chloroform | 67-66-3 | Not applicable | Not applicable | Not applicable | Annex I - Y45 |
| Ethyl alcohol | 64-17-5 | Not applicable | Not applicable | Not applicable | Annex I - Y42 |

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 20-Jan-2010

 Revision Date
 26-Dec-2021

 Print Date
 26-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS