

SAFETY DATA SHEET

Creation Date 16-Jun-2009 Revision Date 28-Dec-2021 Revision Number 7

1. Identification

Product Name Acetonitrile

Cat No.: AC610960000; AC610961000

CAS No 75-05-8

Synonyms AN; Methyl cyanide; Ethanenitrile

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Serious Eye Damage/Eye Irritation

Category 2

Category 4

Category 2

Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation

Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|--------------|---------|----------|
| Acetonitrile | 75-05-8 | >95 |

4. First-aid measures

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye ContactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea

and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray. CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used

to cool closed containers.

Unsuitable Extinguishing Media Water may be ineffective, Do not use a solid water stream as it may scatter and spread fire

Flash Point 12.8 °C / 55 °F

Method - No information available

Autoignition Temperature 525 °C / 977 °F

Explosion Limits

Upper 16 vol %
Lower 3 vol %
Oxidizing Properties Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Hydrogen cyanide (hydrocyanic acid). Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards230N/A

6. Accidental release measures

Personal Precautions Remove all sources of ignition. Take precautionary measures against static discharges.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure

Environmental Precautions

adequate ventilation. Use personal protective equipment as required.

Information.

Methods for Containment and Clean Remove all sources of ignition. Take precautionary measures against static discharges. Provide adequate ventilation. Use spark-proof tools and explosion-proof equipment. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Prevent product from entering drains.

Should not be released into the environment. See Section 12 for additional Ecological

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Reducing Agent. Bases.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|--------------|-------------|---------------------------------------|---------------------------|------------------|
| Acetonitrile | TWA: 20 ppm | (Vacated) TWA: 40 ppm | IDLH: 137 ppm IDLH: 25 | TWA: 20 ppm |
| | Skin | (Vacated) TWA: 70 mg/m ³ | mg/m³ | |
| | | (Vacated) TWA: 5 mg/m ³ | TWA: 20 ppm | |
| | | (Vacated) STEL: 60 ppm | TWA: 34 mg/m ³ | |
| | | (Vacated) STEL: 105 mg/m ³ | | |
| | | TWA: 40 ppm | | |
| | | TWA: 70 mg/m ³ | | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that evewash stations

and safety showers are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting equipment.

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area **Hygiene Measures**

and clothing.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdoraromaticOdor Threshold170 ppm

pH No information available

 Melting Point/Range
 -46 °C / -50.8 °F

 Boiling Point/Range
 81 - 82 °C / 177.8

 Boiling Point/Range
 81 - 82 °C / 177.8 - 179.6 °F @ 760 mmHg

 Flash Point
 12.8 °C / 55 °F

Evaporation Rate 5.79

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper16 vol %Lower3 vol %

Vapor Pressure 97 mbar @ 20 °C

Vapor Density 1.42 Specific Gravity 0.781 Solubility miscible

Partition coefficient; n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
525 °C / 977 °F
No information available
0.36 cP at 20 °C

Molecular FormulaC2 H3 NMolecular Weight41.05

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Exposure to moisture.

Incompatible Materials Strong oxidizing agents, Strong acids, Reducing Agent, Bases

Hazardous Decomposition Products Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx), Carbon monoxide (CO),

Carbon dioxide (CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------|---------------------|-----------------------|-------------------------------|
| Acetonitrile | 450-787 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | LC50 = 3587 ppm (6.022 mg/l) |
| | 2460 mg/kg (Rat) | | (Mouse) 4h |
| | | | LC50 = 16,000 ppm (26.8 mg/l) |
| | | | (Rat) 4h |
| | | | |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|--------------|---------|------------|------------|------------|------------|------------|
| Acetonitrile | 75-05-8 | Not listed |

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|--------------|------------------|------------------------------|------------------------|------------|
| Acetonitrile | Not listed | LC50: = 1850 mg/L, 96h | EC50 = 28000 mg/L 48 h | Not listed |
| | | static (Lepomis macrochirus) | EC50 = 73 mg/L 24 h | |
| | | LC50: = 1000 mg/L, 96h | EC50 = 7500 mg/L 15 h | |
| | | static (Pimephales | _ | |
| | | promelas) | | |
| | | LC50: 1600 - 1690 mg/L, | | |
| | | 96h flow-through | | |
| | | (Pimephales promelas) | | |
| | | LC50: = 1650 mg/L, 96h | | |
| | | static (Poecilia reticulata) | | |
| | | | | |

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|--------------|---------|
| Acetonitrile | -0.34 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|------------------------|------------------------|------------------------|
| Acetonitrile - 75-05-8 | U003 | - |

14. Transport information

DOT

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

TDG

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1648

Proper Shipping Name ACETONITRILE

Hazard Class 3
Packing Group ||

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|--------------|---------|------|---|-----------------------------|
| Acetonitrile | 75-05-8 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|--------------|---------|-----|------|-----------|-------|------|------|------|-------|----------|
| Acetonitrile | 75-05-8 | Х | - | 200-835-2 | Х | X | Х | Х | Х | KE-00067 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

| Component | CAS No | Weight % | SARA 313 - Threshold Values % |
|--------------|---------|----------|----------------------------------|
| Acetonitrile | 75-05-8 | >95 | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| STITE (SISAIT TRAISE FISE) | | | | |
|----------------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
| Acetonitrile | - | - | X | X |

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|--------------|-----------|-------------------------|-------------------------|
| Acetonitrile | X | | - |

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|--------------|--------------------------|----------------|
| Acetonitrile | 5000 lb | - |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|--------------|---------------|------------|--------------|----------|--------------|
| Acetonitrile | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant Y
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Acetonitrile

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

| Component | , | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | |
|--------------|---|---|---|
| Acetonitrile | - | Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

75-05-8

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|--------------|---------|---|---------------------------------|------------------------------|--|
| Acetonitrile | 75-05-8 | Listed | Not applicable | Not applicable | Not applicable |
| Component | CAS No | Seveso III Directive | Seveso III Directive | Rotterdam | Basel Convention |
| | | (2012/18/EC) - | (2012/18/EC) - | Convention (PIC) | (Hazardous Waste) |
| | | Qualifying Quantities Qualifying Quantities | | | |
| | | for Major Accident | for Safety Report | | |
| | | Notification | Requirements | | |

16. Other information

Not applicable

Not applicable

Not applicable

Not applicable

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 16-Jun-2009

 Revision Date
 28-Dec-2021

 Print Date
 28-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS