

# **SAFETY DATA SHEET**

Creation Date 10-Sep-2009 Revision Date 24-Dec-2021 Revision Number 10

1. Identification

Product Name Chlorobenzene

Cat No.: B254-4; B254-4LC; B254-20; B254RS-200; B255-1; B255-500

CAS No 108-90-7

Synonyms Monochlorobenzene; Benzene chloride (Laboratory/Certified)

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 3
Acute Inhalation Toxicity - Vapors Category 4
Skin Corrosion/Irritation Category 2

#### Label Elements

## Signal Word

Warning

## **Hazard Statements**

Flammable liquid and vapor Causes skin irritation Harmful if inhaled



### **Precautionary Statements**

#### Prevention

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

#### Response

Get medical attention/advice if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

## Storage

Store in a well-ventilated place. Keep cool

## Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

| Component     | CAS No   | Weight % |
|---------------|----------|----------|
| Chlorobenzene | 108-90-7 | >95      |

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Notes to Physician

None reasonably foreseeable. Causes central nervous system depression: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media Water may be ineffective

**Flash Point** 23 °C / 73.4 °F

Method - No information available

Autoignition Temperature 590 °C / 1094 °F

**Explosion Limits** 

**Upper** 9.6 vol % **Lower** 1.8 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2      | 3            | 0           | N/A              |

#### 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

**Handling** Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Bases. Strong

reducing agents. Metals.

#### 8. Exposure controls / personal protection

**Exposure Guidelines** 

| Component     | ACGIH TLV   | OSHA PEL                             | NIOSH IDLH     | Mexico OEL (TWA) |
|---------------|-------------|--------------------------------------|----------------|------------------|
| Chlorobenzene | TWA: 10 ppm | (Vacated) TWA: 75 ppm                | IDLH: 1000 ppm | TWA: 5 ppm       |
|               |             | (Vacated) TWA: 350 mg/m <sup>3</sup> |                | STEL: 15 ppm     |
|               |             | TWA: 75 ppm                          |                |                  |
|               |             | TWA: 350 mg/m <sup>3</sup>           |                |                  |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting

equipment. Ensure that eyewash stations and safety showers are close to the workstation

location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**No protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Liquid Appearance Clear

**Odor** bitter almonds

Odor Threshold

pH

No information available
No information available

Melting Point/Range -45 °C / -49 °F
Boiling Point/Range 131 °C / 267.8 °F

Flash Point 23 °C / 73.4 °F Evaporation Rate 1 (Butyl Acetate = 1.0)

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 9.6 vol %

 Lower
 1.8 vol %

Vapor Pressure 12 mbar @ 20°C

Vapor Density 3.9 Specific Gravity 1.108

SolubilityModerately solublePartition coefficient; n-octanol/waterNo data availableAutoignition Temperature590 °C / 1094 °F

Decomposition Temperature > 132°C

Viscosity 0.8 mPa.s @ 20°C

Molecular FormulaC6 H5 ClMolecular Weight112.56

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under recommended storage conditions.

Revision Date 24-Dec-2021 Chlorobenzene

**Conditions to Avoid** Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Strong oxidizing agents, Bases, Strong reducing agents, Metals **Incompatible Materials** 

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

# **Product Information**

**Component Information** 

| Component     | LD50 Oral                    | LD50 Dermal                | LC50 Inhalation            |  |
|---------------|------------------------------|----------------------------|----------------------------|--|
| Chlorobenzene | LD50 2000 - 4000 mg/kg (Rat) | LD50 > 7940 mg/kg (Rabbit) | LC50 = 13.5 mg/L (Rat) 7 h |  |

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to skin

Sensitization No information available

Carcinogenicity

| I  | Component     | CAS No   | IARC       | NTP           | ACGIH            | OSHA       | Mexico |
|--|---------------|----------|------------|---------------|------------------|------------|--------|
|  | Chlorobenzene | 108-90-7 | Not listed | Not listed    | A3               | Not listed | A3     |
| ACGIH: (American Conference of Governmental Industrial |               |          |            | al A1 - Known | Human Carcinogen |            |        |

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects, both acute and Causes central nervous system depression: Symptoms of overexposure may be headache,

dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

## 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

| Component Freshwater Algae |                             | Freshwater Fish              | Microtox                 | Water Flea             |
|----------------------------|-----------------------------|------------------------------|--------------------------|------------------------|
| Chlorobenzene              | EC50: = 12.5 mg/L, 96h      | LC50: 36.35 - 58.19 mg/L,    | EC50 = 11.26 mg/L 30 min | EC50: = 0.59 mg/L, 48h |
|                            | static (Pseudokirchneriella | 96h static (Poecilia         | EC50 = 11.3 mg/L 30 min  | (Daphnia magna)        |
|                            | subcapitata)                | reticulata)                  | EC50 = 11.5 mg/L 15 min  |                        |
|                            | EC50: 2.55 - 420 mg/L, 96h  | LC50: 7 - 8.5 mg/L, 96h      | EC50 = 20 mg/L 10 min    |                        |
|                            | (Pseudokirchneriella        | flow-through (Pimephales     | EC50 = 9.36 mg/L 5 min   |                        |
|                            | subcapitata)                | promelas)                    |                          |                        |
|                            |                             | LC50: = 4.5 mg/L, 96h static |                          |                        |
|                            |                             | (Pimephales promelas)        |                          |                        |
|                            |                             | LC50: 6.9 - 7.9 mg/L, 96h    |                          |                        |
|                            |                             | flow-through (Lepomis        |                          |                        |
|                            |                             | macrochirus)                 |                          |                        |
|                            |                             | LC50: 4.1 - 4.9 mg/L, 96h    |                          |                        |
|                            |                             | static (Lepomis macrochirus) |                          |                        |
|                            |                             | LC50: 4.1 - 5.3 mg/L, 96h    |                          |                        |
|                            |                             | flow-through (Oncorhynchus   |                          |                        |
|                            |                             | mykiss)                      |                          |                        |
|                            |                             | LC50: = 91 mg/L, 96h static  |                          |                        |
|                            |                             | (Brachydanio rerio)          |                          |                        |
|                            |                             | ·                            |                          |                        |

Persistence and Degradability

Persistence is unlikely

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

| Component     | log Pow |
|---------------|---------|
| Chlorobenzene | 2.8     |

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component                | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Chlorobenzene - 108-90-7 | U037                   | -                      |

## 14. Transport information

DOT

**UN-No** UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

TDG

\_\_\_\_\_\_UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3 Packing Group III

IMDG/IMO

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

## 15. Regulatory information

#### **United States of America Inventory**

| Component     | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---------------|----------|------|---|-----------------------------|
| Chlorobenzene | 108-90-7 | X    | ACTIVE  | -                           |

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component     | CAS No   | DSL | NDSL | EINECS    | PICCS | ENCS | ISHL | AICS | IECSC | KECL     |
|---------------|----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Chlorobenzene | 108-90-7 | Χ   | -    | 203-628-5 | Х     | Χ    | Χ    | Х    | Х     | KE-25489 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

### **SARA 313**

| 1 | 0             | CACNE    | Mainht 0/ | CADA 242 Three-bald  |
|---|---------------|----------|-----------|----------------------|
|   | Component     | CAS No   | Weight %  | SARA 313 - Threshold |
|   |               |          |           | Values %             |
|   | Chlorobenzene | 108-90-7 | >95       | 1.0                  |

### SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

| OWA (Olcali Match Act) |               |                               |                                |                        |                           |  |
|------------------------|---------------|-------------------------------|--------------------------------|------------------------|---------------------------|--|
|                        | Component     | CWA - Hazardous<br>Substances | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |  |
|                        | Chlorobenzene | X                             | 100 lb                         | -                      | X                         |  |

### Clean Air Act

**CERCLA** 

| Component     | HAPS Data | Class 1 Ozone Depletors Class 2 Ozone Deple |   |  |
|---------------|-----------|---|---|--|
| Chlorobenzene | X         |   | - |  |

**OSHA** - Occupational Safety and

Not applicable

Health Administration

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

| Component     | Hazardous Substances RQs | CERCLA EHS RQs |  |
|---------------|--------------------------|----------------|--|
| Chlorobenzene | 100 lb 1 lb              | -              |  |

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component     | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------|---------------|------------|--------------|----------|--------------|
| Chlorobenzene | X             | X          | X            | X        | Х            |

**U.S. Department of Transportation** 

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Serious risk, Grade 3

#### Authorisation/Restrictions according to EU REACH

| Component     |   | REACH (1907/2006) - Annex XVII -<br>Restrictions on Certain Dangerous<br>Substances |   |
|---------------|---|---|---|
| Chlorobenzene | - | Use restricted. See item 75. (see link for restriction details)                     | - |

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component     | CAS No   | OECD HPV  | Persistent Organic<br>Pollutant  | Ozone Depletion<br>Potential  | Restriction of<br>Hazardous<br>Substances (RoHS) |
|---------------|----------|---|--|-------------------------------|--|
| Chlorobenzene | 108-90-7 | Listed  | Not applicable   | Not applicable                | Not applicable                                   |
|               |          |   |  |                               |  |
| Component     | CAS No   | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report<br>Requirements | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste)            |
| Chlorobenzene | 108-90-7 | Not applicable  | Not applicable   | Not applicable                | Annex I - Y45                                    |

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-Sep-2009

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary** This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**