

# SAFETY DATA SHEET

Creation Date 09-Dec-2009

Revision Date 13-Oct-2023

Revision Number 6

## 1. Identification

## **Product Name**

## Barium chloride dihydrate

Cat No. :	B33-10; B33-50; B34-3; B34-10; B34-100; B34-500
CAS No	10326-27-9
Synonyms	Barium dichloride dihydrate (Crystalline/Technical/Certified ACS)
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## <u>Company</u>

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

## **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Acute Inhalation Toxicity - Dusts and Mists Serious Eye Damage/Eye Irritation Category 3 Category 4 Category 2

#### Label Elements

Signal Word Danger

Hazard Statements Toxic if swallowed Causes serious eye irritation Harmful if inhaled



## Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wear eve/face protection Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Storage Store locked up Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Barium Chloride dihydrate	10326-27-9	100
Barium chloride	10361-37-2	-

	4. First-aid measures
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Most important symptoms and effects	None reasonably foreseeable.

#### Notes to Physician

Treat symptomatically

## 5. Fire-fighting measures

**Suitable Extinguishing Media** Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media	No information available
Flash Point Method -	Not applicable No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

#### **Specific Hazards Arising from the Chemical**

Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

## **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors. Chlorine. Hydrogen chloride gas.

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 1	Instability 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal Precautions	Use personal protective ec ventilation. Keep people av	uipment as required. Avoid dus way from and upwind of spill/lea	st formation. Ensure adequate ak. Evacuate personnel to safe
Environmental Precautions	areas. Should not be released inte Information.	o the environment. See Sectior	12 for additional Ecological

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

## 8. Exposure controls / personal protection

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Barium Chloride dihydrate	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 0.5 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
	-		TWA: 0.5 mg/m <sup>3</sup>	_
Barium chloride	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 0.5 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
	-		TWA: 0.5 mg/m <sup>3</sup>	_

## <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended Filter type:	Particulates filter conforming to EN 143.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical a	nd chemical properties
Physical State	Solid
Appearance	White
Odor	Odorless
Odor Threshold	No information available
pH	5 - 8 (5 %)
Melting Point/Range	962 °C / 1763.6 °F
Boiling Point/Range	1560 °C / 2840 °F @ 760 mmHg
Flash Point	Not applicable
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	No information available
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	BaCl2.2H2O
Molecular Weight	244.28

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Avoid dust formation. Incompatible products. Excess heat.

Incompatible Materials	Strong oxidizing agents
-	Thermal decomposition can lead to release of irritating gases and vapors, Chlorine, Hydrogen chloride gas
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.
	11. Toxicological information

## Acute Toxicity

.

#### Product Information Component Information

Component		LD50 Oral LD50 Dermal		LC50 Inhalation			
Barium Chloride d	ihydrate	LD50 = 100mg/kg (ATE 118mg/kg (rat) (anhydrous - IUCLID)	:)	Not listed	LD50 :	LD50 > 1.1 mg/L	
Barium chlor	ide L		D50 = 118 mg/kg ( Rat ) Not listed			LC50 > 1.1 mg/L (Rat) 243 min	
Foxicologically Syr Products	-	No information avail					
Delayed and immed	liate effects as w	ell as chronic effect	ts from short an	d long-term expo	<u>sure</u>		
rritation		No information avail	able				
Sensitization		No information avail	able				
Carcinogenicity		The table below ind	icates whether ea	ch agency has list	ed any ingredient a	as a carcinogen	
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Barium Chloride dihydrate	10326-27-9	Not listed	Not listed	Not listed	Not listed	Not listed	
Barium chloride	10361-37-2	Not listed Mutagenic effects ha	Not listed	Not listed	Not listed	Not listed	
Reproductive Effec		No information avail					
	013						
Feratogenicity		No information avail					
-	sure						
Feratogenicity STOT - single expo STOT - repeated ex	sure	No information avail None known	able.				
Feratogenicity STOT - single expo STOT - repeated ex Aspiration hazard	sure posure	No information avail None known None known	able. able				
Feratogenicity STOT - single expo STOT - repeated ex Aspiration hazard Symptoms / effects	sure posure s,both acute and	No information avail None known None known No information avail	able. able able				

 12. Ecological information

 Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea

Barium Chloride dihydrate	Not listed	LC50 >152 mg/L/96h (Danio	Not listed	Not listed			
Danum Chionde dinydrate	Not listed	rerio)	Not listed	Not listed			
Barium chloride	Not listed	Not listed	Not listed	EC50: = 14.5 mg/L, 48h (Daphnia magna)			
Persistence and Degradat	oility Soluble in w	vater Persistence is unlikely	based on information a	vailable.			
Bioaccumulation/ Accumu	Ilation No informat	ion available.					
Mobility	Will likely be	e mobile in the environment	due to its water solubili	ty.			
13. Disposal considerations							
Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.							
	14. Transport information						
DOT							
UN-No	UN1564						
Proper Shipping Name	BARIUM CO	OMPOUNDS, N.O.S.					
Hazard Class	6.1						
Packing Group	III						
TDG							
UN-No	UN1564						
Proper Shipping Name		OMPOUNDS, N.O.S.					
Hazard Class	6.1						
Packing Group	III						
IATA							
UN-No	UN1564						
Proper Shipping Name	Barium corr 6.1	npound, n.o.s.					
Hazard Class	6.1 						
Packing Group IMDG/IMO	111						
UN-No	UN1564						
		nound n o s					
Hazard Class	Proper Shipping Name     Barium compound, n.o.s.       Hazard Class     6.1						
Packing Group							
	15. Regulatory information						

## United States of America Inventory

	Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Γ	Barium Chloride dihydrate	10326-27-9	-	-	-
	Barium chloride	10361-37-2	Х	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

## TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

## International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea

(KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Barium Chloride dihydrate	10326-27-9	-	-	-	Х	Х	Х	Х	Х	-
Barium chloride	10361-37-2	Х	-	233-788-1	Х	Х	Х	Х	Х	KE-02037

**KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

## **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Barium Chloride dihydrate	10326-27-9	100	1.0
Barium chloride	10361-37-2	-	1.0

SARA 311/312 Hazard Categories	See section 2 for more information
SAILA STIJSTZ HAZATU GALEUUHES	

CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Barium Chloride	-	Х	Х	-	Х
dihydrate					
Barium chloride	-	Х	Х	-	Х

#### **U.S.** Department of Transportation

olo: Department of Transportation	
Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

# U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

## **Other International Regulations**

Mexico - Grade

No information available

## Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Barium Chloride dihydrate	10326-27-9	-	-	-
Barium chloride	10361-37-2	-	-	-

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Barium Chloride dihydrate	10326-27-9	Listed	Not applicable	Not applicable	Not applicable
Barium chloride	10361-37-2	Listed	Not applicable	Not applicable	Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

## Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Barium Chloride dihydrate	10326-27-9	Not applicable	Not applicable	Not applicable	Not applicable
Barium chloride	10361-37-2	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information	
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	09-Dec-2009 13-Oct-2023 13-Oct-2023 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**